

quick links

- [Login](#)
- [Help Pages](#)
- [About](#)

Computer Science > Machine Learning

arXiv:1803.06386 (cs)

[Submitted on 16 Mar 2018]

Forecasting Economics and Financial Time Series: ARIMA vs. LSTM

[Sima Siami-Namini](#), [Akbar Siami Namin](#)

[View PDF](#)

Forecasting time series data is an important subject in economics, business, and finance. Traditionally, there are several techniques to effectively forecast the next lag of time series data such as univariate Autoregressive (AR), univariate Moving Average (MA), Simple Exponential Smoothing (SES), and more notably Autoregressive Integrated Moving Average (ARIMA) with its many variations. In particular, ARIMA model has demonstrated its outperformance in precision and accuracy of predicting the next lags of time series. With the recent advancement in computational power of computers and more importantly developing more advanced machine learning algorithms and approaches such as deep learning, new algorithms are developed to forecast time series data. The research question investigated in this article is that whether and how the newly developed deep learning-based algorithms for forecasting time series data, such as "Long Short-Term Memory (LSTM)", are superior to the traditional algorithms. The empirical studies conducted and reported in this article show that deep learning-based algorithms such as LSTM outperform traditional-based algorithms such as ARIMA model. More specifically, the average reduction in error rates obtained by LSTM is between 84 - 87 percent when compared to ARIMA indicating the superiority of LSTM to ARIMA. Furthermore, it was noticed that the number of training times, known as "epoch" in deep learning, has no effect on the performance of the trained forecast model and it exhibits a truly random behavior.

Comments: 19 pages, 2 figures, 1 diagram, 2 listings

Subjects: **Machine Learning (cs.LG)**; Statistical Finance (q-fin.ST); Machine Learning (stat.ML)

Cite as:

[arXiv:1803.06386](#) [cs.LG]

(or [arXiv:1803.06386v1](#) [cs.LG] for this version)

<https://doi.org/10.48550/arXiv.1803.06386>

 Focus to learn more

arXiv-issued DOI via DataCite

Submission history

From: Akbar Siami Namin [[view email](#)]

[v1] Fri, 16 Mar 2018 20:01:48 UTC (2,647 KB)

Bibliographic Tools

Bibliographic and Citation Tools

Bibliographic Explorer Toggle

Bibliographic Explorer ([What is the Explorer?](#))

Litmaps Toggle

Litmaps ([What is Litmaps?](#))

scite.ai Toggle

scite Smart Citations ([What are Smart Citations?](#))

Code, Data, Media

Code, Data and Media Associated with this Article

Links to Code Toggle

CatalyzeX Code Finder for Papers ([What is CatalyzeX?](#))

DagsHub Toggle

DagsHub ([What is DagsHub?](#))

GotitPub Toggle

Gotit.pub ([What is GotitPub?](#))

Links to Code Toggle

Papers with Code ([What is Papers with Code?](#))

ScienceCast Toggle

ScienceCast ([What is ScienceCast?](#))

Demos

Demos

Replicate Toggle

Replicate ([What is Replicate?](#))

Spaces Toggle

Hugging Face Spaces ([What is Spaces?](#))

Spaces Toggle

TXYZ.AI ([What is TXYZ.AI?](#))

Related Papers

Recommenders and Search Tools

Link to Influence Flower

[Influence Flower \(What are Influence Flowers?\)](#)

Connected Papers Toggle

Connected Papers ([What is Connected Papers?](#))

Core recommender toggle

CORE Recommender ([What is CORE?](#))

IArxiv recommender toggle

IArxiv Recommender ([What is IArxiv?](#))


About arXivLabs

arXivLabs: experimental projects with community collaborators

arXivLabs is a framework that allows collaborators to develop and share new arXiv features directly on our website.

Both individuals and organizations that work with arXivLabs have embraced and accepted our values of openness, community, excellence, and user data privacy. arXiv is committed to these values and only works with partners that adhere to them.

Have an idea for a project that will add value for arXiv's community? [Learn more about arXivLabs](#).



[Which authors of this paper are endorsers?](#) | [Disable MathJax](#) ([What is MathJax?](#))