

Creation of a Gilded Trap by the High Economic Value of the Maine Lobster Fishery

Creación de una Trampa Dorada Debido al Alto Valor Económico de la Pesquería de Langosta en Maine

R. S. STENECK , T. P. HUGHES, J. E. CINNER, W. N. ADGER, S. N. ARNOLD, F. BERKES, S. A. BOUDREAU, K. BROWN, C. FOLKE, L. GUNDERSON, P. OLSSON, M. SCHEFFER, E. STEPHENSON ... See all authors 

First published: 28 July 2011

<https://doi.org/10.1111/j.1523-1739.2011.01717.x>

Citations: 194

Abstract

EN ES

Abstract: *Unsustainable fishing simplifies food chains and, as with aquaculture, can result in reliance on a few economically valuable species. This lack of diversity may increase risks of ecological and economic disruptions. Centuries of intense fishing have extirpated most apex predators in the Gulf of Maine (United States and Canada), effectively creating an American lobster (*Homarus americanus*) monoculture. Over the past 20 years, the economic diversity of marine resources harvested in Maine has declined by almost 70%. Today, over 80% of the value of Maine's fish and seafood landings is from highly abundant lobsters. Inflation-corrected income from lobsters in Maine has steadily increased by nearly 400% since 1985. Fisheries managers, policy makers, and fishers view this as a success. However, such lucrative monocultures increase the social and ecological consequences of future declines in lobsters. In southern New England, disease and stresses related to increases in ocean temperature resulted in more than a 70% decline in lobster abundance, prompting managers to propose closing that fishery. A similar collapse in Maine could fundamentally disrupt the social and economic foundation of its coast. We suggest the current success of Maine's lobster fishery is a gilded trap. Gilded traps are a type of social trap in which collective actions resulting from economically attractive opportunities outweigh concerns over associated social and ecological risks or consequences. Large financial gain creates a strong reinforcing feedback that deepens the trap. Avoiding or escaping gilded traps requires managing for increased biological and economic diversity. This is difficult to do prior to a crisis while financial incentives for maintaining the status quo are large. The long-term challenge is to shift fisheries management away from single species toward integrated social-ecological approaches that diversify local ecosystems, societies, and economies.*

Literature Cited

- Acheson, J. M. 2003. *Capturing the commons: devising institutions to manage the Maine lobster industry*. University Press of New England, Lebanon , New Hampshire.

Acheson, J. M., and R. S. Steneck. 1997. Examining the bust then boom in the Maine lobster industry: the perspectives of fishermen and biologists. *North American Journal of Fisheries Management* 17: 826–847.

[Google Scholar](#)

Berkes, F., et al. 2006. Globalization, roving bandits, and marine resources. *Science* 311: 1557–1558.

[CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#)

Boudreau, S. A., and B. Worm. 2010. Top-down control of lobster in the Gulf of Maine: insights from local ecological knowledge and research surveys. *Marine Ecology Progress Series* 403: 181–191.

[Web of Science®](#) | [Google Scholar](#)

Bourque, B. J., B. Johnson, and R. S. Steneck. 2007. Possible prehistoric hunter-gatherer impacts on food web structure in the Gulf of Maine. Pages 165–187 in J. Erlandson, and R. Torben, editors. *Human impacts on ancient marine environments*. University of California Press, Berkeley .

[Web of Science®](#) | [Google Scholar](#)

S. Bowles, S. N. Durlauf, and K. Hoff, editors. 2006. *Poverty traps*. Princeton University Press, Princeton , New Jersey .

[Google Scholar](#)

Butler, M. J., R. S. Steneck, and W. F. Herrnkind. 2006. Juvenile and adult ecology. Pages 263–309 in B. F. Phillips, editor. *Lobsters: biology, management, aquaculture, and fisheries*. Blackwell Scientific Press Oxford , United Kingdom.

[Google Scholar](#)

Canfield, C. 2008. *Lobster boat sales dead in the water*. Portland Press Herald, 17 March. Available from http://www.pressherald.com/archive/lobster-boat-sales-dead-in-the-water_2008-05-08.html (accessed December 2010).

[Google Scholar](#)

Castro, K., and T. Angell. 2000. Prevalence and progression of shell disease in American lobster, *Homarus americanus*, from Rhode Island waters and the offshore canyons. *Journal of Shellfish Research* 19: 691–700.

[Web of Science®](#) | [Google Scholar](#)

Castro, K. M., J. R. Factor, T. Angell, and D. F. Landers Jr. 2006. The conceptual approach to lobster shell disease revisited. *Journal of Crustacean Biology* 26: 646–660.

[Web of Science®](#) | [Google Scholar](#)

Chapin, F. S., III, et al. 2010. Ecosystem stewardship: sustainability strategies for a rapidly changing planet. *Trends in Ecology & Evolution* 25: 241–249.

| [PubMed](#) | [Web of Science®](#) | [Google Scholar](#) |

Cinner, J. 2010. Poverty and the use of destructive fishing gear near east African marine protected areas. *Environmental Conservation* 36: 321–326.

| [Web of Science®](#) | [Google Scholar](#) |

Cinner, J. E., C. Folke, T. Daw, and C. C. Hicks. 2010. Responding to change: using scenarios to understand how socioeconomic factors may influence amplifying or dampening exploitation feedbacks among Tanzanian fishers. *Global Environmental Change* DOI:[10.1016/j.gloenvcha.2010.09.001](https://doi.org/10.1016/j.gloenvcha.2010.09.001).

| [Google Scholar](#) |

Colgan, C. S. 2004. *The contribution of working waterfronts to the Maine economy*. Maine's Working Waterfront Coalition, Portland , Maine . Available from <http://www.maine.gov/spo/coastal/downloads/workingwaterfront/workingwaterfronteconomy.pdf> (accessed December 2010).

| [Google Scholar](#) |

Collins, J. W., and R. Rathbun. 1887. Fishing grounds of the eastern coast of North America. Pages 247–313 in G. B. Goode, editor. *The fisheries and fishing industries of the U.S. section III*. U.S. Government Printing Office, Washington , D.C. .

| [Google Scholar](#) |

Conkling, P. 2008. The long view: the Maine lobster business model is broken. *The Working Waterfront*: 31 October 2008. Available from <http://www.workingwaterfront.com/articles/The-Long-View-The-Maine-lobster-business-model-is-broken/12778/> (accessed December 2010).

| [Google Scholar](#) |

Corson, T. 2005. *The secret life of lobsters: how fishermen and scientists are unraveling the mysteries of our favorite crustacean*. Harper Collins, New York .

| [Google Scholar](#) |

Costanza, R. 1987. Social traps and environmental policy. *BioScience* 37: 407–412.

| [Web of Science®](#) | [Google Scholar](#) |

Costanza, R., H. Daly, C. Folke, P. Hawken, C. S. Holling, T. McMichael, D. Pimentel, and D. Rapport. 2000. Managing our environmental portfolio. *BioScience* 50: 149–155.

| [Web of Science®](#) | [Google Scholar](#) |

Cowen, R. K., G. Gawarkiewicz, J. Pineda, S. R. Thorrold, and F. E. Werner. 2007. Population connectivity in marine systems: an overview. *Oceanography* 20: 14–21.

| [Web of Science®](#) | [Google Scholar](#) |

Factor, J. R., K. M. Castro, and B. A. Somers. 2006. Sea grant 3rd annual science symposium lobsters as model organisms for interfacing behavior, ecology, and fisheries: discussion session summary on disease and population level impacts. *Journal of Crustacean Biology* 26: 661–63.

| [Web of Science®](#) | [Google Scholar](#) |

Gelcich, S., et al. 2010. Navigating transformations in governance of Chilean marine coastal resources. *Proceedings of the National Academy of Sciences* DOI:[10.1073/pnas.1012021107](https://doi.org/10.1073/pnas.1012021107).

| [Web of Science®](#) | [Google Scholar](#) |

Glenn, R. P., and T. L. Pugh. 2006. Epizootic shell disease in American lobster (*Homarus americanus*) in Massachusetts coastal waters: interactions of temperature, maturity, and intermolt duration. *Journal of Crustacean Biology* 26: 639–645.

| [Web of Science®](#) | [Google Scholar](#) |

Grabowski, J. H., E. J. Clesceri, A. J. Baukus, J. Gaudette, M. Weber, and P. O. Yund. 2010. Use of herring bait to farm lobsters in the Gulf of Maine. *Public Library of Science ONE* 5 DOI:[10.1371/journal.pone.0010188](https://doi.org/10.1371/journal.pone.0010188).

| [Google Scholar](#) |

Gray, N. 2005. The economic impact of Maine's working waterfronts. *Urban and regional planning economic development handbook*. University of Michigan, Taubman College of Architecture and Urban Planning, Ann Arbor , Michigan . Available from <http://www.umich.edu/~econdev/workingwaterfront/index.html> (accessed December 2010).

| [Google Scholar](#) |

Gutierrez, N. L., R. Hilborn, and O. Defeo. 2011. Leadership, social capital and incentives promote successful fisheries. *Nature* 470: DOI:[10.1038/nature09689](https://doi.org/10.1038/nature09689).

| [CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#) |

Hardin, G. 1968. The tragedy of the commons. *Science* 162: 1243–1248.

| [CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#) |

Hayden, A. 2010. Lobsters abundant in Gulf of Maine, but the industry faces other challenges. *Gulf of Maine Times*, 29 June 2010. Available from <http://www.gulfofmaine.org/gomt/?p=415> (accessed December 2010).

| [Google Scholar](#) |

Hughes, T. P., D. R. Bellwood, C. Folke, R. S. Steneck, and J. Wilson. 2005. New paradigms for supporting the resilience of marine ecosystems. *Trends in Ecology & Evolution* 20: 380–386.

| [PubMed](#) | [Web of Science®](#) | [Google Scholar](#) |

Hughes, T. P., et al. 2007a. Adaptive management of the Great Barrier Reef and the Grand Canyon World Heritage Area. *Ambio* 36: 586–592.

| [PubMed](#) | [Web of Science®](#) | [Google Scholar](#) |

Hughes, T. P., et al. 2007b. Phase shifts, herbivory, and the resilience of coral reefs to climate change. *Current Biology* 17: 360–365.

| [CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#) |

Hughes, T. P., N. A. J. Graham, J. B. C. Jackson, P. J. Mumby, and R. S. Steneck. 2010. Rising to the challenge of sustaining coral reef resilience. *Trends in Ecology & Evolution* 25: DOI:[10.1016/j.tree.2010.07.011](https://doi.org/10.1016/j.tree.2010.07.011).

| [PubMed](#) | [Web of Science®](#) | [Google Scholar](#) |

Incze, L., H. Xue, N. Wolff, D. Xu, C. Wilson, and R. S. Steneck. 2010. Connectivity of lobster populations in the coastal Gulf of Maine Part II. Coupled biophysical dynamics. *Fisheries Oceanography* 19: 1–20.

| [Web of Science®](#) | [Google Scholar](#) |

Jackson, J. B. C., et al. 2001. Historical overfishing and the recent collapse of coastal ecosystems. *Science* 293: 629–638.

| [CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#) |

Kareiva, P., S. Watts, R. McDonald, and T. Boucher. 2007. Domesticated nature: shaping landscapes and ecosystems for human welfare. *Science* 316: 1866–1869.

| [CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#) |

Lebel, L., J. Andries, B. Campbell, C. Folke, S. Hatfield-Dodds, T. Hughes, and J. Wilson. 2006. Governance and the capacity to manage resilience in regional social-ecological systems. *Ecology & Society* 11: <http://www.ecologyandsociety.org/vol11/iss1/art19/>.

| [Google Scholar](#) |

Maine Association of Realtors (MAR). 2009. *Maine real estate housing statistics*. MAR, Portland , Maine . Available from <http://www.mymaineproperty.com/maine-housing-statistics.html> (accessed December 2010).

| [Google Scholar](#) |

Maine Department of Marine Resources (MDMR). 2010. *The Maine lobster*. MDMR, Augusta , Maine . Available from <http://www.maine.gov/dmr/rm/lobster/index.htm> (accessed December 2010).

| [Google Scholar](#) |

Murray, A. G., and E. J. Peelerb. 2005. A framework for understanding the potential for emerging diseases in aquaculture. *Preventive Veterinary Medicine* 67: 223–235.

| [PubMed](#) | [Web of Science®](#) | [Google Scholar](#) |

Olsson, P., L. H. Gunderson, S. R. Carpenter, P. Ryan, L. Lebel, C. Folke, and C. S. Holling. 2006. Shooting the rapids: navigating transitions to adaptive governance of social-ecological systems. *Ecology & Society* 11: <http://www.ecologyandsociety.org/vol11/iss1/art18/>.

| [Google Scholar](#) |

Olsson, P., T. P. Hughes, and C. Folke. 2008. Navigating the transition to ecosystem-based management of the Great Barrier Reef, Australia. *Proceedings of the National Academy of Sciences* 105: 9489–9494.

| [CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#) |

Ostrom, E., M. A. Janssen, and J. M. Andries. 2007. Going beyond panaceas. *Proceedings of the National Academy of Sciences* 104: 15176–15178.

| [CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#) |

Plante, J. M. 2010. SNE lobster stock in ‘recruitment failure’; TC calls for five-year fishing moratorium. Commercial Fisheries News: June 2010. Available from http://www.fish-news.com/cfn/editorial/archive/CFN_6_10_archive.html.

| [Google Scholar](#) |

Platt, J. 1973. Social traps. *American Psychologist* 28: 642–651.

| [Web of Science®](#) | [Google Scholar](#) |

Pollock, L. W. 1998. *A practical guide to the marine animals of northeastern North America*. Rutgers University Press, New Brunswick , New Jersey .

| [Google Scholar](#) |

Saila, S. B., S. W. Nixon, and C. A. Oviatt. 2002. Does lobster trap bait influence the Maine inshore trap fishery? *North American Journal of Fisheries Management* 22: 602–605.

| [Web of Science®](#) | [Google Scholar](#) |

San Martín, G., A. M. Parma, and J. M. Orensanz. 2010. Chilean experience with TURFs. Pages 324–337 in R. Q. Grafton, R. Hilborn, D. Squires, M. Tait, and M. Williams, editors. *Handbook of marine fisheries conservation and management*. Oxford University Press, New York .

| [Google Scholar](#) |

Scheffer, M. 2009. *Critical transitions in nature and society*. Princeton University Press, Princeton , New Jersey .

| [Google Scholar](#) |

Steneck, R. S. 2006. Is the American lobster, *Homarus americanus*, overfished? A review of overfishing with an ecologically based perspective. *Bulletin of Marine Science* 78: 607–632.

| [Web of Science®](#) | [Google Scholar](#) |

Steneck, R. S., and J. T. Carlton. 2001. Human alterations of marine communities: students beware! Pages 445–468 in M. D. Bertness, S. D. Gaines, and M. E. Hay, editors. *Marine community ecology*. Sinauer Associates, Sunderland , Massachusetts .

| [Google Scholar](#) |

Steneck, R. S., and C. J. Wilson. 2001. Long-term and large-scale spatial and temporal patterns in demography and landings of the American lobster, *Homarus americanus*, in Maine. *Journal of Marine and Freshwater Research* 52: 1302–1319.

| [Web of Science®](#) | [Google Scholar](#) |

Steneck, R. S., and J. A. Wilson. 2010. A fisheries play in an ecosystem theater: challenges of managing ecological and social drivers of marine fisheries at nested spatial scales. *Bulletin of Marine Science* 86: 387–411.

| [Web of Science®](#) | [Google Scholar](#) |

Steneck, R. S., M. H. Graham, B. J. Bourque, D. Corbett, J. M. Erlandson, J. A. Estes, and M. J. Tegner. 2002. Kelp forest ecosystem: biodiversity, stability, resilience and their future. *Environmental Conservation* 29: 436–459.

| [Web of Science®](#) | [Google Scholar](#) |

Steneck, R. S., J. Vavrinec, and A. V. Leland. 2004. Accelerating trophic-level dysfunction in kelp forest ecosystems of the western North Atlantic. *Ecosystems* 7: 323–332.

| [Web of Science®](#) | [Google Scholar](#) |

U.S. Bureau of Labor Statistics. 2010. CPI inflation calculator. U.S. Department of Labor Division of consumer prices and price indexes. Available from http://stats.bls.gov:80/data/inflation_calculator.htm (accessed December 2010).

| [Google Scholar](#) |

Wahle, R. A., M. Gibson, and M. Fogarty. 2009. Distinguishing disease impacts from larval supply effects in a lobster fishery collapse. *Marine Ecology Progress Series* 376: 185–192.

| [Web of Science®](#) | [Google Scholar](#) |

Walker, B., and J. A. Meyers. 2004. Thresholds in ecological and social-ecological systems: a developing database. *Ecology & Society* 9: <http://www.ecologyandsociety.org/vol9/iss2/art3>.

| [Google Scholar](#) |

Wanamaker, A. D., K. J. Kreutz, B. R. Schöne, N. Pettigrew, H. W. Borns, D. S. Introne, D. Belknap, K. A. Maasch, and S. Feindel. 2007. Coupled North Atlantic slope water forcing on Gulf of Maine temperatures over the past millennium. *Climate Dynamics* DOI:[10.1007/s00382-007-0344-8](https://doi.org/10.1007/s00382-007-0344-8).

| [Google Scholar](#) |

Waterman, M. 2010. *Working-waterfront funding on the ballot*. Newsletter of the Maine Lobstermen's Association. October 2010. Available from <http://www.workingwaterfront.com/online-exclusives/Working-waterfront-funding-on-theballot/14071/> (accessed December 2010).

| [Google Scholar](#) |

Wilson, J. A. 2006. Matching social and ecological systems in complex ocean fisheries. *Ecology and Society* 11: <http://www.ecologyandsociety.org/vol11/iss1/art9/>.

| [Google Scholar](#) |

Citing Literature



[Download PDF](#)



[ABOUT SCB](#)

[MEMBERSHIP](#)

[CONTACT US](#)

ABOUT WILEY ONLINE LIBRARY

[Privacy Policy](#)

[Terms of Use](#)

[About Cookies](#)

[Manage Cookies](#)

[Accessibility](#)

[Wiley Research DE&I Statement and Publishing Policies](#)

HELP & SUPPORT

[Contact Us](#)

[Training and Support](#)

[DMCA & Reporting Piracy](#)

OPPORTUNITIES

[Subscription Agents](#)

[Advertisers & Corporate Partners](#)

CONNECT WITH WILEY

[The Wiley Network](#)

[Wiley Press Room](#)

Copyright © 1999-2025 John Wiley & Sons, Inc or related companies. All rights reserved, including rights for text and data mining and training of artificial intelligence technologies or similar technologies.

WILEY