



Electronic health record availability among advanced practice registered nurses and physicians.

2014 | Coffman, Janet M; Spetz, Joanne; Grumbach, Kevin; Fix, Margaret; Bindman, Andrew B

[Main Content](#)[Metrics](#)

...

— Abstract

Objectives

To characterize availability of electronic health records (EHRs) at the primary practice locations of certified nurse midwives (CNMs), nurse practitioners (NPs), and physicians in California prior to the implementation of the state's Medicaid EHR incentive program.

Study design and methods

Cross-sectional mail surveys of samples of CNMs, NPs, and physicians who have active California licenses and reside in California. Descriptive statistics were calculated and multivariate regression analyses were estimated to identify characteristics associated with having an EHR. The following practice characteristics were included in the multivariate model: payer mix (% Medicaid), practice setting (hospital vs outpatient), and practice size. Variables for practitioner's age, sex, and practice location were also included.

Results

For both CNMs/NPs and physicians, practice size was the strongest predictor of EHR availability. Practicing in a large or mid-sized group was associated with higher odds of having a basic EHR or an advanced EHR. Having a high percentage of Medicaid patients was associated with lower odds of having an advanced EHR. Among physicians, but

Cookie Settings

eScholarship uses cookies to ensure you have the best experience on our website. You can manage which cookies you want us to use.

Our [Privacy Statement](#) includes more details on the [cookies we use](#) and how we protect your privacy.

[Allow only necessary cookies](#)[Allow all cookies](#)

Many UC-authored scholarly publications are freely available on this site because of the UC's [open access policies](#). [Let us know how this access is important for you.](#)

— Main Content

[View Larger](#)

For improved accessibility of PDF content, [download the file](#) to your device.

Related Items

[An Evolutionarily Conserved uORF Regulates PGC1 \$\alpha\$ and Oxidative Metabolism in Mice, Flies, and Bluefin Tuna.](#)
Dumesic, Phillip; Egan, Daniel; Gut, Philipp; Tran, Mei; Parisi, Alice; Cha...

[A Novel Mitragynine Analog with Low-Efficacy Mu Opioid Receptor Agonism Displays Antinociception with Attenuated Adverse Effects](#)

Chakraborty, Soumen; DiBerto, Jeffrey F; Faouzi, Abdelfattah; Bernhard, Sarah M...

[Product binding enforces the genomic specificity of a yeast polycomb repressive complex.](#)

Dumesic, Phillip; Homer, Christina; Moresco, James; Pack, Lindsey; Shanle...

[Programmatic Implications of National Recent HIV Infection Surveillance in Cambodia](#)

Suthar, Amitabh Bipin; Ouk, Vichea; Samreth, Sovannarith; Ngauv, Bora; Bai...

[Cytotoxic KLRG1+ IL-7R- effector CD8+ T cells distinguish kidney transplant recipients controlling cytomegalovirus reactivation](#)

Sun, Yumeng; Sen, Subha; Parmar, Rajesh; Arakawa-Hoyt, Janice...

[Top](#)

[Home](#)

[Privacy Statement](#)

[About eScholarship](#)

[Site Policies](#)

[Campus Sites](#)

[Terms of Use](#)

[UC Open Access Policy](#)

[Admin Login](#)

[eScholarship Publishing](#)

[Help](#)

