

Sage Journals

We value your privacy

We and our [partners](#) store and/or access information on a device, such as cookies and process personal data, such as unique identifiers and standard information sent by a device for personalised advertising and content, advertising and content measurement, audience research and services development. With your permission we and our partners may use precise geolocation data and identification through device scanning. You may click to consent to our and our 1447 partners' processing as described above. Alternatively you may click to refuse to consent or access more detailed information and change your preferences before consenting. Please note that some processing of your personal data may not require your consent, but you have a right to object to such processing. Your preferences will apply to this website only. You can change your preferences or withdraw your consent at any time by returning to this site and clicking the "Privacy" button at the bottom of the webpage.

ACCEPT ALL

MORE OPTIONS

DECLINE ALL

[ISI](#)

[Google Scholar](#)

6. Neuhaus G, Zhu LX. Permutation tests for multivariate location problems. *J Multivariate Anal* 1999; 69: 167–192.

[Crossref](#)

[ISI](#)

[Google Scholar](#)

7. Baringhaus L, Franz C. On a new multivariate two-sample test. *J Multivariate Anal* 2004; 88: 190–206.

[Crossref](#)

[ISI](#)

[Google Scholar](#)

8. Rosenbaum PR. An exact distribution free test comparing two multivariate distributions based on adjacency. *J Royal Stat Soc Ser B* 2005; 67: 515–530.

[Crossref](#)

[Google Scholar](#)

9. Jureckova J, Kalina J. Nonparametric multivariate rank tests and their unbiasedness. *Bernoulli* 2012; 18: 229–251.

[Crossref](#)

[ISI](#)

[Google Scholar](#)

10. Bai Z, Saranadasa H. Effect of high dimension: by an example of a two sample problem. *Stat Sinica* 1996; 6: 311–329.

[ISI](#)

[Google Scholar](#)

11. Marozzi M. Some notes on the location–scale Cucconi test. *J Nonparametr Stat* 2009; 21: 629–647.

[Crossref](#)

[ISI](#)

[Google Scholar](#)

12. Marozzi M. A modified Hall–Padmanabhan test for the homogeneity of scales. *Commun Stat Theory Meth* 2012; 41: 3068–3078.

[Crossref](#)

[ISI](#)

[Google Scholar](#)

13. Hajek J, Sidak Z, Sen PK. *Theory of rank tests*, 2nd ed. New York, NY: Academic Press, 1998.

[Google Scholar](#)

14. Oden NL. Allocation of effort in Monte Carlo simulation for power of permutation tests. *J Am Stat Assoc* 1991; 86: 1074–1076.

[Crossref](#)

[ISI](#)

[Google Scholar](#)

15. Boos DD, Zhang J. Monte Carlo evaluation of resampling–based hypothesis tests. *J Am Stat Assoc* 2000; 95: 486–492.

[Crossref](#)

[ISI](#)

[Google Scholar](#)

16. Marozzi M. Levene type tests for the ratio of two scales. *J Stat Comput Simul* 2011; 81: 815–826.

[Crossref](#)

[ISI](#)

[Google Scholar](#)

17. Nelsen RB. *An introduction to Copulas*, 2nd ed. New York, NY: Springer, 2006.

[Google Scholar](#)

18. Kato S, Kitagawa K, Yoon YE, et al. Detection of diminished response to cold pressor test in smokers: Assessment using phase-contrast cine magnetic resonance imaging of the coronary sinus. *Magnet Res Imaging* 2014., <https://doi.org/10.1016/j.mri.2013.12.015>.

[ISI](#)

[Google Scholar](#)

19. Teo KK, Ounpuu S, Hawken S, et al. Tobacco use and risk of myocardial infarction in 52 countries in the INTERHEART study: a case-control study. *Lancet* 2006; 368: 647-658.

[Crossref](#)

[PubMed](#)

[ISI](#)

[Google Scholar](#)

Similar articles:



Free access

[Multivariate permutation tests for two sample testing in presence of nondetects with application to microarray data](#)

Show details ▾



Open Access

[A Statistical Significance Test for Necessary Condition Analysis](#)

Show details ▾



Restricted access

[Efficient Monte Carlo evaluation of resampling-based hypothesis tests with applications to genetic epidemiology.](#)

Show details ▾

[View more](#)

Sage recommends:

SAGE Research Methods

Entry

[Parametric and Nonparametric Statistics](#)

Show details ▾

SAGE Knowledge

Entry

[Copula Functions](#)

Show details ▾

SAGE Research Methods

Entry

[Copula Functions](#)

Show details ▾

[View more](#)

You currently have no access to this content. Visit the [access options](#) page to authenticate.

[View full text](#) | [Download PDF](#)

Also from Sage

CQ Library

Sage Data

Elevating debate	Uncovering insight
<p>Sage Business Cases</p> <hr/> <p>Shaping futures</p>	<p>Sage Campus</p> <hr/> <p>Unleashing potential</p>
<p>Sage Knowledge</p> <hr/> <p>Multimedia learning resources</p>	<p>Sage Research Methods</p> <hr/> <p>Supercharging research</p>
<p>Sage Video</p> <hr/> <p>Streaming knowledge</p>	<p>Technology from Sage</p> <hr/> <p>Library digital services</p>

We value your privacy We and our partners store and/or access information on a device, such as cookies and process personal data, such as unique identifiers and standard information sent by a device for personalised advertising and content, advertising and content measurement, audience research and services development. With your permission we and our partners may use precise geolocation data and identification through device scanning. You may click to consent to our and our 1447 partners' processing as described above. Alternatively you may click to refuse to consent or access more detailed information and change your preferences before consenting. Please note that some processing of your personal data may not require your consent, but you have a right to object to such processing. Your preferences will apply to this website only. You can change your preferences or withdraw your consent at any time by returning to this site and clicking the "Privacy" button at the bottom of the webpage.