

Conversion Economics of Forest Biomaterials: Risk and Financial Analysis of CNC Manufacturing

Camilla Abbati de Assis, Carl Houtman, Richard Phillips, E.M. (Ted) Bilek, Orlando J. Rojas, Lokendra Pal, Maria Soledad Peresin, Hasan Jameel, Ronalds Gonzalez✉

First published: 14 June 2017

<https://doi.org/10.1002/bbb.1782>



PDF

Abstract

Commercialization of cellulose nanocrystals (CNC) presents opportunities for a wide range of new products. Techno-economic assessments can provide insightful information for the efficient design of conversion processes, drive cost-saving efforts, and reduce financial risks. In this study, we conducted techno-economic assessments for CNC production using information from the USDA Forest Products Laboratory Pilot Plant, literature, and discussions with experts. Scenarios considered included variations related to greenfield, co-location, and acid recovery. Operating costs, capital investment, minimum product selling price (MPSP), financial performance metrics, and the effect of drying and higher reaction yields on CNC manufacturing financials were estimated for each scenario. The lowest MPSP was found for the co-location without acid recovery scenario, mainly driven by capital investment. Risk analysis indicates 95% probability of manufacturing costs lower than USD 5900/t of CNC (dry equivalent) and a MPSP lower than USD 7200/t of CNC (dry equivalent). Finally, based on our analysis, we provide guidance on process optimizations that can improve the economic performance of CNC manufacturing process. In addition, a risk profile of the CNC manufacturing business is provided. © 2017 Society of Chemical Industry and John Wiley & Sons, Ltd

References

1 Habibi Y, Lucia LA and Rojas OJ, Cellulose nanocrystals: Chemistry, self-assembly, and applications. *Chem Rev* 110: 3479–3500 (2010).

[CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#)

2 Rebouillat S and Pla F, State of the art manufacturing and engineering of nanocellulose: a review of available data and industrial applications. *J Biomater Nanobiotechnol* 4: 165–188 (2013).

[CAS](#) | [Google Scholar](#)

3 Lee HV, Hamid SBA and Zain SK, Conversion of lignocellulosic biomass to nanocellulose: structure and chemical process conversion of lignocellulosic biomass to nanocellulose. *Sci World J* 2014: 1–20 (2014).

[Web of Science®](#) | [Google Scholar](#)

4 Moon RJ, Martini A, Nairn J, Simonsen J and Youngblood J, Cellulose nanomaterials review: structure, properties and nanocomposites. *Chem Soc Rev* 40: 3941–3994 (2011).

This website utilizes technologies such as cookies to enable essential site functionality, as well as for analytics, personalization, and targeted advertising. You may change your settings at any time or accept the default settings. You may close this banner to continue with only essential cookies. [Privacy Policy](#)

Manage Preferences

Accept All

Reject Non-Essential

6 Brinchi L, Cotana F, Fortunati E and Kenny JM, Production of nanocrystalline cellulose from lignocellulosic biomass: technology and applications. *Carbohydr Polym* 94: 154-169 (2013).

[CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#)

7 Dufresne A, Preparation of cellulose nanocrystals, in *Nanocellulose - From Nature to High Performance Tailored Materials*. De Gruyter, Berlin, Germany, pp. 83-124 (2012).

[Google Scholar](#)

8 Web of Science database. [Online]. Available at: http://apps.webofknowledge.com.prox.lib.ncsu.edu/Search.do?product=WOS&SID=3FIU5B9KsEOKr91BQVo&search_mode=GeneralSearch&prID=311a8668-aafd-4a08-a09f-c814f04c1059 [January 26, 2017].

[Google Scholar](#)

9 Google Patents database. [Online]. Available at: [https://patents.google.com/?q="cellulose+nanocrystal",nanocellulose,"cellulose+nanofibril","cellulose+nanowhisker","nanocrystalline+cellulose"&after=19940101&clustered=false](https://patents.google.com/?q=) [March 22, 2017].

[Google Scholar](#)

10 Bharimalla AK, Deshmukh SP and Patil PG, Energy Efficient Manufacturing of Nanocellulose by Chemo- and Bio-Mechanical Processes: A Review. *World J Nano Sci Eng* 5: 204-212 (2015).

[CAS](#) | [Google Scholar](#)

11 Missoum K, Belgacem MN and Bras J, Nanofibrillated cellulose surface modification: A review. *Materials (Basel)* 6: 1745-1766 (2013).

[CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#)

12 Hubbe MA, Rojas OJ, Lucia LA and Sain M, Cellulosic Nanocomposites: a Review. *BioResources* 3: 929-980 (2008).

[Web of Science®](#) | [Google Scholar](#)

13 Zhu H, Luo W, Ciesielski PN, Fang Z, Zhu JY, Henriksson G, *et al.*, Wood-Derived Materials for Green Electronics, Biological Devices, and Energy Applications. *Chem Rev* 116: 9305-9374 (2016).

[CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#)

14 Miller J, Nanocellulose: State of the Industry (2015). [Online]. Available at: <http://www.tappinano.org/whats-up/production-summary/> [June 23, 2016].

[Google Scholar](#)

15 Crotagino R, The economic impact of NanoCellulose. International Symposium on Assessing the Economic Impact of Nanotechnology, Washington DC, pp. 1-42 (2012).

This website utilizes technologies such as cookies to enable essential site functionality, as well as for analytics, personalization, and targeted advertising. You may change your settings at any time or accept the default settings. You may close this banner to continue with only essential cookies. [Privacy Policy](#)

Manage Preferences

Accept All

Reject Non-Essential

17 Global Nanocellulose (Nano-crystalline Cellulose, Nano-fibrillated Cellulose and Bacterial Nanocellulose) Market Set for Rapid Growth, To Reach Around USD 530. 0 Million by 2021. [Online]. Market Research Store webpage. Available at: <http://www.marketresearchstore.com/news/global?nanocellulose?market?223> [January 30, 2017].

[Google Scholar](#) 

18 Cowie J, Bilek EM (Ted), Wegner TH and Shatkin JA, Market projections of cellulose nanomaterial-enabled products - Part 2: Volume estimates. *TAPPI J* 13: 57-69 (2014).

[CAS](#)  | [Web of Science®](#)  | [Google Scholar](#) 

19 Shatkin JA, Wegner TH, Bilek EM and Cowie J, Market projections of cellulose nanomaterial-enabled products – Part 1: Applications. *TAPPI J* 13: 9-16 (2014).

[CAS](#)  | [PubMed](#)  | [Web of Science®](#)  | [Google Scholar](#) 

20 Kangas H, *Guide to Cellulose Nanomaterials - English Summary*. Espoo, Finland (2014).

[Google Scholar](#) 

21 Moon RJ, Beck S and Rudie A, Cellulose nanocrystals - a material with unique properties and many potential applications, in *Production and Applications of Cellulose Nanomaterials*, ed by Postek MT, Moon RJ, Rudie AW and Bilodeau MA TAPPI Press, Peachtree Corners, GA, USA, Chapter 1, pp. 9-12 (2013).

[Google Scholar](#) 

22 Ferrer A, Pal L and Hubbe M, Nanocellulose in packaging: Advances in barrier layer technologies. *Ind Crops Prod* 95: 574-582 (2017).

[CAS](#)  | [Web of Science®](#)  | [Google Scholar](#) 

23 Bulota M, Maasdam B and Tiekstra S, *Breakthrough Technologies - More with Less*. [Online]. Arnhem (2013). Available at: <http://vnp.nl/wp-content/uploads/2014/01/64-Breakthrough-technologies-more-with-less.pdf> [January 19, 2017].

[Google Scholar](#) 

24 Nippon Paper Industries Co., Ltd, Press Releases: Launch of World's First Commercial Products Made of Functional Cellulose Nanofibers. [Online]. Nippon Paper Group Webpage (2015). Available at: <http://www.nipponpapergroup.com/english/news/year/2015/news150916003182.html> [December 9, 2016].

[Google Scholar](#) 

25 Nippon.com, The Promise of Cellulose Nanofibers. [Online]. Available at: <http://www.nippon.com/en/genre/economy/l00151/> [December 9, 2016].

[Google Scholar](#) 

26 Assis CA, Gonzalez R, Kelley S *et al.*, Risk management consideration in the bioeconomy. *Biofuels, Bioprod Biorefining* 11: 549-566 (2017).

This website utilizes technologies such as cookies to enable essential site functionality, as well as for analytics, personalization, and targeted advertising. You may change your settings at any time or accept the default settings. You may close this banner to continue with only essential cookies. [Privacy Policy](#) 

Manage Preferences

Accept All

Reject Non-Essential

28 Ferrer A, Quintana E, Filpponen I, Solala I, Vidal T, Rodríguez A *et al.*, Effect of residual lignin and heteropolysaccharides in nanofibrillar cellulose and nanopaper from wood fibers. *Cellulose* 19: 2179–2193 (2012).

[CAS](#) | [Web of Science®](#) | [Google Scholar](#)

29 Lahtinen P, Liukkonen S, Pere J, Sneck A and Kangas H, A comparative study of fibrillated fibers from different mechanical and chemical pulps. *BioResources* 9: 2115–2127 (2014).

[CAS](#) | [Web of Science®](#) | [Google Scholar](#)

30 Abdul Khalil HPS, Davoudpour Y, Islam MN, Mustapha A, Sudesh K, Dungani R *et al.*, Production and modification of nanofibrillated cellulose using various mechanical processes: A review. *Carbohydr Polym* 99: 649–665 (2014).

[CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#)

31 Johnson DA, Effects of CNF on Papermaking Properties. In: *TAPPI Nanotechnology Conference*. Vancouver, Canada. (2014)

[Google Scholar](#)

32 GL&V webpage. [Online]. GL&V and University of Maine Alliance. Available at: <http://www.glv.com/pulp/fibrefinetechnologies/GLVandUniversityofMaineAlliance/GLVandUniversityofMaineAlliance> [May 3, 2017].

[Google Scholar](#)

33 Isogai A, Saito T and Fukuzumi H, TEMPO-oxidized cellulose nanofibers. *Nanoscale* 3: 71–85 (2011).

[CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#)

34 Saito T, Kimura S, Nishiyama Y and Isogai A, Cellulose nanofibers prepared by TEMPO-mediated oxidation of native cellulose. *Biomacromolecules* 8: 2485–2491 (2007).

[CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#)

35 Pääkkö M, Ankerfors M, Kosonen H, Nykänen A, Ahola S, Österberg M *et al.*, Enzymatic hydrolysis combined with mechanical shearing and high-pressure homogenization for nanoscale cellulose fibrils and strong gels. *Biomacromolecules* 8: 1934–1941 (2007).

[CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#)

36 Lavoine N, Desloges I, Dufresne A and Bras J, Microfibrillated cellulose - Its barrier properties and applications in cellulosic materials: A review. *Carbohydr Polym* 90: 735–764 (2012).

[CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#)

37 Carrillo CA, Laine J and Rojas OJ, Microemulsion systems for fiber deconstruction into cellulose nanofibrils. *ACS Appl Mater Interfaces* 6: 22622–22627 (2014).

[CAS](#) | [PubMed](#) | [Web of Science®](#) | [Google Scholar](#)

This website utilizes technologies such as cookies to enable essential site functionality, as well as for analytics, personalization, and targeted advertising. You may change your settings at any time or accept the default settings. You may close this banner to continue with only essential cookies. [Privacy Policy](#)

Manage Preferences

Accept All

Reject Non-Essential

[Google Scholar](#) 

40 Chen L, Zhu JY, Baez C, Kitin P and Elder T, Highly thermal-stable and functional cellulose nanocrystals and nanofibrils produced using fully recyclable organic acids. *Green Chem* 18: 3835–3843 (2016).

[CAS](#)  | [Web of Science®](#)  | [Google Scholar](#) 

41 Pettersen RC, The chemical composition of wood, in *The Chemistry of Solid Wood. Advances in Chemistry Series 207*, ed. by RM Rowell. American Chemical Society, Chapter 2 Washington D.C., pp. 1–9.

[Google Scholar](#) 

42 CEPI (Confederation of European Paper Industries), *Pulp and Paper Industry - Definitions and Concepts*. [Online]. Available at: http://www.cepi.org/system/files/public/documents/publications/statistics/2014/FINAL%20CEPI%20Definitions%20and%20Concepts_0.pdf [April 27, 2017].

[Google Scholar](#) 

43 Wang QQ, Zhu JY, Reiner RS, Verrill SP, Baxa U, McNeil SE *et al.*, Approaching zero cellulose loss in cellulose nanocrystal (CNC) production: Recovery and characterization of cellulosic solid residues (CSR) and CNC. *Cellulose* 19: 2033–2047 (2012).

[CAS](#)  | [Web of Science®](#)  | [Google Scholar](#) 

44 Peng Y, Gardner DJ and Han Y, Drying cellulose nanofibrils: In search of a suitable method. *Cellulose* 19: 91–102 (2012).

[CAS](#)  | [Web of Science®](#)  | [Google Scholar](#) 

45 Voronova MI, Zakharov AG, Kuznetsov OY and Surov OV, The effect of drying technique of nanocellulose dispersions on properties of dried materials. *Mater Lett* 68: 164–167 (2012).

[CAS](#)  | [Web of Science®](#)  | [Google Scholar](#) 

46 Albarelli J, Paidosh A, Santos DT, Maréchal F and Meireles MAA, Environmental, energetic and economic evaluation of implementing a supercritical fluid-based nanocellulose production process in a sugarcane biorefinery. *Chem Eng Trans* 47: 49–54 (2016).

[Web of Science®](#)  | [Google Scholar](#) 

47 Cowie J, *Nanocellulose - Technology & Business Trends* (2015).

[Google Scholar](#) 

48 Ireland S, Jones P, Moon RJ, Wegner T and Neih W, Cellulose Nanomaterials – Technical State of Art Presentation at Forest Service Workshop on Cellulose Nanomaterials – A Path Towards Commercialization, Washington D.C., USA (2014).

[Google Scholar](#) 

This website utilizes technologies such as cookies to enable essential site functionality, as well as for analytics, personalization, and targeted advertising. You may change your settings at any time or accept the default settings. You may close this banner to continue with only essential cookies. [Privacy Policy](#)

Manage Preferences

Accept All

Reject Non-Essential

51 Information gathered with Dr. Carl Houtman at Forest Products Laboratory - personal communication (2016).

[Google Scholar](#) 

52 American Process, *CNC Project FEL1 Stage Gate CAPEX*. FPL, Atlanta, GA, USA (2016).

[Google Scholar](#) 

53 ICIS, Indicative Chemical Prices A-Z. [Online]. Available at: <http://www.icis.com/chemicals/channel-info-chemicals-a-z/> [November 28, 2016].

[Google Scholar](#) 

54 EIA, *Electric Power Monthly: with data for August 2016*. [Online]. EEA, Washington, D.C. (2016). Available at: www.eia.gov [November 26 2016].

[Google Scholar](#) 

55 US Treasury, US Economic Statistics - Monthly Data. 2012–2015. [Online]. Available at: [https://www.treasury.gov/resource-center/data-chart-center/monitoring-the-economy/Documents/monthly ECONOMIC DATA TABLES.pdf](https://www.treasury.gov/resource-center/data-chart-center/monitoring-the-economy/Documents/monthly%20ECONOMIC%20DATA%20TABLES.pdf) [October 28, 2016].

[Google Scholar](#) 

56 Ulrich GD and Vasudevan PT, How to estimate utility costs. *Chem Eng* 113: 66–69 (2006).

[Web of Science®](#)  | [Google Scholar](#) 

57 RISI database. [Online]. RISI (2016). Available at: <http://www.risiinfo.com/> [December 9, 2016].

[Google Scholar](#) 

58 Environmental Protection Agency, *Drinking Water Costs & Federal Funding*, document number EPA 816-F-04-038 (2004).

[Google Scholar](#) 

59 US Geological Survey, *2015, Mineral Commodity Summaries* (2015) 196p. Epub ahead of print 2015. <http://doi.org/10.3133/70140094>

[Google Scholar](#) 

60 Humbird D, Davis R, Tao L, Kinchin C, Hsu D, Aden A, Schoen P et al., *Process Design and Economics for Biochemical Conversion of Lignocellulosic Biomass to Ethanol - Dilute-Acid Pretreatment and Enzymatic Hydrolysis of Corn Stover*. Epub ahead of print 2011. <http://doi.org/10.2172/1013269>

[Google Scholar](#) 

63 Damodaran A, Cost of Capital by Industry Sector. [Online]. New York University. Available at: http://people.stern.nyu.edu/adamodar/New_Home_Page/datafile/wacc.html [January 30, 2017].

[Google Scholar](#) 

64 Holland FA and Wilkinson JK, Process Economics, in *Perry's Chemical Engineers' Handbook*, ed by RH Perry, DW Green, and JO Maloney. McGraw-Hill, New York, pp. 9-1 – 9-80 (1997).

[Google Scholar](#) 

65 Brigham EF and Houston JF, *Fundamentals of Financial Management*. 13th ed. South-Western Cengage Learning, Mason, OH, USA (2013).

[Google Scholar](#) 

66 Sinnott RK, *Coulson & Richardson's Chemical Engineering - Chemical Engineering Design v.6*. 4th ed. Butterworth Heinemann, Oxford, UK (2005).

[Google Scholar](#) 

67 Bureau of Labor Statistics, Producer Price Index-Commodities (Sulfuric Acid - WPU0613020T1). [Online]. BLS (2016). Available at: <http://data.bls.gov/cgi-bin/srgate> [December 5, 2016].

[Google Scholar](#) 

68 Bureau of Labor Statistics, Producer Price Index-Commodities (Lime - WPU06130213). [Online]. BLS (2016). Available at: <http://data.bls.gov/cgi-bin/srgate> [December 5, 2016].

[Google Scholar](#) 

69 Federal Reserve Economic Data (FRED). [Online]. Consumer Price Index for All Urban Consumers: All Items from 2006 to 2016. Available at: <https://fred.stlouisfed.org/series/CPIAUCSL> [December 5, 2016].

[Google Scholar](#) 

70 Palisade, Interpreting Regression Coefficients in Tornado Graphs. [Online]. Available at: <http://kb.palisade.com/index.php?pg=kb.page&id=138> [December 27, 2016].

[Google Scholar](#) 

71 Chen L, Wang Q, Hirth K, Baez C, Agarwal UP and Zhu JY, *et al.*, Tailoring the yield and characteristics of wood cellulose nanocrystals (CNC) using concentrated acid hydrolysis. *Cellulose* 22: 1753-1762 (2015).

[CAS](#)  | [PubMed](#)  | [Web of Science®](#)  | [Google Scholar](#) 

72 Kontturi E, Meriluoto A, Penttilä PA, Baccile N, Malho JM, Potthast A *et al.*, Degradation and Crystallization of Cellulose in Hydrogen Chloride Vapor for High-Yield Isolation of Cellulose Nanocrystals. *Angew Chemie - Int Ed* 55: 14455-14458 (2016).

This website utilizes technologies such as cookies to enable essential site functionality, as well as for analytics, personalization, and targeted advertising. You may change your settings at any time or accept the default settings. You may close this banner to continue with only essential cookies. [Privacy Policy](#)

Manage Preferences

Accept All

Reject Non-Essential

74 US Department of Agriculture, Cellulose Nanomaterials — A Path Towards Commercialization Workshop Report. USDA Forest Service - National Nanotechnology Initiative, Washington D.C. (2014).

[Google Scholar](#) 

75 GEA Process Engineering Inc. Quotation for spraydrying system. (2017).

[Google Scholar](#) 

Citing Literature



[Download PDF](#)



[ABOUT US](#)

[MEMBERSHIP](#)

© 2026 Society of Chemical Industry (SCI)

ABOUT WILEY ONLINE LIBRARY

[Privacy Policy](#)

[Terms of Use](#)

[About Cookies](#)

[Manage Cookies](#)

[Accessibility](#)

[Wiley Research DE&I Statement and Publishing Policies](#)

HELP & SUPPORT

[Contact Us](#)

[Training and Support](#)

[DMCA & Reporting Piracy](#)

[Sitemap](#)

OPPORTUNITIES

[Subscription Agents](#)

[Advertisers & Corporate Partners](#)

CONNECT WITH WILEY

This website utilizes technologies such as cookies to enable essential site functionality, as well as for analytics, personalization, and targeted advertising. You may change your settings at any time or accept the default settings. You may close this banner to continue with only essential cookies. [Privacy Policy](#)

[Manage Preferences](#)

[Accept All](#)

[Reject Non-Essential](#)



This website utilizes technologies such as cookies to enable essential site functionality, as well as for analytics, personalization, and targeted advertising. You may change your settings at any time or accept the default settings. You may close this banner to continue with only essential cookies. [Privacy Policy](#)



Manage Preferences

Accept All

Reject Non-Essential