Intended for healthcare professionals

Editorials

Protecting health in hard times

BMJ 2010; 341 doi: https://doi.org/10.1136/bmj.c5308 (Published 29 September 2010) Cite this as: BMJ 2010;341:c5308

- Article
- Related content
- Metrics
- Responses
- · Peer review
- 3

Martin McKee, professor of European public health1, David Stuckler, research fellow2, Jose M Martin-Moreno, director of programme management3

Author affiliations

martin.mckee@lshtm.ac.uk

Europe's health ministers exchange experiences on the impact of the economic crisis

"ALEXEY NIKOLSKY/AFP"

Health ministers from across Europe came together in Moscow in September at the 60th meeting of the European regional committee of the World Health Organization. High on their agenda was the ongoing economic difficulty facing many of their countries. Their experiences varied. Some had seen their budgets frozen whereas others had experienced real cuts. A fortunate few, however, had seen budget increases, as a result of recognition by their cabinet colleagues of the necessity of protecting the most vulnerable at times of crisis. As ministers and institutional partners shared experiences and challenges, they endorsed WHO Europe's call to move forward as a region under a consolidated European Health Policy, which will foster effective and coordinated action to bolster health systems in the face of evolving challenges.

Three main messages on the financial crisis emerged from member states during a technical briefing devoted to this topic. The first was the need for health ministers and their advisers to engage actively in discussions about the economy. There was confusion among politicians, media commentators, and the public about the differences between deficit and debt (for example, the United Kingdom has a high deficit but relatively low government debt) and between debt held by government, banks, the non-financial corporate ...

View Full Text

Log in

Log in using your username and password

BMA Member Log In

If you have a subscription to The BMJ, log in:

| Username * | |
|-----------------------------|--|
| Password * | |
| Forgot your log in details? | |

Need to activate

Login

- Log in via institution
- Log in via OpenAthens

Log in through your institution

Subscribe from £173 *

Subscribe and get access to all BMJ articles, and much more.

Subscribe

* For online subscription

Access this article for 1 day for:

£38 / \$45 / €42 (excludes VAT)

You can download a PDF version for your personal record.

Buy this article



See other articles in issue 7775

Article tools

<u>0 responses</u>

- Respond to this article
- ✓Alerts & updates

Article alerts

Please note: your email address is provided to the journal, which may use this information for marketing purposes.

Log in or register:

| Username * | |
|--------------|--------|
| Password * | |
| Log in | |
| Desistantes. | ماسمام |

Register for alerts

f you have registered for alerts, you should use your registered email address as your username Citation tools

Download this article to citation manager

McKee M, Stuckler D, Martin-Moreno J M. Protecting health in hard times BMJ 2010; 341 :c5308 doi:10.1136/bmj.c5308

- BibTeX (win & mac)
- EndNote (tagged)
- EndNote 8 (xml)
- RefWorks Tagged (win & mac)
- RIS (win only)
- Medlars

Download Download

Download Download

Download

Download

Help

If you are unable to import citations, please contact technical support for your product directly (links go to external sites):

- EndNote
- ProCite
- Reference Manager
- RefWorks
- Zotero
- Request permissions
- Author citation
- Articles by Martin McKee
- Addressible toabild strontfelio
- Articles by Jose M Martin-Moreno

Email to a friend

Forward this page

Thank you for your interest in spreading the word about The BMJ.

NOTE: We only request your email address so that the person you are recommending the page to knows that you wanted them to see it, and that it is not junk mail. We do not capture any email address.

| Username * | |
|--|---|
| Your Email * | |
| Send To * | |
| | |
| | |
| You are going to email the following Protecting health in hard times | <i>X</i> |
| Your Personal Message | |
| | |
| | |
| -CAPTCHA | |
| This question is for testing whether or not you are a human visitor | and to prevent automated spam submissions |
| The queeter is testing whether or not yet are a namen violer | and to provont automatou opam outomicolone. |
| | |
| | |
| | |
| | |
| Send | |
| Send | |

Topics

- Suicide (psychiatry)
- · Suicide (public health)
- Sociology



Who is talking about this article?

This week's poll

Check for updates

What would be the most appropriate replacement for the term junior doctors in the UK?

- Postgraduate doctors
- Doctors
- Doctors in training
- □ The specific phase/year F1, CT1, ST3...
- Non-consultant doctor
- Attending/Resident
- None -- junior doctors is the correct term
- Other:

Vote View Results

Read related article

See previous polls

Back to top