

Applied Economics >

Volume 49, 2017 - [Issue 58](#)

744 | 12 | 0  
Views | CrossRef citations to date | Altmetric

Original Articles

# Risk management and value creation: new evidence for Brazilian non-financial companies

Rogiene Batista dos Santos  , Fabiano Guasti Lima, Rafael Confetti Gatsios & Rodrigo Borges de Almeida

Pages 5815-5827 | Published online: 10 Jul 2017

 Cite this article  <https://doi.org/10.1080/00036846.2017.1343451>



Sample our  
Economics, Finance,  
Business & Industry Journals  
>> [Sign in here](#) to start your access  
to the latest two volumes for 14 days

 Full Article  Figures & data  References  Citations  Metrics

 Reprints & Permissions

Read this article

Share

## ABSTRACT

The practice of financial risk management with derivatives has received attention both from the academia and the market. In Brazil, there is a growing use of these instruments by companies, in line with the growth of such market in the global economy. This article aims to investigate the relationship between the financial risk management and the value creation to the shareholder for non-financial Brazilian companies. The sample was made up of 1794 firm-year observations from 2006 to 2014. Results obtained via panel data, including the GMM, point out that companies which used derivatives did not add value during the period analysed. An explanation for this result is that most of the companies use derivatives in order to manage the cash flow and not to add value.

## KEYWORDS:

Risk management

derivatives

Hedge Accounting

GMM

## JEL CLASSIFICATION:

G19

G31

M41

C23

---

## Disclosure statement

No potential conflict of interest was reported by the authors.

---

## Notes

<sup>1</sup> CVM has powers to discipline, standardize and oversee the performance of the various market players.

<sup>2</sup> The Economatica System is used by thousands of analysts following Latin America's stock markets, government bonds, the fund industry and various indicators.


<sup>3</sup> Wald test returned a  $\text{Prob} > \chi^2 = 0.000$ , rejecting, thus, the null hypothesis of homoscedasticity. Wooldridge test presented  $\text{Prob} > F = 0.000$ , which makes the null hypothesis of autocorrelation absence to be rejected. Between the two approaches of panel data, robust Hausman test ( $p\text{-value} = 0.000$ ), to 5% significance level, indicated that the most appropriate approach is the one of Random Effects. The  $R^2$  to be analysed is the between.

<sup>4</sup> Wald test returned a  $\text{Prob} > \chi^2 = 0.000$ , rejecting, thus, the null hypothesis of homoscedasticity. Wooldridge test presented  $\text{Prob} > F = 0.000$ , which makes the null hypothesis of autocorrelation absence to be rejected. Between both approaches of panel data, the robust Hausman test ( $p\text{-value} = 0.000$ ), at 5% significance level, indicated that the most appropriate approach is the one of Fixed Effects. The  $R^2$  to be analysed is the within.

<sup>5</sup> Wald test returned a Prob>chic2 = 0.000, rejecting, thus, the null hypothesis of homoscedasticity. Wooldridge test presented Prob>F = 0.000, which makes the null hypothesis of autocorrelation absence to be rejected. Between both approaches of panel data, the robust Hausman test (p-value = 0.000), at 5% significance level, indicated that the most appropriate approach is the one of Fixed Effects. The R<sup>2</sup> to be analysed is the within.

<sup>6</sup> Wald test returned a Prob>chic2 = 0.000, rejecting, thus, the null hypothesis of homoscedasticity. Wooldridge test presented Prob>F = 0.4365, which makes the null hypothesis of autocorrelation absence to be rejected. That is, there was no autocorrelation in this model. Chow returned with Prob>F = 0.000, indicating, therefore, that the panel data method is preferable to the OLS. Between the two panel data approaches, the robust Hausman test (p-value = 0.0074), at 5% significance level, indicated that the most appropriate approach is the one of Fixed Effects. The R<sup>2</sup> to be analysed is the within.

<sup>7</sup> Wald test returned a Prob>chic2 = 0.000, rejecting, thus, the null hypothesis of homoscedasticity. Wooldridge test presented Prob>F = 0.5224, which makes the null hypothesis of autocorrelation absence not to be rejected. That is, there was no autocorrelation in this model. Chow returned with Prob>F = 0.000, indicating, thus, that the panel data model is preferable to the OLS. Between the two panel data approaches, the robust Hausman test (p-value = 0.000), at 5% significance level, indicated that the most appropriate approach is the one of Fixed Effects. The R<sup>2</sup> to be analysed is the within.



Related research 

People also read

Recommended articles

Cited by  
12

## Information for

Authors  
R&D professionals  
Editors  
Librarians  
Societies

## Opportunities

Reprints and e-prints  
Advertising solutions  
Accelerated publication  
Corporate access solutions

## Keep up to date

Register to receive personalised research and resources by email

 Sign me up



## Open access

Overview  
Open journals  
Open Select  
Dove Medical Press  
F1000Research

## Help and information

Help and contact  
Newsroom  
All journals  
Books

Copyright © 2026 Informa UK Limited [Privacy policy](#)

[Cookies](#) [Terms & conditions](#) [Accessibility](#)

Registered in England & Wales No. 01072954  
5 Howick Place | London | SW1P 1WG

 **Taylor & Francis**  
by informa