Taylor & Francis
Online

International Journal of Electronics ›
Volume 92, 2005 - Issue 6

118 Views | 24 CrossRef citations to date | 0 Altmetric

Original Articles

Realization of multiple-output biquadratic filters using current differencing buffered amplifiers

W. Tangsrirat * & W. Surakampontorn

Pages 313-325 | Received 29 May 2004, Published online: 20 Feb 2007

Cite this article https://doi.org/10.1080/00207210500141862

Sample our Engineering & Technology Journals
>> Sign in here to start your access to the latest two volumes for 14 days

Full Article Figures & data References Citations Metrics
Reprints & Permissions Read this article Share

Abstract

In this paper, multiple-output multifunctional biquadratic filters using current differencing buffered amplifiers (CDBAs) as active elements are presented. The proposed circuit configuration is mainly composed of the CDBA-based cross-coupled feedback configuration and the simple CDBA-based voltage substractor. By an appropriate choice of virtually grounded passive components, the configuration can simultaneously realize lowpass, highpass, bandpass, bandstop and allpass voltage transfer functions, all at low resistance outputs. The natural angular frequency and the quality factor can orthogonally controllable. Experimental results verifying the theoretical analysis are also given.

Keywords:

Acknowledgments

This work is funded by the Thailand Research Fund (TRF) under the Senior Research Scholar Program, grant number RTA4680003. The authors also wish to express their gratitude to the anonymous reviewers for their useful comments and suggestions.

Related Research Data

Parasitic-capacitance-insensitive current-mode filters using operational transresistance amplifiers
Source: IEE Proceedings - Circuits Devices and Systems
Quadrature Sinusoidal Oscillators Using CDBAs: New Realizations
Source: Circuits Systems and Signal Processing
CDBA-Based Universal Biquad Filter and Quadrature Oscillator
Source: Active and Passive Electronic Components
Current Differencing Buffered Amplifier Based Multiple-output Biquadratic Filters
Source: Unknown Repository
Universal filter using unity-gain cells
Source: Electronics Letters
Current-mode all-pass filters using current differencing buffered amplifier and a new high-Q bandpass filter configuration
Source: IEEE Transactions on Circuits and Systems II Analog and Digital Signal Processing

Related research

People also read | Recommended articles | Cited by 24

Voltage-mode high-Q band-pass filters and oscillators employing single CDBA and minimum number of components

A. ü Keskin *
International Journal of Electronics

Published online: 19 Aug 2006

Information for

Authors
R&D professionals
Editors
Librarians
Societies

Open access

Overview
Open journals
Open Select
Dove Medical Press
F1000Research

Opportunities

Reprints and e-prints
Advertising solutions
Accelerated publication
Corporate access solutions

Help and information

Help and contact
Newsroom
All journals
Books

Keep up to date

Register to receive personalised research and resources by email

Sign me up

Copyright © 2026 Informa UK Limited Privacy policy

Cookies Terms & conditions Accessibility

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG