

107 Views | 22 CrossRef citations to date | 0 Altmetric


Original Articles

# Realization of multiple-output biquadratic filters using current differencing buffered amplifiers

W. Tangsrirat \* & W. Surakamponporn

Pages 313-325 | Received 29 May 2004, Published online: 20 Feb 2007

 Cite this article  <https://doi.org/10.1080/00207210500141862>



 Full Article  Figures & data  References  Citations  Metrics

 Reprints & Permissions

Read this article

## Abstract

In this paper, a new multiple-output biquadratic filter is proposed. The proposed filter is realized using current differencing buffered amplifiers. The proposed filter is simulated using SPICE. The simulation results show that the proposed filter can realize multiple-output biquadratic filters using current differencing buffered amplifiers. The proposed filter is simulated using SPICE. The simulation results show that the proposed filter can realize multiple-output biquadratic filters using current differencing buffered amplifiers.

### We Care About Your Privacy

We and our 845 partners store and/or access information on a device, such as unique IDs in cookies to process personal data. You may accept or manage your choices by clicking below, including your right to object where legitimate interest is used, or at any time in the privacy policy page. These choices will be signaled to our partners and will not affect browsing data. [Privacy Policy](#)

We and our partners process data to provide:

Use precise geolocation data. Actively scan device characteristics for identification. Store and/or access information on a device. Personalised advertising and content, advertising and content measurement, audience research and services development.

[List of Partners \(vendors\)](#)

I Accept

Essential Only

Show Purpose



Keywords

article >

# Acknowledgments

This work is funded by the Thailand Research Fund (TRF) under the Senior Research Scholar Program, grant number RTA4680003. The authors also wish to express their gratitude to the anonymous reviewers for their useful comments and suggestions.


Related Research Data

Current-mode universal filter and quadrature oscillator using current controlled current follower transconductance amplifiers

Source: Springer Science and Business Media LLC

Design and implementation of relaxation generators: new application circuits of the DVCC

Source: Informa UK Limited

Linking provided by 

## Related research

People also read	Recommended articles	Cited by 22
------------------	----------------------	-------------

Voltage-mode high-Q band-pass filters and oscillators employing single CDBA and minimum number of components >

A. ü Kes  
Internati  
Publishe





## Information for

Authors

R&D professionals

Editors

Librarians

Societies

## Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

## Open access

Overview

Open journals

Open Select

Dove Medical Press

F1000Research

## Help and information

Help and contact

Newsroom

All journals

Books

## Keep up to date

Register to receive personalised research and resources by email



Sign me up



Copyright © 2024 Informa UK Limited [Privacy policy](#) [Cookies](#) [Terms & conditions](#)



Taylor & Francis Group  
an informa business

Accessibility



Registered  
5 Howick Place

