

International Journal of Production Research >

Volume 57, 2019 - [Issue 17](#)

1,347 Views | 45 CrossRef citations to date | 0 Altmetric

Articles

# Using queuing theory and simulated annealing to design the facility layout in an AGV-based modular manufacturing system

Chen Chen   & Lee Kong Tiong

Pages 5538-5555 | Received 20 Feb 2018, Accepted 30 Sep 2018, Published online: 16 Oct 2018

 Cite this article  <https://doi.org/10.1080/00207543.2018.1533654>

 Check for updates

Sample our  
Economics, Finance,  
Business & Industry Journals  
>> **Sign in here** to start your access  
to the latest two volumes for 14 days

 Full Article

 Figures & data

 References

 Citations

 Metrics

 Reprints & Permissions

Read this article

 Share

## Abstract

An automated guided vehicle-based flow production system is used for manufacturing prefabricated bathroom units. One unit can occupy a space of more than 10 m<sup>2</sup>. Due to large time deviations in sequential processes, queues are formed and greater plant space is needed. Reducing work-in-progress helps to save plant space but renders manufacture less efficient. The research explores better workstation arrangements. An open queuing network (OQN) model was used to approximate the flow production system. Since the problem of workstation arrangement is a combinatorial optimisation problem, simulated annealing (SA) was applied to search for a good solution. The combination of an OQN model and SA provides a powerful tool to solve the facility layout problem for a stochastic flow production system. The experimental results show

that the proposed approach has the potential to guide industrial layout design and practice.

Keywords:

facility layout

flow lines

queuing theory

modular manufacturing

simulated annealing

---

## Acknowledgement

The authors thank the industrial partner of this project – Excel Precast Pte Ltd for their financial support, valuable practical recommendations and guidance, and a lot of time spent on discussions. Without their help, it is impossible for the authors to design a production system with practical values for the industry. The authors also appreciate the help from Prof. Peter J. Edwards (School of Property, Construction and Project, RMIT University, Melbourne, Australia) who have spent time reading and polishing the paper. Finally, the authors thank the anonymous reviewers whose comments and suggestions helped to improve the layout and presentation of this paper.

---

## Disclosure statement

No potential conflict of interest was reported by the authors.

---

## ORCID

Chen Chen <http://orcid.org/0000-0003-4114-9074>

---

## Additional information

### Funding

The work was supported by the National Research Foundation of Singapore [grant number NRF IIP project M4098029].

---

People also read

Recommended articles

Cited by  
45

### Information for

- Authors
- R&D professionals
- Editors
- Librarians
- Societies

### Opportunities

- Reprints and e-prints
- Advertising solutions
- Accelerated publication
- Corporate access solutions

### Open access

- Overview
- Open journals
- Open Select
- Dove Medical Press
- F1000Research

### Help and information

- Help and contact
- Newsroom
- All journals
- Books

### Keep up to date

Register to receive personalised research and resources by email

 Sign me up

