



New Zealand Veterinary Journal >

Te Hautaka Tākuta Kararehe o Aotearoa

Volume 53, 2005 - [Issue 1](#)

170 Views | 11 CrossRef citations to date | 0 Altmetric

Clinical Communication

Fatal levamisole toxicosis of captive kiwi (*Apteryx mantelli*)

BD Gartrell, MR Alley & AH Mitchell

Pages 84-86 | Received 20 Apr 2004, Accepted 19 Aug 2004, Published online: 18 Feb 2011

Cite this article <https://doi.org/10.1080/00480169.2005.36474>

Sample our
Environment & Agriculture
Journals
>> [Sign in here](#) to start your access
to the latest two volumes for 14 days

Full Article

Figures & data

References

Citations

Metrics

Reprints & Permissions

Read this article

Share

Abstract

CASE HISTORY: Nine of 24 captive kiwi treated with oral levamisole at a dose between 25–43 mg/kg showed signs of respiratory distress. Six died within 4 h of treatment and the remaining three made a full recovery within 24 h.

CLINICAL AND PATHOLOGICAL FINDINGS: Within 3–4 h of treatment, the affected birds had an elevated respiratory rate, mucoid nasal discharge and rapidly became comatose. Post mortem examination revealed accumulation of thick mucus in the oral cavity and trachea. There was severe pulmonary congestion and oedema and early bronchopneumonia in the lungs of five of the birds. In two birds, there was acute hepatic degeneration and necrosis and one bird had acute pancreatic degeneration and necrosis.

DIAGNOSIS: Acute levamisole toxicity.

CLINICAL RELEVANCE: Kiwi were acutely sensitive to levamisole toxicity at doses that are well within the safe range for domestic poultry. Levamisole should not be used as an anthelmintic in kiwi.

KEY WORDS:

- Apterygiformes
- kiwi
- pulmonary oedema
- anthelmintic
- toxicity
- levamisole

Acknowledgements

We would like to thank Pat Davey and Evelyn Lupton of the Institute of Veterinary, Animal and Biomedical Sciences, Massey University, for technical assistance. This work was carried out with the financial support of the National Wildlife Surveillance Fund, Department of Conservation.

Related research

People also read	Recommended articles	Cited by 11
------------------	----------------------	----------------

Information for

[Authors](#)

[R&D professionals](#)

[Editors](#)

[Librarians](#)

[Societies](#)

Opportunities

[Reprints and e-prints](#)

[Advertising solutions](#)

[Accelerated publication](#)

[Corporate access solutions](#)

Open access

[Overview](#)

[Open journals](#)

[Open Select](#)

[Dove Medical Press](#)

[F1000Research](#)

Help and information

[Help and contact](#)

[Newsroom](#)

[All journals](#)

[Books](#)

Keep up to date

Register to receive personalised research and resources by email



Sign me up



Copyright © 2026 Informa UK Limited [Privacy policy](#) [Cookies](#) [Terms & conditions](#)

[Accessibility](#)

 Taylor and Francis Group

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG