

745 | 80 | 3
Views | CrossRef citations to date | Altmetric

Miscellany

Least absolute value regression: recent contributions

Terry E. Dielman

Pages 263-286 | Accepted 21 Mar 2004, Published online: 16 Aug 2006

Cite this article <https://doi.org/10.1080/0094965042000223680>

Sample our
Mathematics & Statistics
Journals

>> [Sign in here](#) to start your access
to the latest two volumes for 14 days

Full Article Figures & data References Citations Metrics

Reprints & Permissions Read this article Share

We Care About Your Privacy

We and our 880 partners store and access personal data, like browsing data or unique identifiers, on your device. Selecting I Accept enables tracking technologies to support the purposes shown under we and our partners process data to provide. Selecting Reject All or withdrawing your consent will disable them. If trackers are disabled, some content and ads you see may not be as relevant to you. You can resurface this menu to change your choices or withdraw consent at any time by clicking the Show Purposes link on the bottom of the webpage. Your choices will have effect within our Website. For more details, refer to our Privacy Policy. [Here](#)

We and our partners process data to provide:

Use precise geolocation data. Actively scan device

I Accept

Reject All

Show Purpose



Abstra

This arti

regressio

article b

models:

Meth

non-l

computa

regressio

discusse

Q Keywor

L 1-norm

Minimum

the survey

h regression

and

linear and

uded are

in LAV

will be

Related Research Data

The Asymptotic Normality of Two-Stage Least Absolute Deviations Estimators

Source: JSTOR

Some comments on Christensen, Soliman and Rouhi's "Discussion..."

Source: Elsevier BV

A comparison of two LP solvers and a new IRLS algorithm for L1 estimation

Source: Institute of Mathematical Statistics

Estimation in partial linear model with spline modal function

Source: Informa UK Limited

EMPIRICAL IRREGULARITIES IN THE ESTIMATION OF BETA: THE IMPACT OF ALTERNATIVE ESTIMATION ASSUMPTIONS AND PROCEDURES

Source: Wiley

Comparison of computer programs for simple linear L 1 regression

Source: Informa UK Limited

A globally and quadratically convergent affine scaling method for linear e 1 problems

Source: Springer Science and Business Media LLC

Estimation of nuisance parameters for inference based on least absolute deviations

Source: Institute of Mathematics, Polish Academy of Sciences

Least

Infer

Source

Strict

Source

Tests

Source

Four

S

B

Source

A new

Source

A Fini

Source

Fitting

Source



L1

Robust Sports Ratings Based on Least Absolute Errors

Source: Informa UK Limited

Trimmed LAD and Least Squares Estimation of Truncated and Censored Regression Models with Fixed Effects.

Source: JSTOR

Extensions to a Best Subset Algorithm for Least Absolute Value Estimation

Source: Informa UK Limited

Estimating Systematic Risk with Daily Security Returns: A Note on the Relative Efficiency of Selected Estimators

Source: Wiley

Bootstrap Methods: Another Look at the Jackknife

Source: Springer New York

The Consistency of Nonlinear Regression Minimizing the L_1 -Norm

Source: Institute of Mathematical Statistics

Tests of Linear Hypotheses and Lav Estimation: A Monte Carlo Comparison

Source: Informa UK Limited

Identification of outliers by means of L 1 regression: safe and unsafe configurations

Source: Elsevier BV

Corrections to a comparison of forecasts from least absolute value and least squares regression

Source: Wiley

A comparison of forecasts from least absolute value and least squares regression

Source: Wiley

On L_1 regression with p variables

mode

Source

Estim

Source

A con

Source

M

cl

Source

Least

Source

Studi

manu

Source

On Le

Residuals

✕ variables

errors

1760

at Stable



Source: JSTOR

Algorithm AS 132: Least Absolute Value Estimates for a Simple Linear Regression Problem

Source: JSTOR

Computational aspects of adaptive combination of least squares and least absolute deviations estimators

Source: Elsevier BV

Strong consistency and exponential rate of the minimum L 1 -norm estimated in linear regression models

Source: Elsevier BV

Subset Selection for Multiple Linear Regression via Optimization

Source: arXiv

An Efficient Algorithm for the MSAE and the MMAE Regression Problems

Source: Society for Industrial & Applied Mathematics (SIAM)

Algorithms for unconstrained L 1 simple linear regression

Source: Elsevier BV

L1 for the simple linear regression model

Source: Informa UK Limited

Two guidelines for bootstrap hypothesis testing

Source: JSTOR

Remark AS R90: Least Squares Initial Values for the L 1 -Norm Fitting of a Straight Line-
A Remark on Algorithm AS 238: A Simple Recursive Procedure for the L 1 Norm Fitting
of a Straight Line

Source

The Comparison of the L1 Norm and the L2 Norm in the Regression Analysis versus
absolute error

Source

Asym

Source

Estim

di

S

The b

Source

L1No

Source

$\$L\sb$

Source

Notes

Source: Institute of Mathematical Statistics



On computing a best discrete L 1 approximation using the method of vanishing
Jacobians

Source: Elsevier BV

Computational Algorithms for Calculating Least Absolute Value and Chebyshev
Estimates for Multiple Regression

Source: Informa UK Limited

A new approach to select the best subset of predictors in linear regression modelling:
bi-objective mixed integer linear programming

Source: Cambridge University Press (CUP)

On the rates of convergence of minimum L1-norm' estimates in a partly linear model

Source: Informa UK Limited

Least absolute deviation estimation of stationary time series models

Source: Elsevier BV

PERMUTATION TESTS FOR LEAST ABSOLUTE DEVIATION REGRESSION

Source: JSTOR

On computation of regression quantiles: Making the Laplacian Tortoise faster

Source: Institute of Mathematical Statistics

Galton, Edgeworth, Frisch, and prospects for quantile regression in econometrics

Source: Elsevier BV

A new algorithm for nonlinear L 1 -norm minimization with nonlinear equality
constraints

Source: Elsevier BV

L1 solutions of overdetermined systems of linear equations

Source

Pertu

Source

La ré

logar

Source

Analy

Sp

M

impli

Source

An in

Source

The L

Source

Least

Source: Society for Industrial & Applied Mathematics (SIAM)



A comparison of some robust, adaptive, and partially adaptive estimators of regression models

Source: Informa UK Limited

A critique of the objective function utilized in calculating the Thrifty Food Plan.

Source: Public Library of Science (PLoS)

A simulation study of l1:estimation of a seasonal moving average time series model

Source: Informa UK Limited

Coefficients of determination for least absolute deviation analysis

Source: Elsevier BV

Discussion of "an example showing that a new technique for LAV estimation breaks down in certain cases"

Source: Elsevier BV

On Boscovich's Estimator

Source: Institute of Mathematical Statistics

Stability of L 1 -norm regression under additional observations

Source: Elsevier BV

Model selection for least absolute deviations regression in small samples

Source: Elsevier BV

Least absolute deviations estimation for the censored regression model

Source: Elsevier BV

A Lagrange multiplier approach to testing for serially dependent error terms

Source: Institute of Mathematical Statistics

Linear regression and l1 regression: A geometric interpretation

Source: Informa UK Limited

Studying the relationship between the l1 and l2 norms

between

Source: Informa UK Limited

Inference

Source: Informa UK Limited

A link

Source: Informa UK Limited

L

Source: Informa UK Limited

On the

estim

Source: Informa UK Limited

A new

Source: Informa UK Limited

Least

Source: Informa UK Limited



Nonparametric estimates of the nuisance parameter in the l₁ tests

Source: Informa UK Limited

Solution of an overdetermined system of equations in the l₁ norm [F4]

Source: Association for Computing Machinery (ACM)

A note on recent proposals for computing l₁ estimates

Source: Elsevier BV

Least squares and least absolute deviation procedures in approximately linear models

Source: Elsevier BV

The place of the l₁-norm in robust estimation

Source: Elsevier BV

STRONG CONSISTENCY AND ASYMPTOTIC NORMALITY OF l₁ ESTIMATES OF THE AUTOREGRESSIVE MOVING-AVERAGE MODEL

Source: Wiley

Some limit theory for l₁-estimators in autoregressive models under general conditions

Source: Institute of Mathematical Statistics

On a necessary condition for the consistency of the l₁ estimates in linear regression models

Source: Informa UK Limited

A bootstrap approach to hypothesis testing in least absolute value regression

Source: Elsevier BV

Estimation in least absolute value regression with autocorrelated errors

Source: Informa UK Limited

On the l₁ norm and least absolute deviation procedures

Source: Informa UK Limited

Strong

auton

Source

Algor

Source

Le

S

Forec

samp

Source

TAIL

Source

The M

Source

A NOTE ON LEAST ABSOLUTE DEVIATION ESTIMATION OF A THRESHOLD MODEL



Source: Cambridge University Press (CUP)

A Comparison of Ordinary Least Squares and Least Absolute Error Estimation

Source: Cambridge University Press (CUP)

Bootstrapping in least absolute value regression: an application to hypothesis testing

Source: Informa UK Limited

L_1 -tests in linear models: tests with maximum relative power

Source: Institute of Mathematical Statistics

A new technique for curve fitting based on minimum absolute deviations

Source: Elsevier BV

The consistency of the L_1 norm estimates in arma models

Source: Informa UK Limited

On L_1 regression coefficients

Source: Informa UK Limited

최소절대값 회귀 계수의 일관성

Source: The Korean Statistical Society

An Improved Algorithm for Discrete L_1 Linear Approximation

Source: Society for Industrial & Applied Mathematics (SIAM)

On convergence of LAD estimates in autoregression with infinite variance

Source: Elsevier BV

An example showing that a new technique for LAV estimation breaks down in certain contingency tables

Source: Elsevier BV

Instability of least squares, least absolute deviation, and least median of squares linear regression

the a

Source

Asym

respo

Source

A furt

Sp

Te

Source

LAD F

Source

A Sim

Source

M Est

Source

Birkes/Alternative



Source: John Wiley & Sons, Inc.

A note on hypothesis testing in LAV multiple regression: a small sample comparison

Source: Elsevier BV

A p -subset property of L_1 and regression quantile estimates

Source: Elsevier BV

A revised simplex algorithm for the absolute deviation curve fitting problem

Source: Informa UK Limited

ℓ_1 computation: an interior monologue

Source: Institute of Mathematical Statistics

Least Absolute Deviation Estimation for Regression with ARMA Errors

Source: Springer Science and Business Media LLC

LM TESTS IN THE PRESENCE OF NON-NORMAL ERROR DISTRIBUTIONS

Source: Cambridge University Press (CUP)

Characterization of the LAD (L_1) AR parameter estimator when applied to stationary ARMA, MA, and higher order AR processes

Source: Institute of Electrical and Electronics Engineers (IEEE)

Unbiased L_1 and L_∞ estimation

Source: Informa UK Limited

Scale economies in manufacturing: Problems of robust estimation

Source: Springer Science and Business Media LLC

Robust and Partially Adaptive Estimation of Regression Models

Source: JSTOR

Limiting distributions for ℓ_1 regression estimation under general conditions

Source

Adjust

Source

A sim

Source

Linkin



Relate



Information for

- Authors
- R&D professionals
- Editors
- Librarians
- Societies

Opportunities

- Reprints and e-prints
- Advertising solutions
- Accelerated publication
- Corporate access solutions

Open access

- Overview
- Open journals
- Open Select
- Dove Medical Press
- F1000Research

Help and information

- Help and contact
- Newsroom
- All journals
- Books

Keep up to date

Register to receive personalised research and resources by email

 Sign me up



Copyright

Accessib

Registered
5 Howick Pl

or & Francis Group
orma business

