

1,030 Views | 180 CrossRef citations to date | 0 Altmetric

Original Articles

# Sampling nested Archimedean copulas

Alexander J. McNeil

Pages 567-581 | Received 18 Jul 2006, Published online: 21 May 2008

🗨️ Cite this article <https://doi.org/10.1080/00949650701255834>

Sample our  
Computer Science  
Journals

>> [Sign in here](#) to start your access  
to the latest two volumes for 14 days

📄 Full Article | 📊 Figures & data | 📖 References | 🗨️ Citations | 📈 Metrics

📄 Reprints & Permissions

Read this article

🔗 Share

## Abstract

We give algorithms for sampling from non-exchangeable Archimedean copulas created by the nesting of Archimedean copula generators, where in the most general algorithm the generators may be nested to an arbitrary depth. These algorithms are based on mixture representations of these copulas using Laplace transforms. While in principle the approach applies to all nested Archimedean copulas, in practice the approach is restricted to certain cases where we are able to sample distributions with given Laplace transforms. Precise instructions are given for the case when all generators are taken from the Gumbel parametric family or the Clayton family; the Gumbel case in particular proves very easy to simulate.

Keywords:

Archimedean copulas

Laplace transforms

Stochastic simulation

[00A72](#)[11K45](#)[60E10](#)[62E15](#)[65C05](#)[← Previous article](#)[View issue table of contents](#)[Next article >](#)

## Acknowledgements

I thank Christoph Hummel of Converium for motivating this problem in the context of modelling dependent insurance losses. My thanks also go to Martin Pfister and Johanna Nešlehová for many useful discussions.

## Additional information

### Notes on contributors

Alexander J. McNeil

\*Email: [A.J.McNeil@hw.ac.uk](mailto:A.J.McNeil@hw.ac.uk)

#### Related Research Data

##### [Sampling from Archimedean copulas](#)

Source: Quantitative Finance

##### [An Introduction to Copulas](#)

Source: Unknown Repository

##### [Copula Methods in Finance](#)

Source: Unknown Repository

##### [Algorithms for Generating Discrete Random Variables with a Given Generating Function or a Given Moment Sequence](#)

Source: SIAM Journal on Scientific and Statistical Computing

##### [Families of Multivariate Distributions](#)

Source: Journal of the American Statistical Association

##### [A probabilistic interpretation of complete monotonicity](#)

Source: Aequationes Mathematicae

##### [On random variate generation when only moments or Fourier coefficients are known](#)

## Related research

People also read

Recommended articles

Cited by  
180

[Hierarchies of Archimedean copulas >](#)

---

Cornelia Savu et al.

Quantitative Finance

Published online: 23 Jul 2009

---

[A stochastic representation and sampling algorithm for nested Archimedean copulas >](#)

---

Marius Hofert

Journal of Statistical Computation and Simulation

Published online: 27 Jun 2011

## Information for

[Authors](#)

[R&D professionals](#)

[Editors](#)

[Librarians](#)

[Societies](#)

## Opportunities

[Reprints and e-prints](#)

[Advertising solutions](#)

[Accelerated publication](#)

[Corporate access solutions](#)

## Open access

[Overview](#)

[Open journals](#)

[Open Select](#)

[Dove Medical Press](#)

[F1000Research](#)

## Help and information

[Help and contact](#)

[Newsroom](#)

[All journals](#)

[Books](#)

## Keep up to date

Register to receive personalised research and resources by email



Sign me up



Copyright © 2026 Informa UK Limited [Privacy policy](#)

[Cookies](#) [Terms & conditions](#) [Accessibility](#)

Registered in England & Wales No. 01072954  
5 Howick Place | London | SW1P 1WG



**Taylor & Francis**  
by informa