



654 | 57 | 0
Views | CrossRef citations to date | Altmetric

Original Articles

A bootstrap method for comparing correlated kappa coefficients

S. Vanbelle & A. Albert

Pages 1009-1015 | Received 18 Dec 2006, Published online: 11 Oct 2011

Cite this article <https://doi.org/10.1080/00949650701410249>

Sample our
Computer Science
Journals
>> [Sign in here](#) to start your access
to the latest two volumes for 14 days

Full Article

Figures & data

References

Citations

Metrics

Reprints & Permissions

Read this article

Share

Abstract

Cohen's kappa coefficient is traditionally used to quantify the degree of agreement between two raters on a nominal scale. Correlated kappas occur in many settings (e.g., repeated agreement by raters on the same individuals, concordance between diagnostic tests and a gold standard) and often need to be compared. While different techniques are now available to model correlated κ coefficients, they are generally not easy to implement in practice. The present paper describes a simple alternative method based on the bootstrap for comparing correlated kappa coefficients. The method is illustrated by examples and its type I error studied using simulations. The method is also compared with the generalized estimating equations of the second order and the weighted least-squares methods.

Keywords:

Related Research Data

[Weighted kappa: Nominal scale agreement provision for scaled disagreement or partial credit.](#)

Source: Psychological Bulletin

[Comparing correlated kappas by resampling: Is one level of agreement significantly different from another?](#)

Source: Journal of Psychiatric Research

[A Coefficient of Agreement for Nominal Scales](#)

Source: Educational and Psychological Measurement

[A Simple Method for Estimating a Regression Model for \$\kappa\$ Between a Pair of Raters](#)

Source: Journal of the Royal Statistical Society Series A (Statistics in Society)

[An Introduction to the Bootstrap](#)

Source: Unknown Repository

[Ramifications of a population model for \$\kappa\$ as a coefficient of reliability](#)

Source: Psychometrika

[Modeling kappa for measuring dependent categorical agreement data](#)

Source: Biostatistics

[Weighted Least-Squares Approach for Comparing Correlated Kappa](#)

Source: Biometrics

Linking provided by [Schole8plorer](#)

Related research

People also read

Recommended articles

Cited by
57

Information for

[Authors](#)

[R&D professionals](#)

[Editors](#)

[Librarians](#)

[Societies](#)

Opportunities

[Reprints and e-prints](#)

[Advertising solutions](#)

[Accelerated publication](#)

[Corporate access solutions](#)

Open access

[Overview](#)

[Open journals](#)

[Open Select](#)

[Dove Medical Press](#)

[F1000Research](#)

Help and information

[Help and contact](#)

[Newsroom](#)

[All journals](#)

[Books](#)

Keep up to date

Register to receive personalised research and resources by email



Sign me up



Copyright © 2025 Informa UK Limited [Privacy policy](#) [Cookies](#) [Terms & conditions](#)

[Accessibility](#)



Taylor & Francis Group
an informa business

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG