







Home ▶ All Journals ▶ Journal of Statistical Computation and Simulation ▶ List of Issue ▶ Volume 78, Issue 11 ▶ A bootstrap method for comparing correla

Journal of Statistical Computation and Simulation > Volume 78, 2008 - Issue 11

590 51

0

Views CrossRef citations to date Altmetric

Original Articles

A bootstrap method for comparing correlated kappa coefficients

Pages 1009-1015 | Received 18 Dec 2006, Published online: 11 Oct 2011

Sample our
Mathematics & Statistics
Journals

>> Sign in here to start your access
to the latest two volumes for 14 days

Full Article

Figures & data

References

66 Citations

Metrics

Reprints & Permissions

Read this article

Abstract

Cohen's kappa coefficient is traditionally used to quantify the degree of agreement

between two raters on a nominal scale. Correlated kannas occur in many settings (e.g.,

repeated

We Care About Your Privacy

diagnost

techniqu

easy to

method

meth

and the


Q Keywor

We and our 842 partners store and/or access information on a device, such as unique IDs in cookies to process personal data. You may accept or manage your choices by clicking below, including your right to object where legitimate interest is used, or at any time in the privacy policy page. These choices will be signaled to our partners and will not affect browsing data. Privacy Policy

We and our partners process data to provide:

Use precise geolocation data. Actively scan device characteristics for identification. Store and/or access information on a device. Personalised advertising and content, advertising and content measurement, audience research and services development.

List of Partners (vendors)



Related Research Data

Kappa statistic for clustered matched-pair data

Source: Wiley

Measuring and comparing the accuracy of species distribution models with presence-

absence data Source: Wiley

Combining pixel and object based image analysis of ultra-high resolution multibeam

bathymetry and backscatter for habitat mapping in shallow marine waters

Source: Springer Science and Business Media LLC

Weighted kappa: Nominal scale agreement provision for scaled disagreement or partial

credit.

Source: American Psychological Association (APA)

Comparing correlated kappas by resampling: Is one level of agreement significantly

different from another?

Source: Elsevier BV

Cumulative and CUB Models for Rating Data

Source: Wiley

A Coefficient of agreement for nominal Scales

Source: SAGE Publications

A simple method for estimating a regression model for κ between a pair of raters

Source: Wiley

Testing the Difference of Correlated Agreement Coefficients for Statistical Significance

Source: SAGE Publications

An Introduction to the Bootstrap



Source: Chapman and Hall/CRC

Linking provided by Schole plorer

Related research 1

People also read

Recommended articles

Cited by 51

Information for

Authors

R&D professionals

Editors

Librarians

Societies

Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

Open access

Overview

Open journals

Open Select

Dove Medical Press

F1000Research

Help and information

Help and contact

Newsroom

All journals

Books

Keep up

Register t by email



Sia









Copyright

Accessib

Registered 5 Howick F ×

or & Francis Group