

Social Work in Health Care >

Volume 55, 2016 - [Issue 4](#)

367 | 8 | 3
Views | CrossRef citations to date | Altmetric

Articles

Financial distress during relocation for treatment of a hematological malignancy: Findings for social work

Pam McGrath , BSW, MA, PhD

Pages 265-279 | Received 24 Aug 2015, Accepted 05 Dec 2015, Published online: 03 Mar 2016

 Cite this article  <https://doi.org/10.1080/00981389.2015.1130008>

 Check for updates

Sample our
Medicine, Dentistry, Nursing
& Allied Health Journals
>> [Sign in here](#) to start your access
to the latest two volumes for 14 days

 Full Article

 Figures & data

 References

 Citations

 Metrics

 Reprints & Permissions

[Read this article](#)

 Share

ABSTRACT

The findings presented in this article are from qualitative research, funded by the Leukaemia Foundation of Queensland, which explored the financial impact of relocation for specialist treatment for hematology patients living in Queensland, Australia. The findings describe the factors that contribute to the lack of, or erosion of, a buffer to the financial distress created by diagnosis and relocation for treatment for a hematological malignancy. Individuals vulnerable to financial distress are those who lose or reduce employment, have restricted or no access to work cover or leave (sick, recreation or long service), have limited savings, and who have major repayments (e.g., home and car repayments). A combination of these factors can facilitate a spiral to acute and

irreversible financial distress. The implications of the findings to social work are explored.

KEYWORDS:

Cancer financial impact hematology poverty social work

Acknowledgements

The author thanks Mr. Bill Petch, CEO, Leukaemia Foundation of Queensland (LFQ), Mrs. Barbara Hartigan, Director of LFQ Support Services, Ms. Maryanne Skarparis, Support Services Coordinator LFQ, Ms. Kathryn Huntley, Support Services Coordinator LFQ, and Ms. Nicole Rawson for their contribution to the study.

Additional information

Funding

The funding, which in part supported the author to complete the study, was provided by the Leukaemia Foundation of Queensland.

Related research

People also read

Recommended articles

Cited by
8

Information for

[Authors](#)

[R&D professionals](#)

[Editors](#)

[Librarians](#)

[Societies](#)

Opportunities

[Reprints and e-prints](#)

[Advertising solutions](#)

[Accelerated publication](#)

[Corporate access solutions](#)

Open access

[Overview](#)

[Open journals](#)

[Open Select](#)

[Dove Medical Press](#)

[F1000Research](#)

Help and information

[Help and contact](#)

[Newsroom](#)

[All journals](#)

[Books](#)

Keep up to date

Register to receive personalised research and resources by email



Sign me up



Copyright © 2026 Informa UK Limited [Privacy policy](#)

[Cookies](#) [Terms & conditions](#) [Accessibility](#)

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG

 Taylor and Francis
Group