International Journal of Remote Sensing ›
Volume 28, 2007 - Issue 12

594 Views | 50 CrossRef citations to date | 0 Altmetric

Original Articles

Stabilizing high-order, non-classical harmonic analysis of NDVI data for average annual models by damping model roughness

J. F. Hermance

Pages 2801-2819 | Received 05 May 2006, Accepted 06 Jul 2006, Published online: 29 May 2007

Cite this article https://doi.org/10.1080/01431160600967128

Sample our Geography Journals
>> Sign in here to start your access to the latest two volumes for 14 days

We Care About Your Privacy

We and our 907 partners store and access personal data, like browsing data or unique identifiers, on your device. Selecting "I Accept" enables tracking technologies to support the purposes shown under "we and our partners process data to provide," whereas selecting "Reject All" or withdrawing your consent will disable them. If trackers are disabled, some content and ads you see may not be as relevant to you. You can resurface this menu to change your choices or withdraw consent at any time by clicking the ["privacy preferences"] link on the bottom of the webpage [or the floating icon on the bottom-left of the webpage, if applicable]. Your choices will have effect within our Website. For more details, refer to our Privacy Policy. Here

We and our partners process data to provide:

I Accept
Reject All
Show Purpose

Abstra

Fourier s ctive for
identifyi ariety of
terrestri Index (NDVI)
time of such
appli ng, or low
pass filte ress
spurious techniques
can be s sum of the
squared so enforce
an expe ns in
predicte with the

application of special transcendental forms, such as asymmetric Gaussian and logistic (sigmoidal) functions, recently reported in the literature.

Acknowledgments

This work was developed over several years of interacting and constructive discussions with Bethany Bradley and Rob Jacob, both recent recipients of PhD degrees from Brown University. Professor Jack Mustard generously supplied the AVHRR-NDVI data and the hospitable venue in which this work was possible. Financial support was provided by Brown University and private sector partners with its Environmental Geophysics/Hydrology group.

Related Research Data

Mapping agroecological zones and time lag in vegetation growth by means of fourier analysis of time series of NDVI images
Sourc
Savit
Sourc
Impro hod
using
Sourc
The 1
Sourc
A noisy
s
Sourc
Extra ework
for Ap
Sourc
An ev
Sourc
The E me-
series

Source: International Journal of Remote Sensing

Reconstructing cloudfree NDVI composites using Fourier analysis of time series

Source: International Journal of Remote Sensing

Satellite remote sensing of primary production

Source: International Journal of Remote Sensing

African Land-Cover Classification Using Satellite Data

Source: Science

Monitoring vegetation phenology using MODIS

Source: Remote Sensing of Environment

Seasonality extraction by function fitting to time-series of satellite sensor data

Source: IEEE Transactions on Geoscience and Remote Sensing

Fourier Series for analysis of temporal sequences of satellite sensor imagery

Source: International Journal of Remote Sensing

Land-Surface Phenologies from AVHRR Using the Discrete Fourier Transform

Source: Remote Sensing of Environment

Interannual variations in satellite-sensed vegetation index data from 1981 to 1991

Source: Journal of Geophysical Research Atmospheres

Measuring phenological variability from satellite imagery

Source: Journal of Vegetation Science

Identifying land cover variability distinct from land cover change: Cheatgrass in the Great Basin

Source: Remote Sensing of Environment

A sim sed on the S

Sourc

Crop

Sourc

TIMES

Sourc

Mapp ourier a

So

Green ce

Sourc

A glo obal fields

Sourc

Class g

Fouri

Source: International Journal of Remote Sensing

Fourier analysis of multi-temporal AVHRR data applied to a land cover classification

Source: International Journal of Remote Sensing

Linking provided by ScholeXplorer

Related research

People also read | Recommended articles | Cited by 50

Spatio-Temporal Reconstruction of MODIS NDVI by Regional Land Surface Phenology and Harmonic Analysis of Time-Series

Suman Kumar Padhee et al.
GIScience & Remote Sensing
Published online: 6 Aug 2019

Copyright

Accessibi

or & Francis Group
orma business

Registered
5 Howick Pl