

Home ► All Journals ► Geography ► International Journal of Remote Sensing ► List of Issues ► Volume 32, Issue 15 ► Death to Kappa: birth of quantity disagr ....

International Journal of Remote Sensing > Volume 32, 2011 - <u>Issue 15</u>

11,8451,50823ViewsCrossRef citations to dateAltmetric

**Original Articles** 

# Death to Kappa: birth of quantity disagreement and allocation disagreement for accuracy assessment

Q

### Robert Gilmore Pontius Jr 🔽 & Marco Millones

Pages 4407-4429 | Received 27 Aug 2010, Accepted 20 Dec 2010, Published online: 17 Aug 2011

**L** Cite this article Attps://doi.org/10.1080/01431161.2011.552923



### Abstract

The family of Kappa indices of agreement claim to compare a map's observed classification accuracy relative to the expected accuracy of baseline maps that can have two types of randomness: (1) random distribution of the quantity of each category and (2) random spatial allocation of the categories. Use of the Kappa indices has become part of the culture in remote sensing and other fields. This article examines five different Kappa indices, some of which were derived by the first author in 2000. We expose the indices' properties mathematically and illustrate their limitations graphically, with emphasis on Kappa's use of randomness as a baseline, and the oftenignored conversion from an observed sample matrix to the estimated population matrix. This article concludes that these Kappa indices are useless, misleading and/or flawed for the practical applications in remote sensing that we have seen. After more than a decade of working with these indices, we recommend that the profession abandon the use of Kappa indices for purposes of accuracy assessment and map comparison, and instead summarize the cross-tabulation matrix with two much simpler summary parameters: quantity disagreement and allocation disagreement. This article shows how to compute these two parameters using examples taken from peer-reviewed literature.

## Acknowledgements

The United States' National Science Foundation (NSF) supported this work through its Coupled Natural Human Systems program via grant BCS-0709685. NSF supplied additional funding through its Long Term Ecological Research network via grant OCE-0423565 and a supplemental grant DEB-0620579. Any opinions, findings, conclusions or recommendation expressed in this article are those of the authors and do not necessarily reflect those of the funders. Clark Labs produced the GIS software Idrisi, which computes the two components of disagreement that this article endorses. Anonymous reviewers supplied constructive feedback that helped to improve this article.



Source: Unknown Repository Comparative assessment of the measures of thematic classification accuracy Source: Remote Sensing of Environment The Kappa Statistic: A Second Look Source: Computational Linguistics A Coefficient of Agreement for Nominal Scales Source: Educational and Psychological Measurement High-resolution spatial analysis of mountain landscapes using a low-altitude remote sensing approach Source: International Journal of Remote Sensing Long-term monitoring of land cover changes based on Landsat imagery to improve hydrological modelling in West Africa Source: International Journal of Remote Sensing Quality assessment of image classification algorithms for land-cover mapping: A review and a proposal for a cost-based approach Source: International Journal of Remote Sensing Identifying Systematic Land-Cover Transitions Using Remote Sensing and GIS: The Fate of Forests inside and outside Protected Areas of Southwestern Ghana Source: Environment and Planning B Planning and Design Thematic Map Comparison Source: Photogrammetric Engineering & Remote Sensing Results and implications of a study of fifteen years of satellite image classification experiments Source: IEEE Transactions on Geoscience and Remote Sensing Estimating the uncertainty of land-cover extrapolations while constructing a raster map from tabular data Source: Journal of Geographical Systems Sampling designs for accuracy assessment of land cover Source: International Journal of Remote Sensing Harshness in image classification accuracy assessment Source: International Journal of Remote Sensing Modeling land-use change in the Ipswich watershed, Massachusetts, USA Source: Agriculture Ecosystems & Environment Coefficient Kappa: Some Uses, Misuses, and Alternatives Source: Educational and Psychological Measurement Selecting and interpreting measures of thematic classification accuracy Source: Remote Sensing of Environment Reliability of Content Analysis: The Case of Nominal Scale Coding Source: Public Opinion Quarterly Design and Analysis for Thematic Map Accuracy Assessment

Source: Remote Sensing of Environment Status of land cover classification accuracy assessment Source: Remote Sensing of Environment A review of assessing the accuracy of classifications of remotely sensed data Source: Remote Sensing of Environment Components of Agreement between Categorical Maps at Multiple Resolutions Source: Unknown Repository Evaluating interrater agreement in SPICE-based assessments Source: Computer Standards & Interfaces Components of information for multiple resolution comparison between maps that share a real variable Source: Environmental and Ecological Statistics The Measurement of Observer Agreement for Categorical Data Source: Biometrics Uncertainty in Extrapolations of Predictive Land-Change Models Source: Environment and Planning B Planning and Design Investigating Global and Local Categorical Map Configuration Comparisons Based on **Coincidence Matrices** Source: Geographical Analysis Assessing the accuracy of species distribution models: prevalence, kappa and the true skill statistic (TSS) Source: Journal of Applied Ecology Detecting important categorical land changes while accounting for persistence Source: Agriculture Ecosystems & Environment Comparing the input, output, and validation maps for several models of land change Source: The Annals of Regional Science Maximum Likelihood Estimation of Agreement in the Constant Predictive Probability Model, and Its Relation to Cohen's Kappa Source: Biometrics Assessing the Accuracy of Remotely Sensed Data Source: Unknown Repository Measures of Association for Cross Classifications\* Source: Journal of the American Statistical Association

Linking provided by Schole plorer

Related research (1)

**Recommended articles** 

Cited by 1508

### Information for

#### **Open access**

Authors	Overview
R&D professionals	Open journals
Editors	Open Select
Librarians	Dove Medical Press
Societies	F1000Research
Opportunities	Help and information
Reprints and e-prints	Help and contact
Advertising solutions	Newsroom
Accelerated publication	All journals
Corporate access solutions	Books

### Keep up to date



Sign me up



Accessibility

Copyright © 2025 Informa UK Limited Privacy policy Cookies Terms & conditions



Taylor & Francis Group an informa business

Registered in England & Wales No. 01072954 5 Howick Place | London | SW1P 1WG