

11,283 Views

1,459 CrossRef citations to date

23 Altmetric

Original Articles

Death to Kappa: birth of quantity disagreement and allocation disagreement for accuracy assessment

Robert Gilmore Pontius Jr & Marco Millones

Pages 4407-4429 | Received 27 Aug 2010, Accepted 20 Dec 2010, Published online: 17 Aug 2011

Cite this article <https://doi.org/10.1080/01431161.2011.552923>

Sample our Environment & Agriculture journals, sign in here to start your access, latest two full volumes FREE to you for 14 days

Full Article

Figures & data

References

Citations

Metrics

Reprints & Permissions

Read this article

Share

We Care About Your Privacy

We and our 878 partners store and access personal data, like browsing data or unique identifiers, on your device. Selecting I Accept enables tracking technologies to support the purposes shown under we and our partners process data to provide. Selecting Reject All or withdrawing your consent will disable them. If trackers are disabled, some content and ads you see may not be as relevant to you. You can resurface this menu to change your choices or withdraw consent at any time by clicking the Show Purposes link on the bottom of the webpage. Your choices will have effect within our Website. For more details, refer to our Privacy Policy. [Here](#)

We and our partners process data to provide:

Use precise geolocation data. Actively scan device

I Accept

Reject All

Show Purposes

summary parameters: quantity disagreement and allocation disagreement. This article shows how to compute these two parameters using examples taken from peer-reviewed literature.

Acknowledgements

The United States' National Science Foundation (NSF) supported this work through its Coupled Natural Human Systems program via grant BCS-0709685. NSF supplied additional funding through its Long Term Ecological Research network via grant OCE-0423565 and a supplemental grant DEB-0620579. Any opinions, findings, conclusions or recommendation expressed in this article are those of the authors and do not necessarily reflect those of the funders. Clark Labs produced the GIS software Idrisi, which computes the two components of disagreement that this article endorses. Anonymous reviewers supplied constructive feedback that helped to improve this article.

Relat

A rev

prese

Sourc

Usabi

Sourc

Using

Ch

S

Spati

A Cas

Sourc

Benc

Analy

Sourc

Expe

planning in China



in Asia:

nal

Source: Informa UK Limited

An automated methodology for differentiating rock from snow, clouds and sea ice
Antarctica from Landsat 8 imagery: a new rock outcrop map and area estimation for
the entire Antarctic continent

Source: Copernicus GmbH

The Map Comparison Kit

Source: Elsevier BV

Comparing Quantity, Allocation and Configuration Accuracy of Multiple Land Change
Models

Source: MDPI AG

Integrating Temporal Evolution with Cellular Automata for Simulating Land Cover
Change

Source: MDPI AG

Criteria to Confirm Models that Simulate Deforestation and Carbon Disturbance

Source: MDPI AG

Land-cover classification from multiple classifiers using decision fusion based on the
probabilistic graphical model

Source: Informa UK Limited

Quantifying the speed, growth modes, and landscape pattern changes of urbanization:
a hierarchical patch dynamics approach

Source: Springer Science and Business Media LLC

Smarter Shrinkage: a Neighborhood-Scaled Rightsizing Strategy Based on Land Use
Dynamics

Source

Combining satellite and ground-based data for the
detection of land cover changes

Source

Land cover classification using a fuzzy logic approach in the
water resources of the Amazon River

Source

An approach to land cover classification using
the fuzzy logic approach

Source

Accur

Source

Calibration of a fuzzy logic approach for land cover
change detection

Source

An Urban Land Use Classification Approach

Interferometric Coherence: A Regional-Scale Study in the Eastern European Alps



Source: Multidisciplinary Digital Publishing Institute

A Comparison of Vacancy Dynamics between Growing and Shrinking Cities Using the Land Transformation Model.

Source: Multidisciplinary Digital Publishing Institute

Comparing global vegetation maps with the Kappa statistic

Source: Elsevier BV

Capturing Signals of Enthusiasm and Support Towards Social Issues from Twitter

Source: Association for Computing Machinery (ACM)

An Evaluation of Forest Health Insect and Disease Survey Data and Satellite-Based Remote Sensing Forest Change Detection Methods: Case Studies in the United States

Source: Multidisciplinary Digital Publishing Institute

Quantity, exchange, and shift components of difference in a square contingency table

Source: Informa UK Limited

Temporal expansion of annual crop classification layers for the CONUS using the C5 decision tree classifier

Source: Informa UK Limited

Testing the capabilities of the new WorldView-3 space-borne sensor's red-edge spectral band in discriminating and mapping complex grassland management treatments

Source: Informa UK Limited

Assessment and prediction of urban growth for a mega-city using CA-Markov model

Source: Informa UK Limited

Weighted Background Suppression Target Detection Using Sparse Image Enhancement Techniques for Non-Grass Tree Leaves

Source

A Pra

Source

Efficie

Using

Source

Fores

sl

S

Comp

Source

Tree S

Source

The k

Source

Geos

Region, Nigeria



Delta

Source: Informa UK Limited

A Coefficient of agreement for nominal Scales

Source: SAGE Publications

Simulation of landscape spatial layout evolution in rural-urban fringe areas: a case study of Ganjingzi District

Source: Informa UK Limited

Map errors that could account for deviations from a uniform intensity of land change

Source: Informa UK Limited

High-resolution spatial analysis of mountain landscapes using a low-altitude remote sensing approach

Source: Informa UK Limited

Mapping Chestnut Stands Using Bi-Temporal VHR Data

Source: MDPI

Soil Property and Class Maps of the Conterminous United States at 100-Meter Spatial Resolution

Source: Wiley

Accuracies of support vector machine and random forest in rice mapping with Sentinel-1A, Landsat-8 and Sentinel-2A datasets

Source: Informa UK Limited

Long-term monitoring of land cover changes based on Landsat imagery to improve hydrological modelling in West Africa

Source: HAL CCSD

Mapping and monitoring of urban vegetation health index (MUSIC) using seasonal satellite data

Source: MDPI

Urban Land Use Classification Using Remote Sensing Data

Popul

Source: MDPI

Monitoring and Mapping of Urban Land Use Change Using Remote Sensing Data

Analy

Sp

T

Gray

Source: MDPI

The e

Source: MDPI

Integ

Pol S

Source: MDPI



Quality assessment of image classification algorithms for land-cover mapping: A review and a proposal for a cost-based approach

Source: Informa UK Limited

Wetland degradation: its driving forces and environmental impacts in the Sanjiang Plain, China.

Source: Springer Science and Business Media LLC

Identifying Systematic Land-Cover Transitions Using Remote Sensing and GIS: The Fate of Forests inside and outside Protected Areas of Southwestern Ghana

Source: SAGE Publications

Landscape applications of machine learning: Comparing random forests and logistic regression in multi-scale optimized predictive modeling of American marten occurrence in northern Idaho, USA [Chapter 9]

Source: Springer International Publishing

Analyzing the impact of red-edge band on land use land cover classification using multispectral RapidEye imagery and machine learning techniques

Source: SPIE-Intl Soc Optical Eng

Land Cover Maps Production with High Resolution Satellite Image Time Series and Convolutional Neural Networks: Adaptations and Limits for Operational Systems

Source: HAL CCSD

Modelling deforestation in Dzalanyama forest reserve, Lilongwe, Malawi : using multi-agent simulation approach

Source: Springer Science and Business Media LLC

Adaptive Window Based Geospatial Feature Minimization for Detection of Newly Grown

Source

Small

decis

Source

Mapp

Airbo

Sp

T

classi

Source

An ec

Source

A GE

Tropic

Source



Multilevel Cloud Detection for High-Resolution Remote Sensing Imagery Using Multiple Convolutional Neural Networks

Source: Multidisciplinary Digital Publishing Institute

High-Resolution Urban Land Mapping in China from Sentinel 1A/2 Imagery Based on Google Earth Engine

Source: MDPI AG

Recommendations for using the relative operating characteristic (ROC)

Source: Springer Science and Business Media LLC

Assessing machine-learning algorithms and image-and lidar-derived variables for GEOBIA classification of mining and mine reclamation

Source: Informa UK Limited

City Compactness: Assessing the Influence of the Growth of Residential Land Use

Source: Informa UK Limited

Determining Subarctic Peatland Vegetation Using an Unmanned Aerial System (UAS)

Source: MDPI AG

A new cellular automata framework of urban growth modeling by incorporating statistical and heuristic methods

Source: Informa UK Limited

A Collaborative Change Detection Approach on Multi-Sensor Spatial Imagery for Desert Wetland Monitoring after a Flash Flood in Southern Morocco

Source: MDPI AG

Mapping global cropland and field size

Source: Wiley

Citan

Source

Class

base

Source

The a

mang

Sp

E

Source

Large

GEOB

Source

Mode

autor

Source



edge-

ons

cellular

Calibration of cellular automata models using differential evolution to simulate present and future land use

Source: Wiley

Crop classification using spectral indices derived from Sentinel-2A imagery

Source: Informa UK Limited

Predicting Land Use Changes in Philadelphia Following Green Infrastructure Policies

Source: MDPI AG

Self-modifying CA model using dual ensemble Kalman filter for simulating urban land-use changes

Source: Informa UK Limited

A spatial zoning approach to calibrate and validate urban growth models

Source: Taylor & Francis

Continuous Wavelet Analysis of Leaf Reflectance Improves Classification Accuracy of Mangrove Species

Source: Multidisciplinary Digital Publishing Institute

Towards a set of agrosystem-specific cropland mapping methods to address the global cropland diversity

Source: Taylor & Francis

How to assess the accuracy of the individual tree-based forest inventory derived from remotely sensed data: a review

Source: Informa UK Limited

Impact of different types of meteorological data inputs on predicted hydrological and erosive processes to assist land use change

Source

A Cor

up Re

Source

Using

Knotw

Source

An

L

Source

Quan

data

Source

Monit

in an

Source



Influence of classification errors on Intensity Analysis of land changes in southern Nigeria

Source: Informa UK Limited

Optimising rice mapping in cloud-prone environments by combining quad-source optical with Sentinel-1A microwave satellite imagery

Source: Informa UK Limited

Describing seasonal differences in tree crown delineation using multispectral UAS data and structure from motion

Source: Informa UK Limited

A survey of methods incorporating spatial information in image classification and spectral unmixing

Source: Informa UK Limited

Japanese surname regions

Source: Wiley

Modeling Urban Land Cover Growth Dynamics Using Multi-Temporal Satellite Images: A Case Study of Dhaka, Bangladesh

Source: MDPI AG

HERKT et al.

Source: Wiley

Modelling land cover changes in the tropical dry forest surrounding the Chamela-Cuixmala biosphere reserve, Mexico

Source: Informa UK Limited

Crop classification in a heterogeneous agricultural environment using ensemble classification

Source:

Region

Source:

The F

Meth

Source:

Re

e

Source:

Estim

map

Source:

Mode

Source:

Land

and Landsat 8 Images



Classification

level:

ion

ster

view-2

Source: Multidisciplinary Digital Publishing Institute

Sampling designs for accuracy assessment of land cover

Source: Informa UK Limited

Characterizing Land Use/Land Cover Using Multi-Sensor Time Series from the Perspective of Land Surface Phenology

Source: MDPI AG

Object-Based Image Classification of Summer Crops with Machine Learning Methods

Source: MDPI AG

Harshness in image classification accuracy assessment

Source: Taylor & Francis

Comparison of spatial modelling approaches to simulate urban growth: a case study on Udaipur city, India

Source: Informa UK Limited

Mapping Plantations in Myanmar by Fusing Landsat-8, Sentinel-2 and Sentinel-1 Data along with Systematic Error Quantification

Source: Multidisciplinary Digital Publishing Institute

Deforestation and Forest Fires in Roraima and Their Relationship with Phytoclimatic Regions in the Northern Brazilian Amazon

Source: Springer Science and Business Media LLC

An integrated object-based image analysis and CA-Markov model approach for modeling land use/land cover trends in the Sarab plain

Source: Springer Science and Business Media LLC

A comparative evaluation of filter-based feature selection methods for hyperspectral band selection

Source

Markov

Source

Model

Source

Model

Sp

E

discri

Source

Amor


the N

Source

An Ex

Resou

Source: MDPI AG



Coefficient Kappa: Some Uses, Misuses, and Alternatives:

Source: SAGE Publications

Selecting and interpreting measures of thematic classification accuracy

Source: Elsevier BV

Hierarchical modeling of urban growth across the conterminous USA: developing meso-scale quantity drivers for the Land Transformation Model

Source: Informa UK Limited

Automatic Case-Based Reasoning Approach for Landslide Detection: Integration of Object-Oriented Image Analysis and a Genetic Algorithm

Source: Multidisciplinary Digital Publishing Institute

Image-based seabed classification: what can we learn from terrestrial remote sensing?

Source: Oxford University Press (OUP)

A new neuro-fuzzy-based classification approach for hyperspectral remote sensing images

Source: Springer Science and Business Media LLC

Reliability of Content Analysis: The Case of Nominal Scale Coding

Source: Oxford University Press (OUP)

Mapping Arctic Coastal Ecosystems with High Resolution Optical Satellite Imagery Using a Hybrid Classification Approach

Source: Informa UK Limited

A review of assessment methods for cellular automata models of land-use change and urban growth

Source: Informa UK Limited

Urban
of Ur

Source

Lands

Trans

Source

Design

Sp

M

Source

Asses

Span

Source

Param

perfo

Source



✕ e Study

Woodland expansion in South African grassy biomes based on satellite observations (1990-2013): general patterns and potential drivers

Source: Wiley

Proximate causes of deforestation in the Bolivian lowlands: An analysis of spatial dynamics

Source: Springer-Verlag

Accuracy of VGI

Source: Wiley

Volunteered geographic information quality assessment using trust and reputation modelling in land administration systems in developing countries

Source: Informa UK Limited

Influence of carbon mapping and land change modelling on the prediction of carbon emissions from deforestation

Source: Cambridge University Press (CUP)

Trends in Remote Sensing Accuracy Assessment Approaches in the Context of Natural Resources

Source: Zenodo

The Rotation Forest algorithm and object-based classification method for land use mapping through UAV images

Source: Informa UK Limited

Dynamic land use change simulation using cellular automata with spatially nonstationary transition rules

Source: Informa UK Limited

Status



Source

Project

ES

Model

Source

Optim

ilding

detec

Sp

C

Kenya

Source

The I

sture,

and C

Source

Trend

Natural

Resou

Source



Remote sensing of forest pest damage: a review and lessons learned from a Canadian perspective*

Source: Cambridge University Press (CUP)

Mapping land use with using Rotation Forest algorithm from UAV images

Source: Taylor & Francis Group

Evaluation of Model Validation Techniques in Land Cover Dynamics

Source: MDPI AG

A review of assessing the accuracy of classifications of remotely sensed data

Source: Elsevier BV

Spatially explicit assessment of land ecological security with spatial variables and logistic regression modeling in Shanghai, China

Source: Springer Science and Business Media LLC

Remote sensing of tea plantations using an SVM classifier and pattern-based accuracy assessment technique

Source: Informa UK Limited

A Markovian and cellular automata land-use change predictive model of the Usangu Catchment

Source: Informa UK Limited

Trends in Remote Sensing Accuracy Assessment Approaches in the Context of Natural Resources

Source: Zenodo

Land Cover Mapping Analysis and Urban Growth Modelling Using Remote Sensing

Techniques in Greater Cairo Region, Egypt

Source

Comp

Source

Asses

Source

Integ

algor

Sp

A

integ

Wate

Source

Extra

Source

Using

land

Source: Springer Science and Business Media LLC



Accuracy assessment technique for testing multiple sub-pixel mapping downscaling factors

Source: Informa UK Limited

Mapping alien and indigenous vegetation in the KwaZulu-Natal Sandstone Sourveld using remotely sensed data

Source: South African National Biodiversity Institut

Spatially explicit modeling and prediction of shrub cover increase near Umiujaq, Nunavik

Source: Wiley

Using the random forest algorithm to integrate hydroacoustic data with satellite images to improve the mapping of shallow nearshore benthic features in a marine protected area in Jamaica

Source: Informa UK Limited

Unmanned aircraft in nature conservation: an example from plant invasions

Source: Informa UK Limited

Biome stability in South America over the last 30 kyr: Inferences from long-term vegetation dynamics and habitat modelling

Source: HAL CCSD

Evaluating interrater agreement in SPICE-based assessments

Source: Elsevier BV

Explaining the fragmentation in the Brazilian Amazonian forest

Source: Informa UK Limited

Spatial temporal dynamics of herbivory and predation in the Nile Delta of Egypt using machine learning

Source

Comparing the impact of different land use scenarios on the environment

share

Source

The n

Source

Characterizing the impact of land use change on the environment

b

Source

Simulation of land use change and its impact on the environment

Cellu

Source

Calibration of land use change models and its impact on the environment

gene

Source

UNCERTAINTY IN EXTRAPOLATIONS OF PREDICTIVE LAND CHANGE MODELS

Source: SAGE Publications

Riparian trees genera identification based on leaf-on/leaf-off airborne laser scanner data and machine learning classifiers in northern France

Source: Informa UK Limited

Simulación del crecimiento urbano de la zona metropolitana Tepic-Xalisco, México

Source: Editorial CSIC

Classifying the severity of basal stem rot disease in oil palm plantations using WorldView-3 imagery and machine learning algorithms

Source: Informa UK Limited

Temporal Accuracy in Urban Growth Forecasting: A Study Using the SLEUTH Model

Source: Wiley

Improved NDBI differencing algorithm for built-up regions change detection from remote-sensing data: an automated approach

Source: Informa UK Limited

Quantifying the completeness of and correspondence between two historical maps: a case study from nineteenth-century Palestine

Source: Informa UK Limited

Investigating Global and Local Categorical Map Configuration

Source: Wiley

Spatio-temporal analysis of land use/land cover pattern changes in Arasbaran Biosphere Reserve: Iran

Source: Springer Science and Business Media LLC

Does spatial resolution matter? A multi-scale comparison of object-based and pixel-based methods for land cover classification

Source:

Land cover classification using remote sensing data: a review

governance

Source:

Using remote sensing data to investigate land cover changes in a tropical region

Long-term

Source:

Urban land cover classification using remote sensing data: a review

Zhen

Source:

Asses

Source:

Explo

migra

Source:

Detecting important categorical land changes while accounting for persistence



Source: Elsevier BV

Measures of Association for Cross Classifications

Source: JSTOR

Digital Mapping of Ecological Land Units using a Nationally Scalable Modeling Framework

Source: Wiley

Comparison of Two Synergy Approaches for Hybrid Cropland Mapping


Source: Multidisciplinary Digital Publishing Institute

Forecasting Urban Vacancy Dynamics in a Shrinking City: A Land Transformation Model

Source: Multidisciplinary Digital Publishing Institute

Simulating Urban Form and Energy Consumption in the Pearl River Delta Under Different Development Strategies

Source: Informa UK Limited

Linking provided by 

Related research

People also read

Recommended articles

Cited by
1459



Information for

- Authors
- R&D professionals
- Editors
- Librarians
- Societies

Opportunities

- Reprints and e-prints
- Advertising solutions
- Accelerated publication
- Corporate access solutions

Keep up to date

Register to receive personalised research and resources by email

 Sign me up



Open access

- Overview
- Open journals
- Open Select
- Dove Medical Press
- F1000Research

Help and information

- Help and contact
- Newsroom
- All journals
- Books

Copyright

Accessib

Registered
5 Howick Pl

or & Francis Group
orma business

