

3,383 Views

135 CrossRef citations to date

60 Altmetric

Articles

The effect of post-natal symptoms of post-traumatic stress and depression on the couple's relationship and parent-baby bond

Ylva M. Parfitt & Susan Ayers

Pages 127-142 | Received 20 Sep 2007, Accepted 27 Mar 2008, Published online: 13 May 2009

Cite this article <https://doi.org/10.1080/02646830802350831>

Sample our Health and Social Care Journals
>> [Sign in here](#) to start your access to the latest two volumes for 14 days

Full Article

Figures & data

References

Citations

Metrics

Reprints & Permissions

Read this article

Abstract

Objectiv
post-tra
of child
relations
potentia
Desi
Methods
question
the pare

We Care About Your Privacy

We and our 849 partners store and/or access information on a device, such as unique IDs in cookies to process personal data. You may accept or manage your choices by clicking below, including your right to object where legitimate interest is used, or at any time in the privacy policy page. These choices will be signaled to our partners and will not affect browsing data. [Privacy Policy](#)

We and our partners process data to provide:

Use precise geolocation data. Actively scan device characteristics for identification. Store and/or access information on a device. Personalised advertising and content, advertising and content measurement, audience research and services development.

List of Partners (vendors)

I Accept

Essential Only

Show Purpose

fer from
ential effect
D for family
mined the
-baby bond.
pleted
nship, and



Results: Symptoms of PTSD and depression were significantly correlated with the couples' relationship and parent-baby bond. Structural equation modelling found the model that best fitted the data was one where PTSD symptoms had a direct effect on the parent-baby bond, but the effect of PTSD on the couples' relationship was mediated by depression.

Conclusions: The results indicate the importance of examining the psychological reactions of men and women after birth; and suggest that symptoms of PTSD have an effect on the parent-baby bond. However, methodological considerations mean further research is needed to replicate and extend this study before firm conclusions can be drawn.

Keywords: childbirth post-natal depression PTSD parent-baby bond couple's relationship

Related Research Data

Individual and Contextual Correlates of Marital Change across the Transition to Parenthood.

Source: American Psychological Association (APA)

Predictors of birth-related post-traumatic stress symptoms: secondary analysis of a cohort study

Source: Springer Science and Business Media LLC

Deve

Source

Stabi

Source

Expe

popu

Sp

Pr

Source

Meas

simila

Source

Preva

Source: Wiley



Parents' attachment histories and children's externalizing and internalizing behaviors:
Exploring family systems models of linkage.

Source: American Psychological Association (APA)

Mother-infant bonding is not associated with feeding type: a community study sample

Source: Springer Science and Business Media LLC

Posttraumatic stress following childbirth: a review.

Source: Elsevier BV

Keeping things under control: exploring migrant Eastern European womens' experiences of pregnancy in Ireland

Source: Informa UK Limited

A qualitative analysis of the process, mediating variables and impact of traumatic childbirth

Source: Informa UK Limited

Do women get posttraumatic stress disorder as a result of childbirth? A prospective study of incidence.

Source: Wiley

The validation of a self-report measure of posttraumatic stress disorder : The Posttraumatic Diagnostic Scale

Source: American Psychological Association (APA)

The impact of postnatal depression on infant development.

Source: Wiley

Mother-infant interaction as a function of maternal ratings of temperament.

Source: Springer Science and Business Media LLC

Postpartum Bonding and Adult Attachment Styles

Source: Wiley

Behavior-State Matching and Synchrony in Mother-Infant Interactions of Nondepressed versus Depressed Mothers

Source:

Postt

Source:

Predi

cesar

S

Pos

samp

Source

The P

Source

Shou

about internet questionnaires.



Source: American Psychological Association (APA)

Symptoms of post-traumatic stress disorder in couples after birth: association with the couple's relationship and parent-baby bond

Source: Informa UK Limited

Interventions as tests of family systems theories: marital and family relationships in children's development and psychopathology.

Source: Cambridge University Press (CUP)

Postpartum psychiatric disorders: Their relationship to psychological adjustment and marital satisfaction in the spouses.

Source: American Psychological Association (APA)

Mother-infant Bonding Impairment Across the First 6 Months Postpartum: The Primacy of Psychopathology in Women With Childhood Abuse and Neglect Histories

Source: Springer Science and Business Media LLC

The relationship between severe maternal morbidity and psychological health symptoms at 6–8 weeks postpartum: a prospective cohort study in one English maternity unit

Source: Springer Nature

The Determinants of Parenting: A Process Model

Source: JSTOR

Management of post traumatic stress disorder after childbirth: a review

Source: Informa UK Limited

Postnatal Stress, Attachment, and Metacognition

Source: Wiley

Anxiety symptoms and disorders at eight weeks postpartum.

Source: Elsevier BV

The effect of PTSD and combat level on Vietnam veterans' perceptions of child behavior

Source

A systematic review of post-traumatic stress disorder in postpartum women

Source

Post-

g

So

Anxie


postt

Source

Infan

and b

Source: Cambridge University Press (CUP)



Early psychological reactions in parents of children with a life threatening illness within a pediatric hospital setting

Source: Cambridge University Press (CUP)

Risk factors for impaired maternal bonding when infants are 3 months old: a longitudinal population based study from Japan.

Source: BMC

Postnatal depression and post-traumatic stress after childbirth: Prevalence, course and co-occurrence

Source: Informa UK Limited

Posttraumatic stress disorder after childbirth: a cross sectional study.

Source: Elsevier BV

Implications for Men, Women, and Marriage

Source: Informa UK Limited

A Screening Questionnaire for mother-infant bonding disorders

Source: Springer Science and Business Media LLC

The effects of childbirth-related post-traumatic stress disorder on women and their relationships: A qualitative study

Source: Informa UK Limited

Does Anxiety Sensitivity Predict Post-Traumatic Stress Symptoms Following Childbirth? A Preliminary Report

Source: Informa UK Limited

Maternal mind-mindedness as a linking mechanism between childbirth-related posttraumatic stress symptoms and parenting stress

Source: Informa UK Limited

Vietnam combat veterans with posttraumatic stress disorder: analysis of marital and cohabitating adjustment.

Source

Childbirth-related posttraumatic stress disorder: prevalence and prevalence

Source

Maternal

Source

Trends in posttraumatic stress disorder among couples' couples'

Source

Marital

Source

Childbirth-related posttraumatic stress disorder: prevalence and prevalence es to

Source: Informa UK Limited




A prospective study of the parent-baby bond in men and women 15 months after birth

Source: Taylor & Francis

Rates and risk of postpartum depression—a meta-analysis

Source: Informa UK Limited

Linking provided by 

Related research

People also read

Recommended articles

Cited by
135



Information for

- Authors
- R&D professionals
- Editors
- Librarians
- Societies

Opportunities

- Reprints and e-prints
- Advertising solutions
- Accelerated publication
- Corporate access solutions

Open access

- Overview
- Open journals
- Open Select
- Dove Medical Press
- F1000Research

Help and information

- Help and contact
- Newsroom
- All journals
- Books

Keep up to date

Register to receive personalised research and resources by email

 Sign me up



✕