







Home ► All Journals ► Behavioral Sciences ► Journal of Reproductive and Infant Psychology ► List of Issues ► Volume 32, Issue 5 ► A prospective study of the parent-baby b

Journal of Reproductive and Infant Psychology >

Volume 32, 2014 - <u>Issue 5</u>

1,325 48 13 Altmetric
Articles

A prospective study of the parent-baby bond in men and women 15 months after birth

Y. Parfitt , S. Ayers, A. Pike, D.C. Jessop & E. Ford

Pages 441-456 | Received 11 Feb 2014, Accepted 17 Aug 2014, Published online: 15 Sep 2014















➡ Reprints & Permissions

Read this article



Abstract

Objective: To prospectively examine the impact of parental mental health (PTSD, depression and anxiety), the couple's relationship quality and the infant temperament on the parent-baby bond in first-time mothers and fathers. Background: Evidence suggests that poor parental mental health, difficult infant temperament and/or lower quality of the couple's relationship may impede the parent-baby bond. However, little research has included both parents or followed these measures across time. Methods: 75 women and 66 men completed questionnaire measures during pregnancy, 3 and 15 months postpartum, assessing mental health symptoms, the parent-baby bond, the couple's relationship and infant characteristics. The response rates at different time-points were 90%, 77% and 70%. Results: The parent-baby bond was associated with parental mental health, the couple's relationship and infant characteristics. The most

important predictors of the parent-baby bond three months postpartum for both men and women were the couple's relationship during pregnancy and their baby's temperament at three months. At 15 months postpartum, after accounting for the parent-baby bond at 3 months, only concurrent infant temperament remained a significant predictor for women. However, men's bond with their baby at 15 months was predicted by their relationship with their partner in pregnancy and concurrent affective symptoms. Few significant gender differences were found, apart from women reporting more mental health symptoms than men. Conclusion: This study highlights the significance of the couple's relationship in pregnancy and the infant's temperament on the development of the parent-baby bond. Future research is needed to examine this in larger more representative samples.

Keywords:

parent-baby bond mental health longitudinal father(s) mother(s)

Additional information

Funding

Funding. This work was partly supported by the British Academy (LRG-45508).

Related Research Data

Infants' Temperament and Health Problems according to Maternal Postpartum

Depression

Source: Journal of Korean Academy of Nursing

Perinatal Depression

Source: Obstetrics and Gynecology

The prevalence of mental health problems in children 1½ years of age - the

Copenhagen Child Cohort 2000

Source: Journal of Child Psychology and Psychiatry

Paternal postpartum depression, its relationship to maternal postpartum depression, and implications for family health

Source: Journal of Advanced Nursing

Parental perceptions and infant temperament development

Source: Infant Behavior and Development

Measuring Dyadic Adjustment: New Scales for Assessing the Quality of Marriage and

Similar Dyads

Related research 1



People also read

Recommended articles

Cited by 48

Information for

Authors

R&D professionals

Editors

Librarians

Societies

Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

Open access

Overview

Open journals

Open Select

Dove Medical Press

F1000Research

Help and information

Help and contact

Newsroom

All journals

Books

Keep up to date

Register to receive personalised research and resources by email



Sign me up











Accessibility



Copyright © 2025 Informa UK Limited Privacy policy Cookies Terms & conditions



Registered in England & Wales No. 01072954 5 Howick Place | London | SW1P 1WG