

Food Additives & Contaminants >

Volume 21, 2004 - [Issue 6](#)

305 Views | 74 CrossRef citations to date | 0 Altmetric

Original Articles

Occurrence of aflatoxin M₁ in randomly selected North African milk and cheese samples

A. M. Elgerbi, K. E. Aidoo, A. A. G. Candlish & R. F. Tester

Pages 592-597 | Received 12 Oct 2003, Accepted 24 Feb 2004, Published online: 20 Feb 2007

 Cite this article  <https://doi.org/10.1080/02652030410001687690>

Sample our
Food Science & Technology
Journals
>> [Sign in here](#) to start your access
to the latest two volumes for 14 days

 Full Article

 Figures & data

 References

 Citations

 Metrics

 Reprints & Permissions

[Read this article](#)

 Share

Abstract

Forty-nine samples of raw cow's milk and 20 samples of fresh white soft cheese were collected directly from 20 local dairy factories in the north-west of Libya and analysed for the presence of aflatoxin M₁ (AFM₁). The samples were analysed using a high-performance liquid chromatography technique for toxin detection and quantification. Thirty-five of the 49 milk samples (71.4%) showed AFM₁ levels between 0.03 and 3.13 ng ml⁻¹ milk. Multiple analyses of five milk samples free of AFM₁ artificially contaminated with concentrations of AFM₁ at 0.01, 0.05, 0.1, 1.0 and 3.0 ng ml⁻¹ showed average recoveries of 66.85, 72.41, 83.29, 97.94 and 98.25%, with coefficients of variations of 3.77, 4.11, 1.57, 1.29 and 0.54%, respectively. Fifteen of 20 white soft cheese samples (75.0%) showed the presence of AFM₁ in concentrations between 0.11

and 0.52 ng g⁻¹ of cheese. Multiple assays of five cheese samples free of AFM₁ spiked with different concentration of AFM₁ (0.1, 0.5, 1.0 and 3.0 ng g⁻¹) showed average recoveries of 63.23, 78.14, 83.29 and 88.68%, with coefficients of variation of 1.53, 9.90, 4.87 and 3.79%, respectively. The concentrations of AFM₁ were lower in the cheese products than in the raw milk samples.

Keywords:

[aflatoxin M1](#)

[cheese](#)

[milk](#)

[immunoaffinity columns](#)

[high-performance liquid chromatography \(HPLC\)](#)

Acknowledgements

The authors thank Dr Mohamed Omer Mohamed, Department of Food Science, Al-Fateh University, Tripoli, Libya, for collaboration in the study.

Related Research Data

[Aflatoxin M₁ in Parmesan Cheese: HPLC Determination](#)

Source: Journal of Food Science

[Ability of Dairy Strains of Lactic Acid Bacteria to Bind Aflatoxin M1 in a Food Model](#)

Source: Journal of Food Protection

[Survey of the Occurrence of Aflatoxin M1 in Dairy Products Marketed in Italy](#)

Source: Journal of Food Protection

[A study on the occurrence of aflatoxin M1 in milk and milk products produced in Van province of Turkey](#)

Source: Food Control

[Carry-over of aflatoxin from cows' food to milk](#)

Source: Animal Science

[Binding of Aflatoxin B1 to Bifidobacteria In Vitro](#)

Source: Journal of Food Protection

[A survey of ethnic foods for microbial quality and content aflatoxin](#)

Source: Food Additives & Contaminants

Related research

People also read

Recommended articles

Cited by
74

Information for

Authors

R&D professionals

Editors

Librarians

Societies

Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

Open access

Overview

Open journals

Open Select

Dove Medical Press

F1000Research

Help and information

Help and contact

Newsroom

All journals

Books

Keep up to date

Register to receive personalised research and resources by email



Sign me up



Copyright © 2026 Informa UK Limited [Privacy policy](#)

[Cookies](#) [Terms & conditions](#) [Accessibility](#)

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG



Taylor & Francis
by informa