



Cognition and Emotion >

Volume 22, 2008 - [Issue 4](#)

520 | 17 | 0
Views | CrossRef citations to date | Altmetric

Original Articles

Repressive coping style and suppression of pain-related thoughts: Effects on responses to acute pain induction

Erin Elfant, John W. Burns  & Amos Zeichner

Pages 671-696 | Received 12 Jun 2005, Published online: 09 May 2008

 Cite this article  <https://doi.org/10.1080/02699930701483927>

Sample our
Behavioral Sciences
Journals



>> [Sign in here](#) to start your access
to the latest two volumes for 14 days

 Full Article

 Figures & data

 References

 Citations

 Metrics

 Reprints & Permissions

Read this article

 Share

Abstract

Repressors have shown short-term tolerance of acute pain but long-term sensitivity to chronic pain. To reconcile this discrepancy, we hypothesised that repressors routinely suppress pain-related thoughts during acute pain, and thus paradoxically incur rebound effects (increased accessibility of the to-be-suppressed material) afterwards. Healthy individuals ($n=222$) were assigned to suppress or not suppress pain-related thoughts during a cold pressor. Recovery and exposure to a massage device followed. Repressors revealed evidence of habitual suppression: nonsuppression/repressors showed a pattern of slow recovery from the cold pressor and unfavourable responses to the massage device similar to that exhibited by suppression/high anxious participants; suppression/repressors showed the slowest recovery and found the massage more

unpleasant than any group. Repressors may suffer long-term sensitivity to pain through rebound and contamination effects following attempts to suppress pain-related thoughts.

Acknowledgements

This research was partly supported by Grant NS37164 from the National Institute of Neurological Disorders and Stroke, awarded to JWB.

Related Research Data

Thought Suppression

Source: Annual Review of Psychology

The immunological effects of thought suppression.

Source: Journal of Personality and Social Psychology

“Psychogenic” pain and the pain-prone patient

Source: The American Journal of Medicine

Self-deception predicts self-report and endurance of pain.

Source: Psychosomatic Medicine

Styles of Inhibiting Emotional Expression: Distinguishing Repressive Coping from Impression Management

Source: Journal of Personality

Low-anxious, high-anxious, and repressive coping styles: Psychometric patterns and behavioral and physiological responses to stress.

Source: Journal of Abnormal Psychology

A new scale of social desirability independent of psychopathology.

Related research

People also read

Recommended articles

Cited by
17

Information for

Authors

R&D professionals

Editors

Librarians

Societies

Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

Open access

Overview

Open journals

Open Select

Dove Medical Press

F1000Research

Help and information

Help and contact

Newsroom

All journals

Books

Keep up to date

Register to receive personalised research and resources by email

 Sign me up

