



Journal of Asthma >

Volume 55, 2018 - [Issue 7](#)

699 | 13

Views | CrossRef citations to date | 1

Altmetric

Articles

# National estimates of 30-day readmissions among children hospitalized for asthma in the United States

Sreenivas P Veeranki , MBBS, DrPH , Michael U. Ohabughiro, BS , Jacob Moran, BS , Hemalkumar B. Mehta, PhD , Bill T Ameredes, MS, PhD , Yong-Fang Kuo, PhD & ...[show all](#)

Pages 695-704 | Received 12 Apr 2017, Accepted 06 Aug 2017, Accepted author version posted online: 24 Aug 2017, Published online: 13 Oct 2017

 Cite this article  <https://doi.org/10.1080/02770903.2017.1365888>



Sample our  
Medicine, Dentistry, Nursing  
& Allied Health Journals  
>> [Sign in here](#) to start your access  
to the latest two volumes for 14 days

 Full Article

 Figures & data

 References

 Citations

 Metrics

 Reprints & Permissions

Read this article

 Share

## ABSTRACT

**Objective:** Previous single-center studies have reported that up to 40% of children hospitalized for asthma will be readmitted. The study objectives are to investigate the prevalence and timing of 30-day readmissions in children hospitalized with asthma, and to identify factors associated with 30-day readmissions. **Methods:** Data (n = 12,842) for children aged 6–18 years hospitalized for asthma were obtained from the 2013 Nationwide Readmission Database (NRD). The primary study outcome was time to readmission within 30 days after discharge attributable to any cause. Several predictors associated with the risk of admission were included: patient (age, sex, median household income, insurance type, county location, and pediatric chronic complex

condition), admission (type, day, emergency services utilization, length of stay (LOS), and discharge disposition), and hospital (ownership, bed size, and teaching status). Cox's proportional hazards model was used to identify predictors. Results: Of 12,842 asthma-related index hospitalizations, 2.5% were readmitted within 30-days post-discharge. Time to event models identified significantly higher risk of readmission among asthmatic children aged 12–18 years, those who resided in micropolitan counties, those with >4-days LOS during index hospitalization, those who were hospitalized in an urban hospital, who had unfavorable discharge (hazard ratio 2.53, 95% confidence interval 1.33–4.79), and those who were diagnosed with a pediatric complex chronic condition, respectively, than children in respective referent categories. Conclusion: A multi-dimensional approach including effective asthma discharge action plans and follow-up processes, home-based asthma education, and neighborhood/community-level efforts to address disparities should be integrated into the routine clinical care of asthma children.

#### KEYWORDS:

[Asthma](#) [readmission or repeat hospitalization](#) [Nationwide Readmission Database](#)

---

## Declaration of interests

The authors declare they have no conflicts of interest related to this study.

---

## Acknowledgements

The authors would like to thank Dr. Randy Goldblum in the Division of Clinical and Experimental Immunology and Infectious Diseases within the Department of Pediatrics at UTMB for his thoughtful comments on the paper.

---

## Funding

No external funds were used to conduct this study.

---

# Guarantor statement

Dr. Veeranki takes the responsibility of the content of the manuscript, including the data and analysis.

## Author contributions

All authors made a significant contribution to one or more stages of the study. Dr. Veeranki conceived the study. Drs. Calhoun, Ameredes and Kuo participated in the study design. Dr. Veeranki acquired the data, and conduct data management and analyses with assistance from Mr. Ohabughiro, Mr. Moran and Drs. Kuo, and Mehta. All authors participated in the interpretation of the results. Dr. Veeranki drafted the initial manuscript with assistance and all authors contributed to critical revisions and approved the final version of the manuscript.

## Related research

People also read

Recommended articles

Cited by  
13

## Information for

[Authors](#)

[R&D professionals](#)

[Editors](#)

[Librarians](#)

[Societies](#)

## Opportunities

[Reprints and e-prints](#)

[Advertising solutions](#)

[Accelerated publication](#)

[Corporate access solutions](#)

## Open access

[Overview](#)

[Open journals](#)

[Open Select](#)

[Dove Medical Press](#)

[F1000Research](#)

## Help and information

[Help and contact](#)

[Newsroom](#)

[All journals](#)

[Books](#)

## Keep up to date

Register to receive personalised research and resources by email



Sign me up



Copyright © 2025 Informa UK Limited [Privacy policy](#) [Cookies](#) [Terms & conditions](#)

[Accessibility](#)

 Taylor and Francis Group

Registered in England & Wales No. 01072954  
5 Howick Place | London | SW1P 1WG