

| | | |
|-------|----------------------------|-----------|
| 956 | 156 | 0 |
| Views | CrossRef citations to date | Altmetric |

The use of a grey-based Taguchi method for optimizing multi-response simulation problems

Pages 517-528 | Received 24 Jan 2007, Published online: 20 May 2008

Sample our
Mathematics & Statistics
Journals

>> [Sign in here](#) to start your access
to the latest two volumes for 14 days

[Read this article](#)

We Care About Your Privacy

We and our 842 partners store and/or access information on a device, such as unique IDs in cookies to process personal data. You may accept or manage your choices by clicking below, including your right to object where legitimate interest is used, or at any time in the privacy policy page. These choices will be signaled to our partners and will not affect browsing data. [Privacy Policy.](#)

We and our partners process data to provide:

Use precise geolocation data. Actively scan device characteristics for identification. Store and/or access information on a device. Personalised advertising and content, advertising and content measurement, audience research and services development.

List of Partners (vendors)

I Accept

Essential Only

Show Purpose

Acknowledgements

The authors thank the anonymous company for providing the case study. This work was supported in part by the National Science Council of Taiwan, Republic of China, under grants NSC-94-2213-E-432-002 and NSC-94-2213-E-006-019.

Related Research Data

Use of grey relational analysis to assess and optimize small biomass boilers

Source: Elsevier BV

Tribological performance evaluation of polytetrafluoroethylene composites under dry sliding and aqueous environments using taguchi approach and grey relational analysis: Effect of material, test environment and load

Source: Wiley

The use of the orthogonal array with grey relational analysis to optimize the electrical discharge machining process with multiple performance characteristics

Source: Elsevier BV

Production and characterization of brake pad developed from coconut shell reinforced epoxy resin

Source:

Contr

Source:

Multi-criteria decision making using grey relational analysis

Source:

Biodegradable polymer matrix reinforced with coconut shell powder

Appli

Source:

Optim

comp

Source:



Tribological characterization of recycled basalt-aramid fiber reinforced hybrid friction composites using grey-based Taguchi approach

Source: IOP Publishing

Artificial neural networks for job shop simulation

Source: Elsevier BV

Taguchi grey relational analysis for parametric optimization of severe plastic deformation process

Source: Springer Science and Business Media LLC

Optimizing multi-response problems in the Taguchi method by fuzzy multiple attribute decision making

Source: Wiley

Optimization of metal inert gas-welded aluminium 6061 pipe parameters using analysis of variance and grey relational analysis

Source: Springer Science and Business Media LLC

Design of an optical lens for LED lighting using a hybrid principal components analysis-Taguchi method:

Source: SAGE Publications

The use of grey-based Taguchi methods to determine submerged arc welding process parameters in hardfacing

Source: Elsevier BV

Simplified likelihood estimation of ship total loss using GRA and CRITIC methods

Source: Informa UK Limited

Solving a multiresponse simulation problem using a dual-response system and scatter search method

Source: Elsevier BV

Using Grey Incidence Analysis Approach in Portfolio Selection

Source:

Model

Surfa

Source

Multi-

Strate

S

Op

statis

Source

Inves

analy

Source



Solving a multiresponse simulation-optimization problem with discrete variables using a multiple-attribute decision-making method

Source: Elsevier BV

Manufacturing process optimization for wear property of fiber-reinforced polybutylene terephthalate composites with grey relational analysis

Source: Elsevier BV

Investigation on influence of stamp forming parameters on formability of thermoplastic composite

Source: Associação Brasileira de Polímeros

Solving a multi-objective simulation model using a hybrid response surface method and lexicographical goal programming approach—a case study on integrated circuit ink-marking machines

Source: Informa UK Limited

Simulation metamodeling through artificial neural networks

Source: Elsevier BV

Optimizing the beam-like structure of a vehicle body using the grey-fuzzy-Taguchi method


Source: Informa UK Limited

Multiple Attribute Decision Making

Source: SAGE Publications, Inc.

Hard turning multi-performance optimization for improving the surface integrity of 300M ultra-high strength steel

Source: Springer Science and Business Media LLC

Linking provided by  ScholarSplorer



Related



C. L. Lin
Material
Publishe

AN OVER
DESIGN

Multiple

ROBUST

An Overview of the Strategy and Tactics of Taguchi >

JOSEPH J. PIGNATIELLO, JR
IIE Transactions
Published online: 30 May 2007

View more



Information for

Authors

R&D professionals

Editors

Librarians

Societies

Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

Open access

Overview

Open journals

Open Select

Dove Medical Press

F1000Research

Help and information

Help and contact

Newsroom

All journals

Books

Keep up to date

Register to receive personalised research and resources by email



Sign me up



Copyright © 2024 Informa UK Limited [Privacy policy](#) [Cookies](#) [Terms & conditions](#)



Taylor & Francis Group
an informa business

Accessibility



Registered
5 Howick Place

