

Journal of the American College of Nutrition >
Volume 21, 2002 - Issue 6

7,427 Views | 1,321 CrossRef citations to date | 494 Altmetric

Reviews

Omega-3 Fatty Acids in Inflammation and Autoimmune Diseases






Artemis P. Simopoulos , MD, FACN


Pages 495-505 | Received 21 May 2002, Accepted 15 Aug 2002, Published online: 27 Jun 2013

 Cite this article  <https://doi.org/10.1080/07315724.2002.10719248>

Sample our
Medicine, Dentistry, Nursing
& Allied Health Journals

>> **Sign in here** to start your access
to the latest two volumes for 14 days

 Full Article  Figures & data  References  Citations  Metrics

 Reprints & Permissions [Read this article](#)

Abstract

Among the fatty acids, it is the omega-3 polyunsaturated fatty acids (PUFA) which possess the most potent immunomodulatory activities, and among the omega-3 PUFA, those from fish oil—eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA)—are more biologically potent than α -linolenic acid (ALA). Some of the effects of omega-3 PUFA are brought about by modulation of the amount and types of eicosanoids made, and other effects are elicited by eicosanoid-independent mechanisms, including actions upon int

About Cookies On This Site

We and our partners use cookies to enhance your website experience, learn how our site is used, offer personalised features, measure the effectiveness of our services, and tailor content and ads to your interests while you navigate on the web or interact with us across devices. You can choose to accept all of these cookies or only essential cookies. To learn more or manage your preferences, click "Settings". For further information about the data we collect from you, please see our [Privacy Policy](#).

Accept All

Essential Only


Settings

been a number of clinical trials assessing the benefits of dietary supplementation with fish oils in several inflammatory and autoimmune diseases in humans, including rheumatoid arthritis, Crohn’s disease, ulcerative colitis, psoriasis, lupus erythematosus, multiple sclerosis and migraine headaches. Many of the placebo-controlled trials of fish oil in chronic inflammatory diseases reveal significant benefit, including decreased disease activity and a lowered use of anti-inflammatory drugs.

inflammation cardiovascular disease and major depression autoimmune diseases IL-1 IL-6 TNF background diet omega-6/omega-3 ratio

Key teaching points:

- In Western diets, omega-6 fatty acids are the predominant polyunsaturated fats. The omega-6 and omega-3 fatty acids are metabolically distinct and have opposing physiologic functions.
- Eicosapentaenoic acid (EPA) is released to compete with arachidonic acid (AA) for enzymatic metabolism inducing the production of less inflammatory and chemotactic derivatives.
- Animal and human studies support the hypothesis that omega-3 PUFA suppress cell mediated immune responses.
- In experimental animals and humans, serum PUFA levels predict the response of proinflammatory cytokines to psychologic stress. Imbalance in the omega-6/omega-3 PUFA ratio in major depression may be related to the increased production of proinflammatory cytokines and eicosanoids in that illness.



About Cookies On This Site

We and our partners use cookies to enhance your website experience, learn how our site is used, offer personalised features, measure the effectiveness of our services, and tailor content and ads to your interests while you navigate on the web or interact with us across devices. You can choose to accept all of these cookies or only essential cookies. To learn more or manage your preferences, click “Settings”. For further information about the data we collect from you, please see our [Privacy Policy](#).

Accept All

Essential Only

Settings

Key teaching points:

- In Western diets, omega-6 fatty acids are the predominant polyunsaturated fats. The omega-6 and omega-3 fatty acids are metabolically distinct and have opposing physiologic functions.
- Eicosapentaenoic acid (EPA) is released to compete with arachidonic acid (AA) for enzymatic metabolism inducing the production of less inflammatory and chemotactic derivatives.
- Animal and human studies support the hypothesis that omega-3 PUFA suppress cell mediated immune responses.
- In experimental animals and humans, serum PUFA levels predict the response of proinflammatory cytokines to psychologic stress. Imbalance in the omega-6/omega-3 PUFA ratio in major depression may be related to the increased production of proinflammatory cytokines and eicosanoids in that illness.
- The increased omega-6/omega-3 ratio in Western diets most likely contributes to an increased incidence of cardiovascular disease and inflammatory disorders.
- Patients with autoimmune diseases, such as rheumatoid arthritis, inflammatory bowel disease and asthma, usually respond to eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA) supplementation by decreasing the elevated levels of cytokines.

Related research 

People also read

Recommended articles

Cited by

About Cookies On This Site

We and our partners use cookies to enhance your website experience, learn how our site is used, offer personalised features, measure the effectiveness of our services, and tailor content and ads to your interests while you navigate on the web or interact with us across devices. You can choose to accept all of these cookies or only essential cookies. To learn more or manage your preferences, click “Settings”. For further information about the data we collect from you, please see our [Privacy Policy](#).

Accept All

Essential Only

Settings



Information for

Authors

R&D professionals

Editors

Librarians

Societies

Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

Open access

Overview

Open journals

Open Select

Dove Medical Press

F1000Research

Help and information

Help and contact

Newsroom

All journals

Books

Keep up to date

Register to receive personalised research and resources by email



Sign me up



Copyright © 2024 [Informa UK Limited](#) [Privacy policy](#) [Cookies](#) [Terms & conditions](#)

[Accessibility](#)



Taylor & Francis Group
an informa business

Registered in England & Wales No. 3099067
5 Howick Place | London | SW1P 1WG

About Cookies On This Site

We and our partners use cookies to enhance your website experience, learn how our site is used, offer personalised features, measure the effectiveness of our services, and tailor content and ads to your interests while you navigate on the web or interact with us across devices. You can choose to accept all of these cookies or only essential cookies. To learn more or manage your preferences, click "Settings". For further information about the data we collect from you, please see our [Privacy Policy](#).

Accept All

Essential Only

Settings