

8,477 Views | 1,416 CrossRef citations to date | 534 Altmetric

Reviews

# Omega-3 Fatty Acids in Inflammation and Autoimmune Diseases

Artemis P. Simopoulos , MD, FACN

Pages 495-505 | Received 21 May 2002, Accepted 15 Aug 2002, Published online: 27 Jun 2013

Cite this article <https://doi.org/10.1080/07315724.2002.10719248>

Sample our  
Medicine, Dentistry, Nursing  
& Allied Health Journals  
>> [Sign in here](#) to start your access  
to the latest two volumes for 14 days

Full Article Figures & data References Citations Metrics

Reprints & Permissions

Read this article

Share

## We Care About Your Privacy

We and our 878 partners store and access personal data, like browsing data or unique identifiers, on your device. Selecting I Accept enables tracking technologies to support the purposes shown under we and our partners process data to provide. Selecting Reject All or withdrawing your consent will disable them. If trackers are disabled, some content and ads you see may not be as relevant to you. You can resurface this menu to change your choices or withdraw consent at any time by clicking the Show Purposes link on the bottom of the webpage. Your choices will have effect within our Website. For more details, refer to our Privacy Policy. [Here](#)

We and our partners process data to provide:

Use precise geolocation data. Actively scan device

I Accept

Reject All

Show Purpose



Abstra  
Among t  
possess  
those fro  
more bic  
PUFA are  
and  
upon the  
Animal e  
have an  
of inflam  
aging an  
proinfla  
lupus ery

which  
omega-3 PUFA,  
(DHA)—are  
omega-3  
oids made,  
ding actions  
expression.  
fatty acids  
management  
depression,  
-1), a  
olitis and  
of IL-1 and

the proinflammatory leukotriene LTB<sub>4</sub> produced by omega-6 fatty acids. There have been a number of clinical trials assessing the benefits of dietary supplementation with fish oils in several inflammatory and autoimmune diseases in humans, including rheumatoid arthritis, Crohn's disease, ulcerative colitis, psoriasis, lupus erythematosus, multiple sclerosis and migraine headaches. Many of the placebo-controlled trials of fish oil in chronic inflammatory diseases reveal significant benefit, including decreased disease activity and a lowered use of anti-inflammatory drugs.

inflammation cardiovascular disease and major depression autoimmune diseases IL-1 IL-6 TNF  
background diet omega-6/omega-3 ratio

### Key teaching points:

- In Western diets, omega-6 fatty acids are the predominant polyunsaturated fats. The omega-6 and omega-3 fatty acids are metabolically distinct and have opposing physiologic functions.
- Eicosapentaenoic acid (EPA) is released to compete with arachidonic acid (AA) for enzymatic metabolism inducing the production of less inflammatory and chemotactic derivatives
- Animal... mediate... suppress cell
- In exper... proinflar... onse of... /omega-3... of
- The... PUFA rat... of
- Patient... inflammatory bowel
- Patient... disease... docosah... levels of... cytokine



## Key teaching points:

- In Western diets, omega-6 fatty acids are the predominant polyunsaturated fats. The omega-6 and omega-3 fatty acids are metabolically distinct and have opposing physiologic functions.
- Eicosapentaenoic acid (EPA) is released to compete with arachidonic acid (AA) for enzymatic metabolism inducing the production of less inflammatory and chemotactic derivatives.
- Animal and human studies support the hypothesis that omega-3 PUFA suppress cell mediated immune responses.
- In experimental animals and humans, serum PUFA levels predict the response of proinflammatory cytokines to psychologic stress. Imbalance in the omega-6/omega-3 PUFA ratio in major depression may be related to the increased production of proinflammatory cytokines and eicosanoids in that illness.
- The increased omega-6/omega-3 ratio in Western diets most likely contributes to an increased incidence of cardiovascular disease and inflammatory disorders.
- Patients with autoimmune diseases, such as rheumatoid arthritis, inflammatory bowel disease and asthma, usually respond to eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA) levels of cytokine

Relat



Essen

Sourc

The In

and C

Sourc

Chem

Marit

Source: MDPI AG

Diet and rheumatoid arthritis

Source: Wiley

Acute appearance of fatty acids in human plasma--a comparative study between polar-lipid rich oil from the microalgae *Nannochloropsis oculata* and krill oil in healthy young males.

Source: Springer Nature

The Role of Fatty Acids in Gene Expression: Health Implications

Source: S. Karger AG

Effect of temperature and nitrogen concentration on biomass composition of *Heterochlorella luteoviridis*

Source: Sociedade Brasileira de Ciência e Tecnologia de Alimentos

Contributions of neutrophils to resolution of mucosal inflammation

Source: Springer Science and Business Media LLC

Oxidative processes in muscle systems and fresh meat...

Source: Wiley

Whey protein concentrate improves antioxidant capacity, faecal microbiota and fatty acid profile of growing piglets

Source: Cambridge University Press (CUP)

Lowering effects of fish oil supplementation on proinflammatory markers in hypertension: results from a randomized controlled trial.

Source: Royal Society of Chemistry (RSC)

RHEUMATOID ARTHRITIS AND THE BALANCE OF DIETARY N-6 AND N-3 ESSENTIAL FATTY ACIDS

Source

Study

respo

Source

Phosp

Phosp

Source

Di

S

Diet

Dama

Source

n-3 P

incide

Source

Diet

Source: Elsevier BV



Imune

sue

disease

Plants as a dietary source of PUFAs...

Source: Wiley

N-3 Omega fatty acids: a review of current knowledge.

Source: Wiley

Dietary Conjugated Linoleic Acid-c9t11 Prevents Collagen-Induced Arthritis, Whereas Conjugated Linoleic Acid-t10c12 Increases Arthritic Severity.

Source: Wiley

The impact of non-surgical periodontal treatment on serum levels of long chain-polyunsaturated fatty acids: a pilot randomized clinical trial

Source: Wiley

Physical Exertion as a Trigger of Acute Myocardial Infarction

Source: Massachusetts Medical Society

Hemp (Marijuana) reverted Copper-induced toxic effects on the essential fatty acid profile of *Labeo rohita* and *Cirrhinus mrigala*

Source: Springer Science and Business Media LLC

Influence of a ketogenic diet, fish-oil, and calorie restriction on plasma metabolites and lipids in C57BL/6J mice

Source: Springer Nature

Effect of combination of dietary fish protein and fish oil on lipid metabolism in rats.

Source: Springer Science and Business Media LLC

A PUFA-rich diet improves fat oxidation following saturated fat-rich meal

Source: Springer Science and Business Media LLC

Decreased Brain Fatty Acid Synthase and Increased Antioxidant Enzyme Gene

Expres

Source

A Pre

Source

Evalu

with

Source

The

S

Effect

Source

Dieta

trans

Source

Dieta

perfo

from fish oil.



ients

cids

Source: Bioscientifica

Limited dynamic range of immune response gene expression observed in healthy blood donors using RT-PCR

Source: Springer Science and Business Media LLC

Systems analysis of sex differences reveals an immunosuppressive role for testosterone in the response to influenza vaccination

Source: HAL CCSD

Flaxseed and Cardiovascular Risk

Source: Oxford University Press (OUP)

Changes of n – 3 and n – 6 fatty acids in plasma and circulating cells of normal subjects, after prolonged administration of 20:5 (EPA) and 22:6 (DHA) ethyl esters and prolonged washout

Source: Elsevier BV

Effects of DHA- Rich n-3 Fatty Acid Supplementation on Gene Expression in Blood Mononuclear Leukocytes: The OmegAD Study

Source: Public Library of Science (PLoS)

Adjunctive use of anti-inflammatory drugs for schizophrenia: A meta-analytic investigation of randomized controlled trials

Source: SAGE Publications

Interleukin-6 is the major regulator of acute phase protein synthesis in adult human hepatocytes

Source: Published by Elsevier B.V.

Serum albumin and capacity for acute phase response

Source

The I

Traits

Source

DHA

oxida

Source

Li

S

Endo

in fat

Source

Trigge

trigge

Invest

Source

Dietary marine lipids suppress murine autoimmune disease.



Source: Wiley

Validation of a meta-analysis: the effects of fish oil in rheumatoid arthritis.

Source: Elsevier BV

Longitudinal Association between n-3 Long-Chain Polyunsaturated Fatty Acid Intake and Depressive Symptoms: A Population-Based Cohort Study in Japan

Source: MDPI AG

An Open Trial

Source: Ovid Technologies (Wolters Kluwer Health)

Production of Bioactive Compounds by Food Associated *Galactomyces geotrichum* 38, as Determined by Proteome Analysis.

Source: MDPI AG

The Essentials of Essential Fatty Acids

Source: Informa UK Limited

Improvement of bioavailability and anti-inflammatory potential of curcumin in combination with emu oil.

Source: Springer Science and Business Media LLC

Association of plasma fibrinogen levels with coronary artery disease, smoking and inflammatory markers

Source: Elsevier BV

Social influences and cardiovascular risk factors as determinants of plasma fibrinogen concentration in a general population sample of middle aged men.

Source: BMJ

Immune cell markers of fatty acids and inflammation markers C-reactive protein, in patients with rheumatoid arthritis

Source

Omega

Oxidat

Source

Modu

Source

Fa

a

Source

Redu

infla

Source

Omega

Source

Summ

seafoods.



Source: Oxford University Press (OUP)

Oxidised metabolites of the omega-6 fatty acid linoleic acid activate dFOXO.

Source: Life Science Alliance, LLC

Tissue-enhanced plasma proteomic analysis for disease stratification in amyotrophic lateral sclerosis.

Source: BMC

Fish oil in lupus nephritis: clinical findings and methodological implications.

Source: Elsevier BV

Plasma fibrinogen and coronary risk factors: The Scottish heart health study

Source: Elsevier BV

REGULATION OF GENE EXPRESSION BY DIETARY FAT

Source: Annual Reviews

Arachidonic acid and docosahexaenoic acid suppress osteoclast formation and activity in human CD14+ monocytes, in vitro.

Source: Public Library of Science (PLoS)

Studies of dietary supplementation with omega 3 fatty acids in patients with rheumatoid arthritis.

Source: S. Karger AG

Omega-3 fatty acids as adjunctive therapeutics: prospective of nanoparticles in its formulation development

Source: Future Science Ltd

Beneficial effects of flaxseed oil and fish oil diet are through modulation of different hepatic processes involved in lipid metabolism in streptozotocin-diabetic mice induced

diabetic

Source

EPA p

Source

Nitric

acid.

Source

On

s

Source

Scree

Bioac

Source

C rea

cross

Source





Docosahexaenoic acid (DHA) effects on proliferation and steroidogenesis of bovine granulosa cells

Source: Springer Science and Business Media LLC

Conjugated linoleic acid rat pretreatment reduces renal damage in ischemia/reperfusion injury: Unraveling antiapoptotic mechanisms and regulation of phosphorylated mammalian target of rapamycin.

Source: Wiley

An Update on Protein, Leucine, Omega-3 Fatty Acids, and Vitamin D in the Prevention and Treatment of Sarcopenia and Functional Decline.

Source: MDPI AG

Performance and meat quality of broiler chicken fed a ration containing flaxseed meal and higher dietary lysine levels

Source: Cambridge University Press (CUP)

Interleukin-1 and tumor necrosis factor synthesis by mouse peritoneal macrophages is enhanced by dietary n-3 polyunsaturated fatty acids

Source: Elsevier BV

Tumor necrosis factor production by murine resident peritoneal macrophages is enhanced by dietary n-3 polyunsaturated fatty acids.

Source: Elsevier BV

Nutrition Reviews©, Vol. 68, No. 5

Source: Oxford University Press (OUP)

Meat, eggs, full-fat dairy, and nutritional boogeymen: Does the way in which animals are raised affect health differently in humans?

Source:

Inclusion of omega-3 fatty acids (EPA and DHA) in broiler diets (EPA and DHA) in broiler diets

Broiler diets containing omega-3 fatty acids (EPA and DHA) and their effects on growth performance and meat quality

Function

Source:

Nutrition

Source:

Ph

S

Gene

toxic

Source:

The b

Source:

Polyu

Child

Source: SAGE Publications



Fatty Acid Profile of Indian Shad *Tenulosa ilisha* Oil and its Dietary Significance

Source: Springer Science and Business Media LLC

High calories but not fat content of lard-based diet contribute to impaired mitochondrial oxidative phosphorylation in C57BL/6J mice heart.

Source: Public Library of Science (PLoS)

Nutritional demands in acute and chronic illness.

Source: Cambridge University Press (CUP)

Fenofibrate, a PPAR $\alpha$  agonist, decreases atrogenes and myostatin expression and improves arthritis-induced skeletal muscle atrophy

Source: American Physiological Society

Analysis of volatile compounds and triacylglycerol composition of fatty seed oil gained from flax and false flax

Source: Wiley

Omega-3 fatty acid intake and prevalent respiratory symptoms among U.S. adults with COPD.

Source: Springer Science and Business Media LLC

Very Low n-3 Long-Chain Polyunsaturated Fatty Acid Status in Austrian Vegetarians and Vegans

Source: S. Karger AG

Effects of dietary supplementation with marine fish oil on leukocyte lipid mediator generation and function in rheumatoid arthritis

Source: Wiley

Enhancement of docosahexaenoic acid (DHA) production from *Candida utilis* sp. S31 using

Source

Ident

E3, 1

Source

PPAR

Source

On

S

The e

Source

Degre

oil an

Source

Comp

diplo

Source: Wiley



resolvin

es

perilla

on in

Quantifying your body: A how-to guide from a systems biology perspective

Source: Wiley

Comparative Study on Nutritional Value and Fatty Acid Profiles of Brains and Eyes from Four Freshwater Fishes

Source: Wiley

Inpatient outcomes of preterm infants receiving  $\omega$ -3 enriched lipid emulsion (SMOFlipid): an observational study.

Source: Springer Science and Business Media LLC

The health effects of dietary unsaturated fatty acids

Source: Wiley

Do varied dietary omega-6 to omega-3 ratios affect the performance, nutrient digestibility, immune status and faecal microbiota of weaner pigs?

Source: CSIRO Publishing

Cell Proliferation and Long Chain Polyunsaturated Fatty Acid Metabolism in a Cell Line From Southern Bluefin Tuna (*Thunnus maccoyii*)

Source: Wiley

Major Commercial Products from Micro- and Macroalgae

Source: Springer International Publishing

COX-2, HO NO! Cyclooxygenase-2, heme oxygenase and nitric oxide synthase: their role and interactions in inflammation. BIRAs Symposium, Saint Bartholomew's Hospital, London, 26 April 1996.

Source: Springer Science and Business Media LLC

A Study of the Differential Effects of Eicosapentaenoic Acid (EPA) and Docosahexaenoic Acid (DHA) on the Growth and Development of Atlantic Salmon (*Salmo salar*)

Doco

Macro

Source

Subc

in Viv

Source

An up

m

S

Nega

Source

Evolu

Source

Diet

Source

The c

Source: EDP Sciences



LC-PUFA from photosynthetic microalgae: occurrence, biosynthesis, and prospects in biotechnology

Source: Springer Science and Business Media LLC

Novel aspects of PPAR $\alpha$ -mediated regulation of lipid and xenobiotic metabolism revealed through a nutrigenomic study†

Source: Wiley

Hempseed as a nutritional resource: an overview

Source: Springer Science and Business Media LLC

Pro-resolving properties of resolvins

Source: Wiley

Omega-3 Fatty Acids in Major Depression

Source: KARGER

Important differences exist in the dose-response relationship between diet and immune cell fatty acids in humans and rodents.

Source: Wiley

Effects of dietary enrichment with eicosapentaenoic acid upon autoimmune nephritis in female NZBXNZW/F1 MICE

Source: Wiley

Lipid metabolism in inflammation-related diseases

Source: Royal Society of Chemistry (RSC)

Milk Fat Nutrition

Source: Wiley-Blackwell

Oxidative Stability of Chia (Salvia hispanica L.) Seed Oil: Effect of Antioxidants and Storage

Source:

The in

disea

Source:

The M

iNOS

Sy

S

Polyu

Source:

Ome

impa

Source:

Enric

the fa

Source: Wiley



An LC-MS-based lipidomics approach for studying the impact of dietary eicosapentaenoic acid on modulating methylmercury toxicity in mice

Source: Springer Science and Business Media LLC

Resolvins: Emerging Players in Autoimmune and Inflammatory Diseases.

Source: Springer Science and Business Media LLC

Do n-3 fatty acids prevent osteoporosis?

Source: Oxford University Press (OUP)

Meat fatty acid and cholesterol level of free-range broilers fed on grasshoppers on alpine rangeland in the Tibetan Plateau

Source: Wiley

Maternal omega-3 polyunsaturated fatty acid supplementation on offspring hip joint conformation

Source: Public Library of Science (PLoS)

Effect of Omega-3 Fatty Acid Supplementation on Oxylipins in a Routine Clinical Setting.

Source: Multidisciplinary Digital Publishing Institute

An antiinflammatory dietary mix modulates inflammation and oxidative and metabolic stress in overweight men: a nutrigenomics approach

Source: Oxford University Press (OUP)

Bioactive Compounds, Antioxidant Capacity, and Fatty Acids in Different Parts of Four Unexplored Fruits

Source: Hindawi Limited

Health Applications of High-Dietary Omega-3 Polyunsaturated Fatty Acids

Source:

Anti-i

epith

Source:

Effect

endo

Source:

Mi

S

ω-3 F

depe

Source:

Omeg

and E

Source:

The e

diets enriched in n-3 fatty acids from vegetable oil or fish oil.



Source: Oxford University Press (OUP)

Nutrition and dry eye: a systematic review

Source: Informa UK Limited

Maintenance of remission in inflammatory bowel disease using omega-3 fatty acids (fish oil): a systematic review and meta-analyses.

Source: Oxford University Press (OUP)

Fish-meal diet enriched with omega-3 PUFA and treatment of canine chronic enteropathies

Source: Wiley

A controlled trial of fish oil in IgA nephropathy. Mayo Nephrology Collaborative Group.


Source: Massachusetts Medical Society

Dose-response effects of omega-3 fatty acids on triglycerides, inflammation, and endothelial function in healthy persons with moderate hypertriglyceridemia

Source: Oxford University Press (OUP)

Effects of PUFAs on animal reproduction: male and female performances and endocrine mechanisms

Source: Springer Science and Business Media LLC

Linking provided by  ScholarSplorer

Related



Information for

- Authors
- R&D professionals
- Editors
- Librarians
- Societies

Opportunities

- Reprints and e-prints
- Advertising solutions
- Accelerated publication
- Corporate access solutions

Keep up to date

Register to receive personalised research and resources by email

 Sign me up

- 
- 
- 
- 
- 

Open access

- Overview
- Open journals
- Open Select
- Dove Medical Press
- F1000Research

Help and information

- Help and contact
- Newsroom
- All journals
- Books



Copyright

Accessib

Registered  
5 Howick Pl

or & Francis Group  
orma business

