



Drying Technology >

An International Journal

Volume 24, 2006 - [Issue 11](#)

865 | 79

Views | CrossRef citations to date | Altmetric | 0

Original Articles

A Model for Drying of an Aqueous Lactose Droplet Using the Reaction Engineering Approach

Sean Xu Qi Lin & Xiao Dong Chen

Pages 1329-1334 | Published online: 06 Feb 2007

Cite this article <https://doi.org/10.1080/07373930600951091>

Sample our
Physical Sciences
Journals



>> **Sign in here** to start your access
to the latest two volumes for 14 days

Full Article

Figures & data

References

Citations

Metrics

Reprints & Permissions

Read this article

Share

Abstract

Spray drying is the primary method for manufacturing of food powders from liquids. Optimal design and optimization of spray drying operations at the fundamental level require both modeling of the drying characteristics of a single droplet and dryer wide simulations using computational fluid dynamics (CFD). An accurate yet simple model for drying of a single droplet, which does not require solution of partial differential equation, is ideal input for CFD simulations. The reaction engineering approach (REA) is shown to be appropriate in this regard. It has been successfully used for prediction of skim and whole milk droplet drying behavior under various drying conditions. In this study, an aqueous lactose solution was dried in droplet form and the appropriate REA

model parameters obtained. The change of diameter of the droplet during drying was measured experimentally and compared with the model results.

Keywords:

Droplet drying kinetics

Glass filament method

Lactose solution

Reaction engineering approach

Related Research Data

[Prediction of Air-Drying of Milk Droplet Under Relatively High Humidity Using the Reaction Engineering Approach](#)

Source: Drying Technology

[The prediction of moisture sorption isotherms for dairy powders](#)

Source: International Dairy Journal

[Drying of Loose and Particulate Materials](#)

Source: Drying Technology

[The reaction engineering approach to modelling drying of thin layer of pulped Kiwifruit flesh under conditions of small Biot numbers](#)

Source: Chemical Engineering and Processing - Process Intensification

[Spray drying of food ingredients and applications of CFD in spray drying](#)

Source: Chemical Engineering and Processing - Process Intensification

[Improving the Glass-Filament Method for Accurate Measurement of Drying Kinetics of Liquid Droplets](#)

Source: Chemical Engineering Research and Design

Related research

People also read

Recommended articles

Cited by
79

[Single Droplet Drying Technique to Study Drying Kinetics Measurement and Particle Functionality: A Review](#) >

Nan Fu et al.

Drying Technology

Published online: 14 Nov 2012

[Modeling of maltodextrin drying kinetics for use in simulations of spray drying](#) >

Information for

[Authors](#)

[R&D professionals](#)

[Editors](#)

[Librarians](#)

[Societies](#)

Opportunities

[Reprints and e-prints](#)

[Advertising solutions](#)

[Accelerated publication](#)

[Corporate access solutions](#)

Open access

[Overview](#)

[Open journals](#)

[Open Select](#)

[Dove Medical Press](#)

[F1000Research](#)

Help and information

[Help and contact](#)

[Newsroom](#)

[All journals](#)

[Books](#)

Keep up to date

Register to receive personalised research and resources by email



[Sign me up](#)



Copyright © 2026 Informa UK Limited [Privacy policy](#)

[Cookies](#) [Terms & conditions](#) [Accessibility](#)

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG



Taylor & Francis
by **informa**•••