



Drying Technology >  
An International Journal  
Volume 24, 2006 - [Issue 11](#)

857 | 78 | 0  
Views | CrossRef citations to date | Altmetric

Original Articles

# A Model for Drying of an Aqueous Lactose Droplet Using the Reaction Engineering Approach

Sean Xu Qi Lin & Xiao Dong Chen

Pages 1329-1334 | Published online: 06 Feb 2007

Cite this article <https://doi.org/10.1080/07373930600951091>

Sample our  
Engineering & Technology  
Journals  
 >> [Sign in here](#) to start your access  
to the latest two volumes for 14 days

Full Article

Figures & data

References

Citations

Metrics

Reprints & Permissions

Read this article

Share

## Abstract

Spray drying is the primary method for manufacturing of food powders from liquids. Optimal design and optimization of spray drying operations at the fundamental level require both modeling of the drying characteristics of a single droplet and dryer wide simulations using computational fluid dynamics (CFD). An accurate yet simple model for drying of a single droplet, which does not require solution of partial differential equation, is ideal input for CFD simulations. The reaction engineering approach (REA) is shown to be appropriate in this regard. It has been successfully used for prediction of skim and whole milk droplet drying behavior under various drying conditions. In this study, an aqueous lactose solution was dried in droplet form and the appropriate REA

model parameters obtained. The change of diameter of the droplet during drying was measured experimentally and compared with the model results.

Keywords:

Droplet drying kinetics

Glass filament method

Lactose solution

Reaction engineering approach

## Related Research Data

**Prediction of Air-Drying of Milk Droplet Under Relatively High Humidity Using the Reaction Engineering Approach**

Source: Drying Technology

**The prediction of moisture sorption isotherms for dairy powders**

Source: International Dairy Journal

**Drying of Loose and Particulate Materials**

Source: Drying Technology

**The reaction engineering approach to modelling drying of thin layer of pulped Kiwifruit flesh under conditions of small Biot numbers**

Source: Chemical Engineering and Processing - Process Intensification

**Spray drying of food ingredients and applications of CFD in spray drying**

Source: Chemical Engineering and Processing - Process Intensification

**Improving the Glass-Filament Method for Accurate Measurement of Drying Kinetics of Liquid Droplets**

Source: Chemical Engineering Research and Design

## Related research

People also read

Recommended articles

Cited by  
78

## Information for

Authors

R&D professionals

Editors

Librarians

Societies

## Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

## Open access

Overview

Open journals

Open Select

Dove Medical Press

F1000Research

## Help and information

Help and contact

Newsroom

All journals

Books

## Keep up to date

Register to receive personalised research and resources  
by email

 Sign me up

  

  

Copyright © 2026 Informa UK Limited Privacy policy Cookies Terms & conditions

Accessibility



Registered in England & Wales No. 01072954  
5 Howick Place | London | SW1P 1WG