









## Abstract

Full Article

Reprints & Permissions

Figures & data

An excess of 31 million m³/y of tertiary-treated wastewater is expected in Muscat, Oman, by 2015. This paper addresses the technical and cost estimation of managed aquifer recharge after reverse-osmosis treatment. The results indicate that the project is appealing from an economic perspective. The total cost varies between USD 0.353 and USD 0.550 per cubic metre, depending on the cost of electricity, the interest rate and the life span of the project. The project may face rejection from domestic users, who may be unwilling to accept mixing treated wastewater with the current water supply due to health risks. An alternative to indirect potable reuse is the installation of a separate network to service industrial users.

References

Read this article

**66** Citations

Share

**Metrics** 

Keywords::



## Acknowledgements

The authors acknowledge the financial support provided by Sultan Qaboos University through the Feasibility of Managed Aquifer Recharge Using Treated Wastewater in Oman project under grant number SR/AGR/SWAE/09/01.



Information for

**Authors** 

**R&D** professionals

**Editors** 

Librarians

**Societies** 

Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

Open access

Overview

Open journals

**Open Select** 

**Dove Medical Press** 

F1000Research

Help and information

Help and contact

Newsroom

All journals

**Books** 

## Keep up to date

Register to receive personalised research and resources by email



Sign me up











Accessibility



Copyright © 2025 Informa UK Limited Privacy policy Cookies Terms & conditions



Registered in England & Wales No. 01072954 5 Howick Place | London | SW1P 1WG