







Home ► All Journals ► Journal of Biomaterials Science, Polymer Edition ► List of Issue ► Volume 25, Issue 16 ► Solvent-free polymer/bioceramic scaffold

Journal of Biomaterials Science, Polymer Edition > Volume 25, 2014 - Issue 16

342 21

Views CrossRef citations to date Altmetric

Articles


Solvent-free polymer/bioceramic scaffolds for bone tissue engineering: fabrication, analysis, and cell growth

Joshua Minton, Cara Janney, Rosa Akbarzadeh, Carlie Focke, Aswati Subramanian, Tyler Smith, ...show all

Pages 1856-1874 | Received 21 Feb 2014, Accepted 06 Aug 2014, Published online: 02 Sep 2014

66 Cite this article

▲ https://doi.org/10.1080/09205063.2014.953016





Full Article

Figures & data

References

66 Citations

Metrics

Reprints & Permissions

Read this article

Abstract

This stud

polycap

and por

desirabl

 $(\sim 5 \, \mu \text{m})$

its simm

limiting fabricate

testing

size dist

We Care About Your Privacy

We and our 845 partners store and/or access information on a device, such as unique IDs in cookies to process personal data. You may accept or manage your choices by clicking below, including your right to object where legitimate interest is used, or at any time in the privacy policy page. These choices will be signaled to our partners and will not affect browsing data. Privacy Policy

We and our partners process data to provide:

Use precise geolocation data. Actively scan device characteristics for identification. Store and/or access information on a device. Personalised advertising and content, advertising and content measurement, audience research and services development.

List of Partners (vendors)

Essential Onlog Solvents is

HA particles

Show Purpose

Derties for gen due to ntrolled by f HA in the echanical nd the pore nning


electron microscopy (SEM) was used to examine the effect on scaffold morphology

caused by the addition of HA particles. Both μ CT and SEM results showed that HA could be incorporated into PCL scaffolds without negatively affecting scaffold morphology or pore formation. Energy-dispersive X-ray spectroscopy (EDS) and elemental mapping demonstrated a uniform distribution of HA within PCL/HA scaffolds. Murine calvariaderived MC3T3-E1 cells were used to determine whether cells could attach on scaffolds and grow for up to 21 days. SEM images revealed an increase in cell attachment with the incorporation of HA into the scaffolds. Similarly, DNA content analysis showed a higher cell adhesion to PCL/HA scaffolds.

Q Keywords: bone polycaprolactone hydroxyapatite scaffolds tissue engineering cell culture

Acknowledgments

This work was partially supported by the Ohio Board of Regents and the Ohio Third Frontier Program grant entitled: 'Ohio Research Scholars in Layered Sensing'. The authors wish to thank Dr. Gilbert Pacey for providing support with the TGA measurements and Dr. Roberto Fajardo for the µCT analysis. The authors also acknowledge the technical assistance of Dr. Byran Smucker, Dr. Richard Edelmann, Matt Duley, Doug Hart, Bill Lack, Barry Landrum, Lynn Johnson, Jayson Alexander, Kevin Harris, Ryan Walczak, and the administrative assistance of Laurie Guest.



Information for Open access Authors Overview R&D professionals Open journals Editors **Open Select** Librarians **Dove Medical Press** Societies F1000Research Opportunities Help and information Reprints and e-prints Advertising solutions Newsroom Accelerated publication Corporate access solutions Books Keep up to date Register to receive personalised research and resources by email Sign me up Taylor & Francis Group Copyright © 2024 Informa UK Limited Privacy policy Cookies Terms & conditions Accessib X

