







Home ▶ All Journals ▶ Physiotherapy Theory and Practice ▶ List of Issues ▶ Volume 32, Issue 7 ▶ Kinesio taping or just taping in shoulde

Physiotherapy Theory and Practice >
An International Journal of Physical Therapy
Volume 32, 2016 - Issue 7

1,654 14
Views CrossRef citations to date Altmetric

Research Report

Kinesio taping or just taping in shoulder subacromial impingement syndrome? A randomized, double-blind, placebo-controlled trial

Figen Kocyigit ☑, MD, Merve Acar, MD, Mehmet Besir Turkmen, MD, Tugce Kose, PT, Nezahat Guldane, PT & Ersin Kuyucu, MD

Pages 501-508 | Received 10 Mar 2015, Accepted 11 Oct 2015, Published online: 12 Sep 2016



Sample our
Medicine, Dentistry, Nursing
& Allied Health Journals

>> Sign in here to start your access
to the latest two volumes for 14 days

Full Article

Figures & data

References

66 Citations

Metrics

🔒 Repri

We Care About Your Privacy

ABSTE

Objectiv

syndrom

Patier ground during the

during the taping p

100 mm

and Not

participa

We and our 848 partners store and/or access information on a device, such as unique IDs in cookies to process personal data. You may accept or manage your choices by clicking below, including your right to object where legitimate interest is used, or at any time in the privacy policy page. These choices will be signaled to our partners and will not affect browsing data. Privacy Policy

We and our partners process data to provide:

Use precise geolocation data. Actively scan device characteristics for identification. Store and/or access information on a device. Personalised advertising and content, advertising and content measurement, audience research and services development.

List of Partners (vendors)

I Accept

Essential Only

pingement

Show Purposeth KT.

up and

three times

d of the


pain on the

nt Scores.

41

ge was 45 ±

15 years (range 20–65 years). We documented a significant decrease in VAS for nocturnal pain, and Constant Score in both groups. The KT group showed additional significant change in NHP pain and physical activity scores. Conclusion: KT and sham taping generated similar results regarding pain and Constant Scores.



Information for Open access Authors Overview R&D professionals Open journals Editors **Open Select** Librarians **Dove Medical Press** Societies F1000Research Opportunities Help and information Reprints and e-prints Advertising solutions Newsroom Accelerated publication Corporate access solutions Books Keep up to date Register to receive personalised research and resources by email Sign me up Taylor & Francis Group Copyright © 2024 Informa UK Limited Privacy policy Cookies Terms & conditions Accessib X

