

Applied Financial Economics >

Volume 20, 2010 - [Issue 18](#)

395 | 55 | 0
Views | CrossRef citations to date | Altmetric

Original Articles

Integer-valued moving average modelling of the number of transactions in stocks

Kurt Brännäs  & A. M. M. Shahiduzzaman Quoreshi

Pages 1429-1440 | Published online: 13 Sep 2010

 Cite this article  <https://doi.org/10.1080/09603107.2010.498343>

Sample our
Economics, Finance,
Business & Industry Journals
>> [Sign in here](#) to start your access
to the latest two volumes for 14 days

 Full Article  Figures & data  References  Citations  Metrics

 Reprints & Permissions

Read this article

 Share

Abstract

The Integer-valued Moving Average Model (INMA) is advanced to model the number of transactions in intra-day data of stocks. The conditional mean and variance properties are discussed and model extensions to include explanatory variables are offered. Least squares and generalized method of moment estimators are presented. In a small Monte Carlo study a feasible least squares estimator comes out as the best choice. Empirically we find support for the use of long-lag moving average models in a Swedish stock series. There is evidence of asymmetric effects of news about prices on the number of transactions.

 [Previous article](#)

[View issue table of contents](#)

[Next article](#) 

Acknowledgements

The financial support from the Jan Wallander and Tom Hedelius Foundation is gratefully acknowledged. This version has gained from the comments of seminar/workshop audiences at Umeå, Uppsala and Tilburg universities.

Notes

¹ The INMA(∞) can also be obtained from the INAR(1), i.e. $y_t = \alpha \circ y_{t-1} + \varepsilon_t$ and $y_t = \alpha^t \circ y_0 + \sum_{i=1}^t \alpha^{t-i} \circ \varepsilon_i$ are equal in distribution. As a large t gives that $\alpha^t \approx 0$ and $\beta_i = \alpha^i$.

² Pairs of thinning operations of the type α and β , for $\alpha, \beta \in (0, 1)$, are independent (McKenzie, [1988](#)). Assumptions of this type can be relaxed (cf. Brännäs and Hall, [2001](#)).

³ The experiments are performed using Fortran codes. Poisson random deviates are generated by the POIDEV function (Press et al., [1992](#)), while the binomial thinning is performed by the BNLDEV function.

⁴ $\beta_k < 0.01$ for $k \geq 32$ for $\gamma_1 = -0.1$, the sum is 1.87 for $k \geq 16$ and $\gamma_1 = -0.2$, 1.61 for $k \geq 11$ and $\gamma_1 = -0.3$, and 1.45 for $k \geq 8$ and $\gamma_1 = -0.4$.

⁵ Note that for a count data INAR(1) model with a unit root the observed sequence of observations can not decline. Adding a MA part to the INAR(1) does not alter this feature. As is obvious from [Fig. 3](#) there are ups and downs in the present time series, so that a unit root can not logically be supported by the data.

⁶ In some experimentation with an AstraZeneca series lower order model representations ($q = 18$ and 30) are found.

Related Research Data

[Time series models with univariate margins in the convolution-closed infinitely divisible class](#)

Source: Journal of Applied Probability

[Conditional Heteroskedasticity in Asset Returns: A New Approach](#)

Source: Unknown Repository

[GENERALIZED INTEGER-VALUED AUTOREGRESSION](#)

Source: Econometric Reviews

Discretized time and conditional duration modelling for stock transaction data

Source: Applied Financial Economics

Some ARMA models for dependent sequences of poisson counts

Source: Advances in Applied Probability

Testing for Autocorrelation Using a Modified Box-Pierce Q Test

Source: International Economic Review

On autocorrelation in a Poisson regression model

Source: Biometrika

Related research

People also read

Recommended articles

Cited by
55

[On periodic integer-valued moving average \(INMA \(q\)\) models >](#)

Nawel Aries et al.

Journal of Statistical Computation and Simulation

Published online: 8 Aug 2022

Information for

[Authors](#)

[R&D professionals](#)

[Editors](#)

[Librarians](#)

[Societies](#)

Opportunities

[Reprints and e-prints](#)

[Advertising solutions](#)

[Accelerated publication](#)

[Corporate access solutions](#)

Open access

[Overview](#)

[Open journals](#)

[Open Select](#)

[Dove Medical Press](#)

[F1000Research](#)

Help and information

[Help and contact](#)

[Newsroom](#)

[All journals](#)

[Books](#)

Keep up to date

Register to receive personalised research and resources by email



Sign me up



Copyright © 2026 Informa UK Limited [Privacy policy](#)

[Cookies](#) [Terms & conditions](#) [Accessibility](#)

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG



Taylor & Francis
by informa