Taylor & Francis Online

International Journal of Pest Management ›
Volume 63, 2017 - Issue 3: Managing social insect pests in urban environments

786 Views | 29 CrossRef citations to date | 54 Altmetric

Articles

The efficacy of Vespex® wasp bait to control *Vespula* species (Hymenoptera: Vespidae) in New Zealand

Eric Edwards , Richard Toft, Nik Joice & Ian Westbrooke

Pages 266-272 | Received 29 Apr 2016, Accepted 28 Feb 2017, Published online: 28 Mar 2017

Cite this article https://doi.org/10.1080/09670874.2017.1308581 Check for updates

Sample our Environment & Agriculture Journals
>> Sign in here to start your access to the latest two volumes for 14 days

Full Article Figures & data References Citations Metrics
Reprints & Permissions Read this article Share

ABSTRACT

Transitioning from trials to pest control tool, the efficacy of controlling wasps Vespula vulgaris and V. germanica using Vespex® wasp bait was tested in 2015. Vespex® is a protein-based bait matrix with 0.1% fipronil. Five sites ranging <300 to >2000 ha and over 5500 ha in total had bait stations placed 300 × 50 m apart and received one application of Vespex®. Wasp nest traffic rates declined 93% in four days at one site, and over 97% after 20–38 days at all other sites. Measured honeydew availability also improved post wasp control. Further demonstrating feasibility, five different agencies worked closely with government leading many programme aspects. Vespex® was made more widely available in New Zealand towards the end of 2015. Web page information showed ~30% of all territorial authorities nationally are engaging in pest

wasp problems. This signals a future potential in the way that pest wasps might be managed in a community context for social, economic and biodiversity conservation objectives.

KEYWORDS:

Vespula germanica | V. vulgaris | pest wasp | wide-scale control | Vespex® | fipronil | protein bait | honeydew

Acknowledgments

Phil Lester and an anonymous reviewer are kindly acknowledged for improving drafts. Five New Zealand organisations provided support in-kind and field support including; Friends of Rotoiti (for Rotoiti Nature Recovery Project), Forest and Bird Society Nelson-Tasman Branch (for Pelorus Bridge), Waimakariri Environment and Recreation Committee of the Waimakariri Ecological and Landscape Restoration alliance (for Craigieburn Basin), Project Janzoon (for Falls River) and Zero Invasive Predators Ltd. (for Bottle Rock Peninsula).

Disclosure statement

The second author is a director of the company manufacturing Vespex® wasp bait.

Additional information

Funding

The following Three New Zealand organisations provided financial support; Department of Conservation, Project Janzoon (for Falls River) and Zero Invasive Predators Ltd. (for Bottle Rock Peninsula).

Related research

People also read | Recommended articles | Cited by 29

Information for

Authors
R&D professionals
Editors
Librarians
Societies

Open access

Overview
Open journals
Open Select
Dove Medical Press
F1000Research

Opportunities

Reprints and e-prints
Advertising solutions
Accelerated publication
Corporate access solutions

Help and information

Help and contact
Newsroom
All journals
Books

Keep up to date

Register to receive personalised research and resources by email

Sign me up

Copyright © 2026 Informa UK Limited Privacy policy

Cookies Terms & conditions Accessibility

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG

Taylor & Francis by informa