

Numerical Heat Transfer, Part A: Applications >
An International Journal of Computation and Methodology
Volume 74, 2018 - Issue 4

446 | 6 | 0
Views | CrossRef citations to date | Altmetric

Articles

Development of multilayer perceptron artificial neural network (MLP-ANN) and least square support vector machine (LSSVM) models to predict Nusselt number and pressure drop of TiO₂/water nanofluid flows through non-straight pathways

Mostafa Kahani, Mohammad Hossein Ahmadi , Afshin Tatar & Milad Sadeghzadeh
Pages 1190-1206 | Received 01 May 2018, Accepted 27 Aug 2017, Published online: 17 Oct 2018

Cite this article <https://doi.org/10.1080/10407782.2018.1523597>

Check for updates

Sample our
Engineering & Technology
Journals
>> [Sign in here](#) to start your access
to the latest two volumes for 14 days

We Care About Your Privacy

We and our 842 partners store and/or access information on a device, such as unique IDs in cookies to process personal data. You may accept or manage your choices by clicking below, including your right to object where legitimate interest is used, or at any time in the privacy policy page. These choices will be signaled to our partners and will not affect browsing data. [Privacy Policy](#)

We and our partners process data to provide:

Use precise geolocation data. Actively scan device characteristics for identification. Store and/or access information on a device. Personalised advertising and content, advertising and content measurement, audience research and services development.

[List of Partners \(vendors\)](#)

I Accept

Essential Only

Show Purpose



Helical number (106.80 to 1282.87) were introduced to the developed models to obtain Nusselt number (9.89 to 53.30) and pressure drop (291.35 to 18784 kPa) as the output data of the models. According to the output results of developed models, MLP-ANN model was able to predict both Nusselt number and pressure drop of nanofluid flow more precisely in comparison to LSSVM model. The developed MLP model of this study exceeded LSSVM model to high correlation coefficient value of 0.97.

Related research

People also read

Recommended articles

Cited by
6

Development of an intelligent computing system using neural networks for modeling bioconvection flow of second-grade nanofluid with gyrotactic microorganisms [>](#)

Anum Shafiq et al.

Numerical Heat Transfer, Part B: Fundamentals

Published online: 27 Oct 2023

Phase behavior modelling of asphaltene precipitation utilizing MLP-ANN approach [>](#)

Fariba Zarei et al.

Petroleum Science and Technology

Published online: 30 Nov 2017

Impacts
ternary



ysis of

K Karthi
Internati
Publishe



Information for

- Authors
- R&D professionals
- Editors
- Librarians
- Societies

Opportunities

- Reprints and e-prints
- Advertising solutions
- Accelerated publication
- Corporate access solutions

Open access


- Overview
- Open journals
- Open Select
- Dove Medical Press
- F1000Research

Help and information

- Help and contact
- Newsroom
- All journals
- Books

Keep up to date

Register to receive personalised research and resources by email

 Sign me up



✕