







Q

Home ► All Journals ► Engineering & Technology ► Numerical Heat Transfer, Part A: Applications ► List of Issues ► Volume 74, Issue 4 ► Development of multilayer perceptron art ....

Numerical Heat Transfer, Part A: Applications >
An International Journal of Computation and Methodology
Volume 74, 2018 - <u>Issue 4</u>

 $\begin{array}{c|c} 522 & 59 & & 0 \\ \text{Views} & \text{CrossRef citations to date} & \text{Altmetric} \end{array}$ 

**Articles** 

Development of multilayer perceptron artificial neural network (MLP-ANN) and least square support vector machine (LSSVM) models to predict Nusselt number and pressure drop of TiO<sub>2</sub>/water nanofluid flows through non-straight pathways

Mostafa Kahani, Mohammad Hossein Ahmadi ☑, Afshin Tatar & Milad Sadeghzadeh

Pages 1190-1206 | Received 01 May 2018, Accepted 27 Aug 2017, Published online: 17 Oct 2018





Full Article

Figures & data

References

**66** Citations

**Metrics** 

**♣** Reprints & Permissions

Read this article

Share

## **Abstract**

In this study, Multilayer Perceptron Artificial Neural Network (MLP-ANN) model and Least Square Support Vector Machine (LSSVM), were developed to predict the thermal performance and pressure loss of nanofluid flow through coils as non-straight pathways. There different coils with various curvature ratios and coil pitches were constructed and used. Stable TiO<sub>2</sub> (50 nm)/water nanofluid in different concentrations from 0.0 to 2.0% were prepared using appropriate method. As it is expected, considerable enhancement

of heat transfer was achieved by application of nanofluids instead of water in system. Volume concentration of nanofluid, Prandtl number (ranging from 4.82 to 9.11) and Helical number (106.80 to 1282.87) were introduced to the developed models to obtain Nusselt number (9.89 to 53.30) and pressure drop (291.35 to 18784 kPa) as the output data of the models. According to the output results of developed models, MLP-ANN model was able to predict both Nusselt number and pressure drop of nanofluid flow more precisely in comparison to LSSVM model. The developed MLP model of this study exceeded LSSVM model to high correlation coefficient value of 0.97.



People also read

Recommended articles

Cited by 59

Information for

**Authors** 

**R&D** professionals

**Editors** 

Librarians

**Societies** 

Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

Open access

Overview

Open journals

**Open Select** 

**Dove Medical Press** 

F1000Research

Help and information

Help and contact

Newsroom

All journals

**Books** 

## Keep up to date

Register to receive personalised research and resources by email



Sign me up











Accessibility



Copyright © 2025 Informa UK Limited Privacy policy Cookies Terms & conditions



Registered in England & Wales No. 01072954 5 Howick Place | London | SW1P 1WG