

Journal of Applied Aquaculture >

Volume 22, 2010 - [Issue 4](#)

588 | 19 | 4
Views | CrossRef citations to date | Altmetric

Original Articles

Production Parameters and Economics of Small-Scale Tilapia Cage Aquaculture in the Volta Lake, Ghana

J. K. Ofori, E. K. Abban, A. Y. Karikari & R. E. Brummett 

Pages 337-351 | Published online: 06 Dec 2010

 Cite this article  <https://doi.org/10.1080/10454438.2010.527591>

Sample our
Environment & Agriculture
Journals 
>> [Sign in here](#) to start your access
to the latest two volumes for 14 days

 Full Article  Figures & data  References  Citations  Metrics

 Reprints & Permissions

[Read this article](#)

 Share

Abstract

To calculate the potential for cage aquaculture to create economic opportunities for small-scale investors on the Volta Lake, Ghana, a local NGO with technical support from the Government of Ghana ran two trials (one of four and one of six units) of small-scale cage aquaculture in the town of Dzemeni. Cages were built locally from available materials at a cost of approximately US\$1000 per 48 m³ cage. An indigenous line of Nile tilapia, *Oreochromis niloticus*, was stocked either as mixed sex (first trial) or all-males (second trial) at an average rate of 103 fish/m³ and grown on locally available pelleted feeds for approximately six months. Total costs averaged US\$2038 per six-month production cycle. Gross yield ranged from 232 to 1176 kg/cage, averaging 460 kg/cage (9.6 kg/m³). Final average weight of mixed sex populations (253.05 ± 47.43g) was significantly less than of all-males (376.7 ± 72.30g). Likewise, percentage of fish

over 300 g at harvest was significantly lower in mixed-sex (38.3%) compared to all-male (75.7%) populations. Mortality resulting primarily from poor handling during transport and stocking averaged 70% and was a major determinate of production and profitability. To break even, harvested biomass of fish needed to exceed 15 kg/m³. At 25 kg/m³, small-scale cage aquaculture generated a net income of US\$717 per cage per six months (ROI = 30.2%) on revenues of US\$3,500. Water quality in the area surrounding the cages was not negatively affected by aquaculture at the scale tested (5 tons of feed per six months).

Keywords:

freshwater

small and medium scale enterprise

locally sourced inputs

This research was co-funded by Rural Wealth and the CGIAR Water and Food Challenge Program Project 34: Increasing Fish Production from the Volta Lake. Special thanks to Tropo Farms, Ghana; Lake Harvest, Zimbabwe, and the FISH-Uganda project for sharing production data.

Related research

People also read

Recommended articles

Cited by
19

Information for

[Authors](#)

[R&D professionals](#)

[Editors](#)

[Librarians](#)

[Societies](#)

Opportunities

[Reprints and e-prints](#)

[Advertising solutions](#)

[Accelerated publication](#)

[Corporate access solutions](#)

Open access

[Overview](#)

[Open journals](#)

[Open Select](#)

[Dove Medical Press](#)

[F1000Research](#)

Help and information

[Help and contact](#)

[Newsroom](#)

[All journals](#)

[Books](#)

Keep up to date

Register to receive personalised research and resources by email



Sign me up



Copyright © 2026 Informa UK Limited [Privacy policy](#)

[Cookies](#) [Terms & conditions](#) [Accessibility](#)

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG



Taylor & Francis
by informa