

256 Views | 38 CrossRef citations to date | 0 Altmetric


Original Articles

Homocysteine levels and risk of essential hypertension: A meta-analysis of published epidemiological studies

Fade Zhong, Li Zhuang, Ying Wang & Youli Ma ✉

Pages 160-167 | Received 12 Apr 2016, Accepted 29 Jul 2016, Published online: 01 Mar 2017

🗨️ Cite this article 🔗 <https://doi.org/10.1080/10641963.2016.1226888>



Sample our
Medicine, Dentistry, Nursing
& Allied Health Journals

>> **Sign in here** to start your access
to the latest two volumes for 14 days

📄 Full Article 📊 Figures & data 📖 References 🗨️ Citations 📈 Metrics

🖨️ Reprints & Permissions

Read this article

🔗 Share

ABSTRACT

Background: Plasma homocysteine (Hcy) levels may be associated with essential hypertension (EH). However, the results of previous studies on this association are inconsistent. **Methods:** In this meta-analysis, we performed a systematic literature search of the Embase, PubMed, Cochrane Library, and Web of Science for the relevant articles dated up to March 2016. Pooled odds ratios (ORs) and corresponding 95% confidence intervals (CIs) were used to evaluate the estimates. **Results:** We included 11 studies with a total of 16,571 participants (4,830 EH cases). We found that elevated Hcy levels were associated with the risk of EH (pooled OR: 1.36, 95% CI: 1.02–1.80 in the random-effects model). However, subsequent subgroup analyses showed that elevated Hcy levels increased the EH risk in retrospective studies (OR: 1.82, 95% CI:

1.53–2.16; $p < 0.001$) and unadjusted studies (OR: 1.72, 95% CI: 1.43–2.07; $p < 0.001$), but not in perspective studies (OR: 0.99, 95% CI: 0.73–1.28; $p = 0.939$) and adjusted studies (OR: 1.21, 95% CI: 0.85–1.72; $p = 0.297$). No significant publication bias was found ($p = 0.876$ for Begg’s test, $p = 0.144$ for Egger’s test). Conclusion: Plasma Hcy levels are associated with EH risk. However, our findings do not support a causal association between Hcy levels and EH.

KEYWORDS:

Epidemiological study essential hypertension homocysteine odds ratio meta-analysis

Declaration of interest

The authors have declared that no competing interests exist.

Funding

The research was supported by the Natural Science Foundation of Ningbo City (2013A610231).

Additional information

Funding

The research was supported by the Natural Science Foundation of Ningbo City (2013A610231).

Related research

People also read

Recommended articles

Cited by
38

Mingjin Zhu et al.

Biomarkers

Published online: 6 May 2019

Information for

[Authors](#)

[R&D professionals](#)

[Editors](#)

[Librarians](#)

[Societies](#)

Opportunities

[Reprints and e-prints](#)

[Advertising solutions](#)

[Accelerated publication](#)

[Corporate access solutions](#)

Open access

[Overview](#)

[Open journals](#)

[Open Select](#)

[Dove Medical Press](#)

[F1000Research](#)

Help and information

[Help and contact](#)

[Newsroom](#)

[All journals](#)

[Books](#)

Keep up to date

Register to receive personalised research and resources by email



Sign me up



Copyright © 2026 Informa UK Limited [Privacy policy](#)

[Cookies](#) [Terms & conditions](#) [Accessibility](#)

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG



Taylor & Francis
by **informa**•••