

430 Views | 40 CrossRef citations to date | 0 Altmetric

Research Article

# Metabolic Roles of the M<sub>3</sub> Muscarinic Acetylcholine Receptor Studied with M<sub>3</sub> Receptor Mutant Mice: A Review

DINESH GAUTAM, JONGRYE JEON, JIAN HUA LI, SUNG-JUN HAN, FADI F. HAMDAN, YINGHONG CUI, ... show all

Pages 93-108 | Published online: 10 Oct 2008

Cite this article <https://doi.org/10.1080/10799890801942002>

Sample our  
Medicine, Dentistry, Nursing  
& Allied Health Journals  
>> [Sign in here](#) to start your access  
to the latest two volumes for 14 days

[Full Article](#) [Figures & data](#) [References](#) [Citations](#) [Metrics](#)

[Reprints & Permissions](#)

[Read this article](#)

## Abstract

The M<sub>3</sub> r  
central a  
protein-c  
Recent s  
reveal  
func  
overexp  
essentia  
experim  
β -cell M  
studies v

many  
of G  
family.  
ave  
metabolic  
d or  
nAChRs are  
he  
ling through  
Recent  
e of M<sub>3</sub>

### We Care About Your Privacy

We and our 849 partners store and/or access information on a device, such as unique IDs in cookies to process personal data. You may accept or manage your choices by clicking below, including your right to object where legitimate interest is used, or at any time in the privacy policy page. These choices will be signaled to our partners and will not affect browsing data. [Privacy Policy](#)

We and our partners process data to provide:

Use precise geolocation data. Actively scan device characteristics for identification. Store and/or access information on a device. Personalised advertising and content, advertising and content measurement, audience research and services development.

List of Partners (vendors)

I Accept

Essential Only

Show Purpose



receptors protected mice against various forms of experimentally or genetically induced obesity and obesity-associated metabolic deficits. Under all experimental conditions tested, M<sub>3</sub> receptor-deficient mice showed greatly ameliorated impairments in glucose homeostasis and insulin sensitivity, reduced food intake, and a significant elevation in basal and total energy expenditure, most likely due to increased central sympathetic outflow and increased rate of fatty acid oxidation. These findings are of potential interest for the development of novel therapeutic approaches for the treatment of obesity and associated metabolic disorders.

Key Words: : [Glucose homeostasis](#) [Insulin](#) [Knockout mice](#) [Muscarinic receptor](#) [Transgenic mice](#)

#### Related Research Data

Islet G protein-coupled receptors as potential targets for treatment of type 2 diabetes

Source: Springer Science and Business Media LLC

Overview of muscarinic receptor subtypes.

Source: Springer Berlin Heidelberg

Mapping physiological G protein-coupled receptor signaling pathways reveals a role for receptor phosphorylation in airway contraction

Source: National Academy of Sciences

$\beta$ -Cell Function in Obese-Hyperglycemic Mice [ob/ob Mice]

Source: Springer Netherlands

A Sys

Treat

Sourc

Linkin



Relate

Information for

- Authors
- R&D professionals
- Editors
- Librarians
- Societies

Opportunities

- Reprints and e-prints
- Advertising solutions
- Accelerated publication
- Corporate access solutions

Open access

- Overview
- Open journals
- Open Select
- Dove Medical Press
- F1000Research

Help and information

- Help and contact
- Newsroom
- All journals
- Books

Keep up to date

Register to receive personalised research and resources by email

 Sign me up



✕