

GFF >

Volume 135, 2013 - Issue 3-4: Varve Genesis, Chronology and Paleoclimate

200 Views | 14 CrossRef citations to date | 0 Altmetric

Article

# Construction and validation of calendar-year time scale for annually laminated sediments – an example from Lake Szurpiły (NE Poland)

Małgorzata Kinder, Wojciech Tylmann, Dirk Enters, Natalia Piotrowska, Grzegorz Poręba & Bernd Zolitschka

Pages 248-257 | Received 14 Nov 2012, Accepted 14 Jan 2013, Published online: 12 Jun 2013

Cite this article <https://doi.org/10.1080/11035897.2013.785015>

Sample our Earth Sciences Journals

>> [Sign in here](#) to start your access to the latest two volumes for 14 days

- Full Article
- Figures & data
- References
- Citations
- Metrics
- Reprints & Permissions
- Read this article**

## We Care About Your Privacy

We and our 848 partners store and/or access information on a device, such as unique IDs in cookies to process personal data. You may accept or manage your choices by clicking below, including your right to object where legitimate interest is used, or at any time in the privacy policy page. These choices will be signaled to our partners and will not affect browsing data. [Privacy Policy](#)

We and our partners process data to provide:

Use precise geolocation data. Actively scan device characteristics for identification. Store and/or access information on a device. Personalised advertising and content, advertising and content measurement, audience research and services development.

List of Partners (vendors)

I Accept

Essential Only

Show Purpose



during the last 1500 years. The accuracy of the varve chronology depends mostly on the regularity of the varve thickness and the distinctness of varve boundaries, and was not influenced by the varve thickness itself. Even though manual and semiautomated varve counting show similar results of the total amount of varves, with the difference of only 0.56%, the comparison between those two methods in intervals of 200 years indicates potential problems, especially for sections with complex lamination and turbidites. We found that semiautomatic varve counting overestimated the varve boundaries in sections with erosive turbidites. Our results confirm the importance of validation of varve chronologies by independent dating methods and caution in relying on automated methods.

Keywords: lacustrine sediments biogenic varves varve chronology automatic varve counting radiometric dating age-depth model north-eastern Poland

## Acknowledgements

This research was supported by the Polish Ministry of Science and Higher Education grants to M. Kinder (N N306 009337) and to N. Piotrowska (N N306 291639). It is a contribution to the bilateral scientific programme “Northern Polish Lake Research” (NORPOLAR), a Polish-German research initiative funded by the Deutsche Forschungsgemeinschaft and the Polish Ministry of Science and Higher Education. The authors would also like to acknowledge the support and cooperation of the Suwałki

Landscape and the Suwałki National Park. This research is part of the project “Landscape Changes in the Suwałki National Park in the Context of the Latest Global Warming” (2019-2021) funded by the Polish Ministry of Science and Higher Education (N N306 291639).



Information for

- Authors
- R&D professionals
- Editors
- Librarians
- Societies

Opportunities

- Reprints and e-prints
- Advertising solutions
- Accelerated publication
- Corporate access solutions

Open access

- Overview
- Open journals
- Open Select
- Dove Medical Press
- F1000Research

Help and information

- Help and contact
- Newsroom
- All journals
- Books

Keep up to date

Register to receive personalised research and resources by email

 Sign me up



✕