

GFF >

Volume 135, 2013 - Issue 3-4: Varve Genesis, Chronology and Paleoclimate

205 | 14

Views | CrossRef citations to date | 0 | Altmetric

Article

# Construction and validation of calendar-year time scale for annually laminated sediments – an example from Lake Szurpiły (NE Poland)

Małgorzata Kinder, Wojciech Tylmann, Dirk Enters, Natalia Piotrowska, Grzegorz Poręba & Bernd Zolitschka

Pages 248-257 | Received 14 Nov 2012, Accepted 14 Jan 2013, Published online: 12 Jun 2013

Cite this article <https://doi.org/10.1080/11035897.2013.785015>

Sample our  
Geography  
Journals



## We Care About Your Privacy

We and our 872 partners store and access personal data, like browsing data or unique identifiers, on your device. Selecting "I Accept" enables tracking technologies to support the purposes shown under "we and our partners process data to provide," whereas selecting "Reject All" or withdrawing your consent will disable them. If trackers are disabled, some content and ads you see may not be as relevant to you. You can resurface this menu to change your choices or withdraw consent at any time by clicking the ["privacy preferences"] link on the bottom of the webpage [or the floating icon on the bottom-left of the webpage, if applicable]. Your choices will have effect within our Website. For more details, refer to our Privacy Policy. [Here](#)

We and our partners process data to provide:

I Accept

Reject All

Show Purpose



during the last 1500 years. The accuracy of the varve chronology depends mostly on the regularity of the varve thickness and the distinctness of varve boundaries, and was not influenced by the varve thickness itself. Even though manual and semiautomated varve counting show similar results of the total amount of varves, with the difference of only 0.56%, the comparison between those two methods in intervals of 200 years indicates potential problems, especially for sections with complex lamination and turbidites. We found that semiautomatic varve counting overestimated the varve boundaries in sections with erosive turbidites. Our results confirm the importance of validation of varve chronologies by independent dating methods and caution in relying on automated methods.

Keywords: lacustrine sediments biogenic varves varve chronology automatic varve counting radiometric dating age-depth model north-eastern Poland

## Acknowledgements

This research was supported by the Polish Ministry of Science and Higher Education grants to M. Kinder (N N306 009337) and to N. Piotrowska (N N306 291639). It is a contribution to the bilateral scientific programme “Northern Polish Lake Research”

(NORPOL)

Forschung

authors

Landscape

Changes

Germany



Relat

Information for

- Authors
- R&D professionals
- Editors
- Librarians
- Societies

Opportunities

- Reprints and e-prints
- Advertising solutions
- Accelerated publication
- Corporate access solutions

Keep up to date

Register to receive personalised research and resources by email

 Sign me up

- 
- 
- 
- 
- 

Open access

- Overview
- Open journals
- Open Select
- Dove Medical Press
- F1000Research

Help and information

- Help and contact
- Newsroom
- All journals
- Books

Copyright

Accessib

Registered  
5 Howick Pl

or & Francis Group  
orma business

