



Applied Mathematical Finance >

Volume 21, 2014 - [Issue 2](#)

347 | 54

Views | CrossRef citations to date | 1 | Altmetric

Original Articles

Prices and Asymptotics for Discrete Variance Swaps

Carole Bernard & Zhenyu Cui

Pages 140-173 | Received 22 Jul 2012, Published online: 01 Aug 2013

Cite this article

<https://doi.org/10.1080/1350486X.2013.820524>



Sample our
Economics, Finance,
Business & Industry Journals
>> [Sign in here](#) to start your access
to the latest two volumes for 14 days

Full Article

Figures & data

References

Citations

Metrics

Reprints & Permissions

Read this article

Share

Abstract

We study the fair strike of a discrete variance swap for a general time-homogeneous stochastic volatility model. In the special cases of Heston, Hull-White and Schöbel-Zhu stochastic volatility models, we give simple explicit expressions (improving Broadie and Jain (2008a)). The effect of jumps and discrete sampling on volatility and variance swaps. *International Journal of Theoretical and Applied Finance*, 11(8), 761–797) in the case of the Heston model). We give conditions on parameters under which the fair strike of a discrete variance swap is higher or lower than that of the continuous variance swap. The interest rate and the correlation between the underlying price and its volatility are key elements in this analysis. We derive asymptotics for the discrete variance swaps and compare our results with those of Broadie and Jain (2008a). The effect of jumps and discrete sampling on volatility and variance swaps. *International Journal of Theoretical and Applied Finance*, 11(8), 761–797), Jarrow et al. (2013).

Discretely sampled variance and volatility swaps versus their continuous approximations. *Finance and Stochastics*, 17(2), 305–324) and Keller-Ressel and Griessler (2012. Convex order of discrete, continuous and predictable quadratic variation and applications to options on variance. Working paper. Retrieved from <http://arxiv.org/abs/1103.2310>).

Key Words:

Discrete variance swap

Heston model

Hull-White model

Schöbel-Zhu model

! View correction statement:

[Erratum](#)

Acknowledgements

Carole Bernard acknowledges support from the Natural Sciences and Engineering Research Council of Canada. Zhenyu Cui acknowledges support from the Bank of Montreal Capital Markets Advanced Research Scholarship. The authors thank Jinyuan Zhang for her help as research assistant, as well as seminar participants Christa Cuchiero, Olympia Hadjiliadis, Antoine Jacquier, Adam Kolkiewicz, Roger Lee, Don McLeish, Johannes Ruf, David Saunders and Michael Suchaneki for helpful suggestions. We are particularly grateful to an anonymous referee for his/her constructive and helpful comments on an earlier draft of this paper.

Notes

- ¹ See, for example, Howison, Rafailidis, and Rasmussen ([2004](#)), Windcliff, Forsyth, and Vetzal ([2006](#)), Benth, Groth, and Kufakunesu ([2007](#)) and Broadie and Jain ([2008b](#)).
- ² These conditions ensure that we can apply Fubini's theorem to exchange the order of integration. They are easily verified in specific examples.
- ³ Thanks to the anonymous referee for pointing out this general expression.

4. ⁴ The impact of stochastic interest rates on variance swaps is studied by Hörfelt and Torné ([2010](#)). Long-dated variance swaps will usually be sensitive to the interest rate volatility.
5. ⁵ This formula has been implemented in Matlab and its code is available at <http://www.runmycode.org/CompanionSite/Site135> or upon request from authors as well as for all other formulas that appear in this paper.
6. ⁶ We shall note that here $m(V_t) = V_t$ (where $m(\cdot)$ is defined in (1)) instead of σ , thus the process V_t models the volatility and not the variance. In particular, in the Schöbel-Zhu model, the variance process follows σ^2 .
7. ⁷ See Proposition 6.7 for an explicit expansion.
8. ⁸ See Definition 2.6 on p. 112 of Keller-Ressel and Muhle-Karbe (in press).
9. ⁹ This can be easily seen from the fact that for all r , σ , and ρ note that here σ^2 .
10. ¹⁰ It reduces to studying the sign of σ^2 . It is an increasing function of r , so it is larger than σ^2 , which is always positive because its minimum is 0 obtained when $r = 0$.
11. ¹¹ For the two sets of parameters above, we compute the critical interest rate r^* as defined in Remark 2.1. Set 1: (σ, ρ) ; Set 2: (σ, ρ) , and we can see that the interest rates are both larger than r^* .
12. ¹² The notation V_t in the Schöbel-Zhu model corresponds to the square root of what is denoted by V_t in the Heston model.
13. ¹³ Note that in terms of our notation, the parameters in Hurd and Kuznetsov ([2008](#)) and our parameters have the correspondence $\sigma^2 \leftrightarrow \sigma$, $\rho \leftrightarrow \rho$, $\sigma^2 \leftrightarrow \sigma$.
14. ¹⁴ Note that σ^2 is a decreasing function in t , thus σ^2 is sufficient for σ^2 for all $i = 0, 1, \dots, n$.

Related research

People also read

Recommended articles

Cited by
54

[Consistent Modelling of VIX and Equity Derivatives Using a 3/2 plus Jumps Model](#) >

Information for

Authors
R&D professionals
Editors
Librarians
Societies

Opportunities

Reprints and e-prints
Advertising solutions
Accelerated publication
Corporate access solutions

Keep up to date

Register to receive personalised research and resources by email

 Sign me up



Open access

Overview
Open journals
Open Select
Dove Medical Press
F1000Research

Help and information

Help and contact
Newsroom
All journals
Books

Copyright © 2026 Informa UK Limited [Privacy policy](#)

[Cookies](#) [Terms & conditions](#) [Accessibility](#)

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG

