



Q

Home ► All Journals ► Bioscience ► Biomarkers ► List of Issues ► Volume 14, Issue 2 ► Biological half-life of cadmium in the u

Biomarkers >

Volume 14, 2009 - <u>Issue 2</u>

4051510ViewsCrossRef citations to dateAltmetric

Research Article

Biological half-life of cadmium in the urine of inhabitants after cessation of cadmium

exposure

Yasushi Suwazono , Teruhiko Kido, Hideaki Nakagawa, Muneko Nishijo, Ryumon Honda, Etsuko Kobayashi, ... show all Pages 77-81 | Received 01 Sep 2008, Accepted 07 Jan 2009, Published online: 01 Mar 2009

Solution Cite this article Attps://doi.org/10.1080/13547500902730698



Abstract

We investigated the biological half-life of the urinary cadmium concentration (U-Cd) based on a 24-year follow-up study after cessation of cadmium exposure in a cadmium-polluted area. Spot urine samples were obtained from all inhabitants in this area in 1979, 1986, 1991, 1999 and 2003. Biological half-life was calculated in the inhabitants whose U-Cd was more than 5 μ g l⁻¹ (9 men and 12 women) or 5 μ g g⁻¹ creatinine (9 men and 19 women) using a one-compartment model. The estimated half-life and 95% confidence intervals were 13.6 years (9.0–28.2 years) and 13.9 years (9.6–25.6 years) for unadjusted U-Cd in men and women, respectively. For creatinine-adjusted U-Cd, they were 14.2 years (11.2–19.4 years) and 23.5 years (17.7–35.0 years) in men and women, respectively. The biological half-lives of U-Cd obtained in this study were identical with the values of total body burden determined by a different method.

Keywords::

Urinary cadmium biological half-life

human

Acknowledgment

Declaration of interest: The authors report no conflicts of interest. The authors alone are responsible for the content and writing of the paper.



In vivo analysis of cadmium in battery workers versus measurements of blood, urine, and workplace air. Source: Occupational and Environmental Medicine ON THE COLORIMETRIC DETERMINATION OF CREATININE BY THE JAFFE REACTION Source: Journal of Biological Chemistry Cadmium metabolism in man Source: Occupational and Environmental Medicine Epidemiological Survey of Workers Exposed to Cadmium Source: Archives of Environmental Health An International Journal A kinetic model of cadmium metabolism in the human being Source: Environmental Research

Related research 1

	People also read	Recommended articles	Cited by 151
--	------------------	----------------------	-----------------

Information for	Open access
Authors	Overview
R&D professionals	Open journals
Editors	Open Select
Librarians	Dove Medical Press
Societies	F1000Research
Opportunities	Help and information
Reprints and e-prints	Help and contact
Advertising solutions	Newsroom
Accelerated publication	All journals
Corporate access solutions	Books

Keep up to date

Register to receive personalised research and resources by email





Copyright © 2025 Informa UK Limited Privacy policy Cookies Terms & conditions

Taylor & Francis Group an informa business



Registered in England & Wales No. 01072954 5 Howick Place | London | SW1P 1WG