



Psychology, Health & Medicine >

Volume 12, 2007 - [Issue 1](#)

2,133 94

Views | CrossRef citations to date | Altmetric

3

Original Articles

Environmental stress, psychological stress and allostatic load

Michael S. Clark , Malcolm J. Bond & Jane R. Hecker

Pages 18-30 | Published online: 23 Jan 2007

 Cite this article  <https://doi.org/10.1080/13548500500429338>



 Full Article

 Figures & data

 References

 Citations

 Metrics

 Reprints & Permissions

Read this article

 Share

Abstract

The mechanism by which chronic caregiving stress results in poor health is not well understood. The objective was to determine whether such a mechanism may be allostatic load, a novel concept specifying physiological systems that may suffer cumulative wear and tear following chronic stress, leading collectively to poor health. The study examines the association of allostatic load with environmental and psychological stress in the contexts of dementia caregiving and relinquishment of care, and is a 2-year longitudinal comparison of three groups: 80 new dementia spouse caregivers, 120 veteran caregivers, and 60 non-caregivers. Data comprised allostatic load markers and environmental and psychological stress measures. Cross-lagged analyses produced a statistically significant association between psychological stress and one allostatic load component (primary mediators). Psychological stress was a better predictor of primary mediators than environmental stress. Primary mediators rose with time for caregivers, but not for non-caregivers. A greater rise was evident for

caregivers who had relinquished their role by the second year, although the level of psychological stress actually declined. Primary mediators are a key component of the relationship between allostatic load and prior stress. When allostatic load is treated as an outcome of stress, it is important to distinguish environmental and psychological stress.

Keywords:

- Stress
- allostatic load
- caregiving
- dementia

Acknowledgments

This study was conducted with the financial support of Project Grant No.160042 from the National Health and Medical Research Council of Australia. We also acknowledge the support of the Ian Potter Foundation and the Flinders Medical Centre Foundation, who funded the assessment of relinquished caregivers.

Related Research Data

- [The social readjustment rating scale](#)
Source: Journal of Psychosomatic Research
- [Emotions, Morbidity, and Mortality: New Perspectives from Psychoneuroimmunology](#)
Source: Annual Review of Psychology
- [Social Relationships, Gender, and Allostatic Load Across Two Age Cohorts](#)
Source: Psychosomatic Medicine
- [Predicting longitudinal changes in caregiver physical and mental health: A stress process model.](#)
Source: Health Psychology
- [Sexual Dimorphism in the Influence of Advanced Aging on Adrenal Hormone Levels: The Rancho Bernardo Study¹](#)
Source: The Journal of Clinical Endocrinology & Metabolism
- [Caregiving as a Risk Factor for Mortality](#)
Source: JAMA
- [Caregiving and the Stress Process: An Overview of Concepts and Their Measures](#)



Related research

People also read

Recommended articles

Cited by
94

Information for

[Authors](#)

[R&D professionals](#)

[Editors](#)

[Librarians](#)

[Societies](#)

Opportunities

[Reprints and e-prints](#)

[Advertising solutions](#)

[Accelerated publication](#)

[Corporate access solutions](#)

Open access

[Overview](#)

[Open journals](#)

[Open Select](#)

[Dove Medical Press](#)

[F1000Research](#)

Help and information

[Help and contact](#)

[Newsroom](#)

[All journals](#)

[Books](#)

Keep up to date

Register to receive personalised research and resources by email



Sign me up



Copyright © 2025 Informa UK Limited [Privacy policy](#) [Cookies](#) [Terms & conditions](#)

[Accessibility](#)



Taylor & Francis Group
an informa business

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG