

Natural Product Research >
Formerly Natural Product Letters
Volume 25, 2011 - Issue 10

614 | 35 | 0
Views | CrossRef citations to date | Altmetric

Research Articles

Extraction of kiwi seed oil: Soxhlet versus four different non-conventional techniques

Giancarlo Cravotto , Carlo Bicchi, Stefano Mantegna, Arianna Binello, Valérie Tomao & Farid Chemat

Pages 974-981 | Received 24 May 2010, Accepted 29 Jul 2010, Published online: 31 May 2011

 Download citation  <https://doi.org/10.1080/14786419.2010.524162>

Sample our
Bioscience
Journals
>> [Sign in here](#) to start your access
to the latest two volumes for 14 days

 Full Article  Figures & data  References  Citations  Metrics

 Reprints & Permissions

[Get access](#)

Abstract

Kiwi seed oil has a nutritionally interesting fatty acid profile, but a rather low oxidative stability, which requires careful extraction procedures and adequate packaging and storage. For these reasons and with the aim to achieve process intensification with shorter extraction time, lower energy consumption and higher yields, four different non-conventional techniques were experimented. Kiwi seeds were extracted in hexane using classic Soxhlet as well as under power ultrasound (US), microwaves (MWs; closed vessel) and MW-integrated Soxhlet. Supercritical CO₂ was also employed and compared to the other techniques in term of yield, extraction time, fatty acid profiles and organoleptic properties. All these non-conventional techniques are fast, effective and safe. A sensory evaluation test showed the presence of off-

flavours in oil samples extracted by Soxhlet and US, an indicator of partial degradation.

Acknowledgements

This study was supported by the University of Torino and MIUR (PRIN 2008).



Related research

People also read

Recommended articles

Cited by
35

[Extraction Optimization and Functional Properties of Proteins from Kiwi Fruit\(*Actinidia chinensis* Planch.\) Seeds >](#)

Jianjun Deng et al.
International Journal of Food Properties
Published online: 21 Mar 2014

[Ultrasonic and Soxhlet Extraction Characteristics of the Orange Peel from “Moro” Cultivars Grown in Albania >](#)

Kledi Xhaxhiu et al.
Journal of Essential Oil Bearing Plants
Published online: 25 Oct 2013

Information for

[Authors](#)

[R&D professionals](#)

[Editors](#)

[Librarians](#)

[Societies](#)

Opportunities

[Reprints and e-prints](#)

[Advertising solutions](#)

[Accelerated publication](#)

[Corporate access solutions](#)

Open access

[Overview](#)

[Open journals](#)

[Open Select](#)

[Dove Medical Press](#)

[F1000Research](#)

Help and information

[Help and contact](#)

[Newsroom](#)

[All journals](#)

[Books](#)

Keep up to date

Register to receive personalised research and resources by email



Sign me up



[Copyright © 2022 Informa UK Limited](#) [Privacy policy](#) [Cookies](#) [Terms & conditions](#)

[Accessibility](#)



Taylor & Francis Group
an **informa** business

Registered in England & Wales No. 3099067
5 Howick Place | London | SW1P 1WG