Philosophical Magazine ›

Volume 88, 2008 - Issue 7

3,529 Views | 253 CrossRef citations to date | 0 Altmetric

Original Articles

Strain hardening behaviour and the Taylor factor of pure magnesium

C.H. Cáceres & P. Lukáč

Pages 977-989 | Received 15 Nov 2007, Accepted 05 Feb 2008, Published online: 17 Aug 2009

Cite this article https://doi.org/10.1080/14786430801968611

Sample our Engineering & Technology Journals

>> Sign in here to start your access to the latest two volumes for 14 days

Full Article | Figures & data | References | Citations | Metrics

Reprints & Permissions | Read this article | Share

Abstract

Taylor orientation factors for strain hardening in textured and random polycrystals of magnesium were derived from the ratio of the strain hardening rates of polycrystals to that of single crystals deforming by equivalent polyslip. For polycrystals with textures that inhibit basal and prismatic slip while favouring pyramidal polyslip, the Taylor factor is estimated to be between 2.1 and 2.5, increasing to about 4.5 for randomly textured polycrystals. The micromechanics of strain hardening in polycrystals are discussed.

Keywords:

magnesium | dislocations | forest hardening | Taylor factor | Hall–Petch law

Acknowledgements

One of the authors (PL) would like to thank the Ministry of Education of the Czech Republic for financial support under the research project MSM 1M2560471601. The authors are indebted to Sean Agnew from the University of Virginia for encouragement and critical comments on the manuscript. Useful criticism from the journal's reviewers is gratefully acknowledged.

Notes

Notes

1. Kelley and Hosford 13 showed that the yield surface of textured polycrystals of pure Mg is highly non-equiaxed due to the stress asymmetry of twinning; however, it takes a nearly equiaxed shape after the first 6–8% strain, once twinning is over.

2. Preserving the yield surface's initial shape requires strain hardening proportional to the current flow stress, an assumption which is not easy to justify by dislocation theory 3.

3. The scales in Figures 1 through 4 are related by the Taylor factors $M_{\sigma} = M_{\varepsilon} = 4.5$. A higher or lower M value, respectively, decreases or increases the relative slope of the polycrystal curves.

4. It is noted that Graff et al.'s modelling 17 ignored possible contributions from twinning modes other than . More complex modes of twinning are known to become active at high stresses in Mg, and were indeed observed by Kelley and Hosford in their experiments 13, so the picture presented by Figure 5 is likely to be over-simplistic at very large strains.

5. ⟨c + a⟩ slip is similar to an octahedral slip system, {111}⟨111⟩ in a cubic crystal 47, and contains five independent slip systems.

Related Research Data

Effect of deformation temperature on Hall–Petch relationship registered for polycrystalline magnesium

Source: Materials Letters

Pair interaction of pyramidal dislocations and its contribution to flow stresses in Mg crystals during slip in system

Source: Materials Science and Engineering

Application of texture simulation to understanding mechanical behavior of Mg and solid solution alloys containing Li or Y

Source: Acta Materialia

Microscopic observations of glide in non close-packed planes in aluminium, and comparison with magnesium

Source: Acta Metallurgica

The Influence of Temperature and Strain Rate on the Flow Stress of Magnesium Single Crystals

Related research

People also read | Recommended articles | Cited by 253

The dislocation distribution, flow stress, and stored energy in cold-worked polycrystalline silver

J. E. Bailey et al.
The Philosophical Magazine: A Journal of Theoretical Experimental and Applied Physics
Published online: 13 Sep 2006

Strain hardening due to {10 12} twinning in pure magnesium

C.H. Cáceres et al.
Philosophical Magazine
Published online: 17 Aug 2009

The deformation of plastically non-homogeneous materials

M. F. Ashby
The Philosophical Magazine: A Journal of Theoretical Experimental and Applied Physics
Published online: 13 Sep 2006

Information for

Authors

R&D professionals

Editors

Librarians

Societies

Open access

Overview

Open journals

Open Select

Dove Medical Press

F1000Research

Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

Help and information

Help and contact

Newsroom

All journals

Books

Keep up to date

Register to receive personalised research and resources by email

Sign me up

Copyright © 2026 Informa UK Limited Privacy policy

Cookies Terms & conditions Accessibility

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG

Taylor & Francis by informa