

Philosophical Magazine >

Volume 88, 2008 - [Issue 7](#)

3,397 Views | 242 CrossRef citations to date | 0 Altmetric

Original Articles

Strain hardening behaviour and the Taylor factor of pure magnesium

C.H. Cáceres  & P. Lukáč

Pages 977-989 | Received 15 Nov 2007, Accepted 05 Feb 2008, Published online: 17 Aug 2009

 Cite this article  <https://doi.org/10.1080/14786430801968611>

Sample our
Physical Sciences
Journals
>> **Sign in here** to start your access
to the latest two volumes for 14 days

 Full Article  Figures & data  References  Citations  Metrics

 Reprints & Permissions

Read this article

 Share

Abstract

Taylor orientation factors for strain hardening in textured and random polycrystals of magnesium were derived from the ratio of the strain hardening rates of polycrystals to that of single crystals deforming by equivalent polyslip. For polycrystals with textures that inhibit basal and prismatic slip while favouring pyramidal polyslip, the Taylor factor is estimated to be between 2.1 and 2.5, increasing to about 4.5 for randomly textured polycrystals. The micromechanics of strain hardening in polycrystals are discussed.

Keywords:

magnesium

dislocations

forest hardening

Taylor factor

Hall-Petch law

Acknowledgements

One of the authors (PL) would like to thank the Ministry of Education of the Czech Republic for financial support under the research project MSM 1M2560471601. The authors are indebted to Sean Agnew from the University of Virginia for encouragement and critical comments on the manuscript. Useful criticism from the journal's reviewers is gratefully acknowledged.

Notes

Notes

1. Kelley and Hosford [13](#) showed that the yield surface of textured polycrystals of pure Mg is highly non-equiaxed due to the stress asymmetry of twinning; however, it takes a nearly equiaxed shape after the first 6–8% strain, once twinning is over.
 2. Preserving the yield surface's initial shape requires strain hardening proportional to the current flow stress, an assumption which is not easy to justify by dislocation theory [3](#).
 3. The scales in [Figures 1](#) through [4](#) are related by the Taylor factors $M_{\sigma} = M_{\varepsilon} = 4.5$. A higher or lower M value, respectively, decreases or increases the relative slope of the polycrystal curves.
 4. It is noted that Graff et al.'s modelling [17](#) ignored possible contributions from twinning modes other than $\{10\bar{1}0\}$. More complex modes of twinning are known to become active at high stresses in Mg, and were indeed observed by Kelley and Hosford in their experiments [13](#), so the picture presented by [Figure 5](#) is likely to be over-simplistic at very large strains.
 5. $\langle c + a \rangle$ slip is similar to an octahedral slip system, $\{111\}\langle 111 \rangle$ in a cubic crystal [47](#), and contains five independent slip systems.
-

Related Research Data

Effect of deformation temperature on Hall-Petch relationship registered for polycrystalline magnesium

Source: Materials Letters

Pair interaction of pyramidal dislocations and its contribution to flow stresses in Mg crystals during slip in system

Source: Materials Science and Engineering

Application of texture simulation to understanding mechanical behavior of Mg and solid solution alloys containing Li or Y

Source: Acta Materialia

Microscopic observations of glide in non close-packed planes in aluminium, and comparison with magnesium

Source: Acta Metallurgica

The Influence of Temperature and Strain Rate on the Flow Stress of Magnesium Single Crystals

Related research

People also read

Recommended articles

Cited by
242

Information for

[Authors](#)

[R&D professionals](#)

[Editors](#)

[Librarians](#)

[Societies](#)

Opportunities

[Reprints and e-prints](#)

[Advertising solutions](#)

[Accelerated publication](#)

[Corporate access solutions](#)

Open access

[Overview](#)

[Open journals](#)

[Open Select](#)

[Dove Medical Press](#)

[F1000Research](#)

Help and information

[Help and contact](#)

[Newsroom](#)

[All journals](#)

[Books](#)

Keep up to date

Register to receive personalised research and resources by email



Sign me up



Copyright © 2026 Informa UK Limited [Privacy policy](#)

[Cookies](#) [Terms & conditions](#) [Accessibility](#)

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG



Taylor & Francis
by informa