



Traffic Injury Prevention >

Volume 7, 2006 - Issue 4

280 | 43
Views | CrossRef citations to date | Altmetric

Original Articles

Parent Driver Characteristics Associated with Sub-Optimal Restraint of Child Passengers

Flaura K. Winston, Irene G. Chen, Rebecca Smith & Michael R. Elliott

Pages 373-380 | Received 30 Dec 2005, Accepted 07 May 2005, Published online: 25 Jan 2007

Cite this article <https://doi.org/10.1080/15389580600789143>



Full Article

Figures & data

References

Citations

Metrics

Reprints & Permissions

Read this article

Share

Abstract

Objectives. To identify parent driver demographic and socioeconomic characteristics associated with the use of sub-optimal restraints for child passengers under nine years.

Methods. Cross-sectional study using in-depth, validated telephone interviews with parent drivers in a probability sample of 3,818 vehicle crashes involving 5,146 children. Sub-optimal restraint was defined as use of forward-facing child safety seats for infants under one or weighing under 20 lbs, and any seat-belt use for children under 9.

Results. Sub-optimal restraint was more common among children under one and between four and eight years than among children aged one to three years (18%, 65%, and 5%, respectively). For children under nine, independent risk factors for sub-optimal restraint were: non-Hispanic black parent drivers (with non-Hispanic white parents as

reference, adjusted relative risk, adjusted RR = 1.24, 95% CI: 1.09–1.41); less educated parents (with college graduate or above as reference: high school, adjusted RR = 1.27, 95% CI: 1.12–1.44; less than high school graduate, adjusted RR = 1.36, 95% CI: 1.13–1.63); and lower family income (with \$50,000 or more as reference: <\$20,000, adjusted RR = 1.23, 95% CI: 1.07–1.40). Multivariate analysis revealed the following independent risk factors for sub-optimal restraint among four-to-eight-year-olds: older parent age, limited education, black race, and income below \$20,000.

Conclusions. Parents with low educational levels or of non-Hispanic black background may require additional anticipatory guidance regarding child passenger safety. The importance of poverty in predicting sub-optimal restraint underscores the importance of child restraint and booster seat disbursement and education programs, potentially through Medicaid.

Keywords:

Child Passenger Safety

Health Disparity

Poverty

Child Safety Seats

Booster Seats

ACKNOWLEDGMENTS

The authors would like to acknowledge the commitment and financial support of State Farm Mutual Automobile Insurance Company for the creation and ongoing maintenance of the Partners for Child Passenger Safety (PCPS) program, the source of data for this study. In addition, these analyses were conducted as part of US DOT, National Highway Traffic Safety Administration (NHTSA) Contract DTNH22-01-C-05845. The authors also thank the many State Farm policyholders who consented to participate in PCPS. The results presented in this report are the interpretation solely of the author(s) and are not necessarily the views of State Farm. The authors would also like to thank Edith Simpson for her contributions to an earlier version of this work.

Notes

¹unweighted sample size = 5146.

²unweighted sample size = 520.

³unweighted sample size = 1706.

⁴unweighted sample size = 2920.

*P < 0.05;

**P < 0.01;

***P < 0.001.

Related Research Data

Indicators of social class

Source: Social Science & Medicine

Impacts of culture on driver knowledge and safety device usage among Hispanic farm workers

Source: Accident Analysis & Prevention

Lessons for increasing awareness and use of booster seats in a Latino community

Source: Injury Prevention

Selecting and Using the Most Appropriate Car Safety Seats for Growing Children: Guidelines for Counseling Parents

Source: PEDIATRICS

Examples of Differing Weighted and Unweighted Estimates from a Sample Survey

Source: The American Statistician

Who is driving when unrestrained children and teenagers are hurt?

Source: Accident Analysis & Prevention

Child Restraint Device Use in Patients Leaving a Children's Hospital

Related research

People also read

Recommended articles

Cited by
43

Information for

Authors

R&D professionals

Editors

Librarians

Societies

Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

Open access

Overview

Open journals

Open Select

Dove Medical Press

F1000Research

Help and information

Help and contact

Newsroom

All journals

Books

Keep up to date

Register to receive personalised research and resources
by email

 Sign me up

  

  

Copyright © 2026 Informa UK Limited Privacy policy Cookies Terms & conditions

Accessibility



Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG