

183 Views | 14 CrossRef citations to date | 0 Altmetric


Original Articles

Experimental investigation on engine performances, combustion characteristics and emission of exhaust gases of VCR engine fuelled with cottonseed oil methyl ester blended with diesel

M. Santhosh & K. P. Padmanaban

Pages 1534-1545 | Published online: 10 Dec 2014

Cite this article <https://doi.org/10.1080/15435075.2014.977438>



Sample our Economics, Finance, Business & Industry journals, sign in here to start your access, latest two full volumes FREE to you for 14 days

Full Article | Figures & data | References | Citations | Metrics

Reprints & Permissions

Read this article

We Care About Your Privacy

We and our 843 partners store and/or access information on a device, such as unique IDs in cookies to process personal data. You may accept or manage your choices by clicking below, including your right to object where legitimate interest is used, or at any time in the privacy policy page. These choices will be signaled to our partners and will not affect browsing data. [Privacy Policy](#)

We and our partners process data to provide:

Use precise geolocation data. Actively scan device characteristics for identification. Store and/or access information on a device. Personalised advertising and content, advertising and content measurement, audience research and services development.

List of Partners (vendors)

I Accept

Essential Only

Show Purpose



bar. Lower smoke, HC and CO emissions are observed when increasing the blend proportions, whereas the nitric oxide emissions increases due to the better combustion resulted in higher temperatures. At BMEP of 4.64 bar, the CO emissions are reduced to 25.24% for neat biodiesel when compared with the diesel.

Q KEYWORDS: Cottonseed oil methyl ester cylinder pressure emission heat release rate VCR Engine

Acknowledgment

The authors thank the management of PSNA College of Engineering and Technology for providing the necessary experimental setup for this research.

Funding

The authors thank the All India Council for Technical Education (AICTE), Government of India for providing grant (NO.8024/RID/MOD/70/08/09) under Modernization and Removal of Obsolescence (MODROB) scheme for purchase of VCR engine.

Additional information

Funding

The authors thank the All India Council for Technical Education (AICTE), Government of India for providing grant (NO.8024/RID/MOD/70/08/09) under Modernization and Removal of Obsolescence (MODROB) scheme for purchase of VCR engine.



Relat

Home

inoph


Sourc

ernment of
and

um

Physicochemical, Performance, Combustion and Emission Characteristics of Melaleuca Cajuputi Oil-Refined Palm Oil Hybrid Biofuel Blend

Source: MDPI AG

Linking provided by  ScholarSplorer

Related research

People also read

Recommended articles

Cited by
14



Information for

- Authors
- R&D professionals
- Editors
- Librarians
- Societies

Opportunities

- Reprints and e-prints
- Advertising solutions
- Accelerated publication
- Corporate access solutions

Open access

- Overview
- Open journals
- Open Select
- Dove Medical Press
- F1000Research

Help and information

- Help and contact
- Newsroom
- All journals
- Books

Keep up to date

Register to receive personalised research and resources by email

 Sign me up



✕