

Open access

19,829 271 Views | 113 CrossRef citations to date | Altmetric

Listen

Original Articles

Global Estimates of the Burden of Injury and Illness at Work in 2012

Jukka Takala , Päivi Hämäläinen, Kaija Leena Saarela, Loke Yoke Yun, Kathiresan Manickam, Tan Wee Jin, ...show all

Pages 326-337 | Published online: 14 Apr 2014

Cite this article <https://doi.org/10.1080/15459624.2013.863131>

Check for updates

Full Article Figures & data References Citations Metrics Licensing

Reprints

We Care About Your Privacy

We and our 854 partners store and access personal data, like browsing data or unique identifiers, on your device. Selecting "I Accept" enables tracking technologies to support the purposes shown under "we and our partners process data to provide," whereas selecting "Reject All" or withdrawing your consent will disable them. If trackers are disabled, some content and ads you see may not be as relevant to you. You can resurface this menu to change your choices or withdraw consent at any time by clicking the ["privacy preferences"] link on the bottom of the webpage [or the floating icon on the bottom-left of the webpage, if applicable]. Your choices will have effect within our Website. For more details, refer to our Privacy Policy. [Here](#)

We and our partners process data to provide:

I Accept

Reject All

Show Purpose

ageing are clearly on the increase, while the number of occupational injuries has gone down in industrialized countries thanks to both better prevention and structural changes. We have estimated that globally there are 2.3 million deaths annually for reasons attributed to work. The biggest component is linked to work-related diseases, 2.0 million, and 0.3 million linked to occupational injuries. However, the division of these two factors varies depending on the level of development. In industrialized countries the share of deaths caused by occupational injuries and work-related communicable diseases is very low while non-communicable diseases are the overwhelming causes in those countries. Economic costs of work-related injury and illness vary between 1.8 and 6.0% of GDP in country estimates, the average being 4% according to the ILO. Singapore's economic costs were estimated to be equivalent to 3.2% of GDP based on a preliminary study. If economic losses would take into account involuntary early retirement then costs may be considerably higher, for example, in Finland up to 15% of GDP, while this estimate covers various disorders where work and working conditions may be just one factor of many or where work may aggravate the disease, injury, or disorders, such as traffic injuries, mental disorders, alcoholism, and genetically induced problems. Workplace health promotion, services, and safety and health management, however, may have a major preventive impact on those as well. Leadership and management at all levels, and engagement of workers are key issues in changing the workplace culture. Vision Zero is a useful concept and philosophy in gradually that themselves with economic risk management, and corporat work life. We considered a daily able work the legal



Q Keyword

idents

occupatio

Based on different starting points the International Labor Organization (ILO) and the World Health Organization (WHO), have made estimates of occupational injuries and illnesses or burden of disease. ILO has made global estimates from the point of view of occupational burden and WHO from the health point of view. Both of them have come to the conclusion that of all fatalities in industrial countries some 5- 7%⁽¹⁾ is attributed to work-related illnesses and occupational injuries. This percentage is somewhat smaller in developing countries where non-occupational health problems have a bigger share.⁽¹⁾ While new information gradually becomes available from various sources, and when work processes, work environment, and working populations change quantitatively and qualitatively, updates of the estimates become important. Better evidence is needed for policy and practices in countries, companies, and organizations. This article and related presentation provide the latest updated information for such purposes. The article is based on the Yant Award Lecture of the American Industrial Hygiene Association (AIHA) at its 2013 Congress.

Economic cost studies related to injuries and illnesses have been carried out using different methods. The most appropriate method has been the incidence approach where new injuries, diseases, and disorders occurring in a particular year are counted. Once this is known—e.g., by using the attributable fraction (AF) method—all direct and indirect costs can be calculated, including costs that are extended to the expected total

work life disability retirement estimate related i long term mature dies and of work- GDP.

The object knowled y and prac



MATE

Member se are collected orts from develop f countries

data for occupational injuries may be replaced by a proxy, a country, or an average of several countries that have closely resembling economic structures and methods of production and work cultures, and that have reported such data well.


Occupational injuries (accidents) are followed and recorded in many countries and the ILO, European Union (EU), and to some extent other regional organizations collect and record such national data. However, national systems are usually poorly standardized and international comparisons are difficult. The best recorded data involves fatal injuries and this is also the starting point for estimating the number of less severe injuries. The methodology on establishing more comparable estimates for occupational deaths and injuries has been described in several papers while the methodology has gradually been improved.⁽⁴⁻⁶⁾

Reliable and comparable occupational disease statistics based on compensated cases are not available at the global level. This lack has been compensated for by the population attributable fractions (AF) for work-related illnesses—a wider concept than the usually legally defined term of “occupational diseases.” The AFs are commonly used to measure the component or fraction of such illnesses and deaths that are related to work. Those fractions have been extensively studied in developed countries but very limited information from developing countries exists. WHO mortality tables by different regions provide background data and by using the AF component as a

percentage of total deaths for each disease or group of diseases, the AF for individual member states can be calculated. The latest possible data are used.

The most common occupational diseases are:


- i. work-related deaths
- ii. asbestos-related diseases (e.g. lung cancer)
- iii. external causes (e.g. AF lung cancer)
- iv. circulatory diseases
- v. respiratory diseases



vi. communicable diseases: AF = 8.8% (4.8% male, 32.5% female, the latter being high due to occupational infections in the health sector). This high AF value was adjusted for developing countries where health sector exposure is small compared to other exposures in agriculture and elsewhere, such as tropical diseases, bacteria, viruses, and vector-borne diseases.

Studies adapted by ILO for use as global estimates state that the overall AF for work-related causes was 6.7% (2005).⁽¹⁾ The AF method is widely used to assess work-relatedness of a broad range of diseases and disorders.

These AF values have been adapted from those used originally in Finland.⁽¹⁾ These have been used in other parts of the world, in particular, by ILO and in Australia,⁽¹⁾ New Zealand,⁽¹⁾ and Alberta, Canada.⁽¹⁾ Estimates based on these AF values have been reviewed to be the most representative globally⁽¹⁾ so far. While somewhat different AF values have been used, such as those by Steenland (2003),⁽¹⁾ new information has come much closer to the above-mentioned AF values used by the ILO. For example, Rushton et al.,⁽¹⁾ have demonstrated that occupational cancer in the U.K. kills 8010 people annually. After this study a group from the International Agency for the Research of Cancer (IARC), led by MacGormack⁽¹⁾ have shown that the number of mesothelioma cases can be used as an indication and proxy for asbestos exposures that do cause both mesothelioma and lung cancer. The number of deaths caused by lung cancer could be estimated from the number of mesothelioma cases. These estimates have been used to estimate the number of deaths caused by lung cancer annually (Takala/Lehto 2003).⁽¹⁾ A comparison of the number of deaths caused by lung cancer and the number of deaths caused by mesothelioma is shown in Figure 1.



Table

Download



Figure 1






Figure 3 Work-related annual deaths - EU and the pattern in other industrialized countries (Sources: Hämäläinen P, Takala J, Saarela KL; TUT, ILO, EU-OSHA).




Display full size

Figure 4 Inverse correlation of competitiveness and occupational safety (Source: WSH Institute and World Economic Forum Lausanne, Switzerland, 2012-2013)

http://www3.weforum.org/docs/WEF_GlobalCompetitivenessReport_2012-13.pdf.



Display fu



However
injuries,
fatalities
rapidly i
While
and cult
gain is c
many hi
difficult
paradigm
Today o

tional
injury
ture in
agement,
art of the
more, in
singly
p or
e countries,

more important. Long-term latency disorders continue to grow and cause fatalities—for example lung cancer and circulatory diseases—and long-term absences caused by musculoskeletal disorders and psychosocial factors. These are ranked as major problems by enterprises and organizations in economic sectors employing a large number of people. These are ranked as major problems by enterprises and organizations in economic sectors employing a large number of people, such as government and municipal workers, health and education sectors.

Competitiveness and safety and health go hand-in-hand; the lower the number of accidents the higher is the competitiveness and productivity. [Figure 4](#) illustrates the link between competitiveness as measured by the World Economic Forum⁽¹⁾ in 2013, and total accident rates using data reported to the ILO.⁽⁶⁾ While ILO data are from the year 2008, the total global numbers have not changed radically from the past. The United States had 96,000 fatal work-related diseases and 5,300 fatal occupational injuries including an adjustment for under reporting, while the competitiveness ranking was the highest in the world in 2008; today the United States is ranked seventh. Canada had 11,330 fatal work-related illnesses and 479 fatal occupational injuries and its competitiveness ranking today is 12.

Regions follow WHO Regions except for the high-income countries and EU27 that are separately covered and excluded from corresponding WHO Regions in [Table II](#).

Table

Download



High-inc


Table
Co
EU27

Download



Figure 5
safety a

due to lack of
aptation J.



Display full size

The only region or group where the level of accident reporting is relatively close to expected numbers is the group of high-income countries. In contrast, most other regions have low levels of reporting. This will also provide a false picture to decision makers believing that there is no reason to be worried. This in turn will become not only an economic obstacle to increasing competitiveness and productivity but will continue to increase pressures for basic human rights. No country has shown a high level of competitiveness and productivity while maintaining poor safety records. Such links exist for companies and organizations as well while small- and medium-sized enterprises may not have firsthand feedback of poor working conditions in the form of accidents that are statistically not common in smaller populations.

Figure 6 Perceptions of people are different from reality (Sources: S. Hertlich, M. Hamilo, S. Kovalic)



Display full

The EU data related to occupational injuries have been separately studied by Eurostat through a self-reported injury and illness survey in all EU Member States. The result of this study concluded that in the EU27 there were 7 million occupational injuries, or 3.2% of the workforce, in 2007.⁽¹⁾ This validated perfectly the ILO estimate, mentioned previously, that arrived at 7.37 million occupational injuries based on ILO data from 2008, data collection must have been earlier than that. On the other hand 8.6% of workers in the EU-27 experienced a work-related health problem in the past 12 months, which corresponds to 20 million workers.

Economic costs in Singapore

The estimated cost in Singapore was equivalent to 3.2% of the Singapore GDP in 2011. This is comparable to similar studies done by other countries, e.g., Australia (4.8%) and the ILO (4%). Workers bore about half of these costs (51%) while the rest is shouldered by employers (22%) and the community (27%).

The circumstances in Singapore reflect those of other highly developed countries. As a result of having overcome most communicable diseases as a cause of death, the relative importance of non-communicable diseases and disorders is constantly increasing. Some diseases that have a clear linkage to work are work-related cancers, circulatory diseases, chronic respiratory diseases, musculoskeletal disorders, and psychos

As a whole, the study illustrates the different imbalances and illnesses in the EU.⁽¹⁾ The adapted



DISCU

Taking in new and emergin e identified. Singapore ed to

1. Establishing a Research Agenda setting priorities for the continuous search for evidence for policy and practice⁽¹⁾

2. Building a Risk Observatory or Observatory for Workplace Landscape (OWL).⁽¹⁾

Often perceptions drive action more than real evidence and it is important to highlight the difference between media interest, public attention, and real evidence for policy and practice. Media, including social media, are vital for communication, for reaching large number of stakeholders, workers, small and medium-sized enterprises (SMEs), the informal sector, migrant workers, and vulnerable groups, and to foster a safety culture at places of work. **Figure 6** illustrates, however, that misperceptions in assessing risks exist. In particular statistical risks are not easy to assess correctly. Further, common everyday risks are underestimated and complicated technologically and risks not easily controlled by individuals are overrated.

Leadership, management, and systems thinking at all levels⁽¹⁾ and related worker engagement have been identified as key for efforts to ensure workplace safety and health.⁽¹⁾ Recent experiences from mega-projects such as the London Olympics construction effort were successful exactly because of emphasis on and continuous follow-up of these factors.⁽¹⁾

The number of...
understand...
mind that...
workplace...
manage...
program...
Collabor...
level mu...
cour...
enforc...
reducing...
US\$355...
billion na...
workers...
Several...
safety, and



REFERENCES

1. International Labor Organization (ILO): Occupational Safety and Health: Synergies Between Security and Productivity. Geneva: WHO, 2006.
[Google Scholar](#)
2. Murray, C., and A. Lopez: Global Burden of Disease. Geneva: World Health Organization (WHO)/World Bank/Harvard School of Public Health, 1996.
[Google Scholar](#)
3. Elgstrand, K., and N. Petersson: "OSH for Development." Stockholm, Sweden, Royal Institute of Technology, 2010. Available at https://osha.europa.eu/en/press/articles/review_osh_for_development (accessed May 16, 2013).
[Google Scholar](#)
4. Hämäläinen, P., J. Takala, and K.L. Saarela: Global estimates of occupational accidents. *Safety Sci.* 44:137–156 (2006).
[Web of Science](#)® | [Google Scholar](#)

5. Takala
<http://.../worldcongr...>
essrep
(acce
[Goog](#)
6. Hämä
num
col
7. Hämä
diseas



8. Takala, J., M. Urrutia, P. Hämäläinen, and K.L. Saarela: The global and European work environment—Numbers, trends, and strategies. *Scan. J. Work Environ. Health* (7):15–23 (2009).

[Google Scholar](#)

9. Nurminen, M., and A. Karjalainen: Epidemiologic estimate of the proportion of fatalities related to occupational factors in Finland. *Scan. J. Work. Environ. Health* 27(3):161–213 (2001).

[PubMed](#) | [Web of Science ®](#) | [Google Scholar](#)

10. Fritschi, L., and T. Driscoll: Cancer due to occupation in Australia. *Aust. N. Z. J. Pub. Health* 30(3):213–219 (2006).

[PubMed](#) | [Web of Science ®](#) | [Google Scholar](#)

11. Mannerj, A., and N. Pearce: Quantitative estimates of work-related death, disease and injury in New Zealand. *Scand. J. Work Environ. Health* 31(4):266–276 (2005).

[PubMed](#) | [Web of Science ®](#) | [Google Scholar](#)

12. Orenstein, M.R., T. Dall, P. Curley, J. Chen, A.L. Tamburrini, and J. Petersen: The

Econo

Service

<http://>

occup

(access

Goog



13. Drisco

of

Med.



14. Steen

magni

Am. J.

alth

burden-

of estimates

Am. J. Ind.

: The

occupation.

5. Rushton, L., S.J. Hutchings, L. Fortunato, et al.: Occupational cancer burden in Great Britain. *Br. J. Can.* 107:S3-S7 (2012).

 | [PubMed](#) | [Web of Science ®](#) | [Google Scholar](#)

6. McCormack, V., J. Peto, G. Byrnes, K. Straif, and P. Boffetta: Estimating the asbestos-related lung cancer burden from mesothelioma mortality. *Br. J. Can.* 106(3):575-584 (2012).

 | [PubMed](#) | [Web of Science ®](#) | [Google Scholar](#)

7. Takala, J.: Asbestos—Chrysotile, Trends and Numbers.” EFBWW Conference, European Parliament, Brussels, . June 30, 2011.

[Google Scholar](#)

8. World Health Organization (WHO): “WHO Mortality Database: World Health Organization Statistical Information System (WHOSIS).” . Available at <http://www.who.int/healthinfo/morttables/en/index.html> (accessed Dec. 10, 2006).

[Google Scholar](#)

9. Nishikawa, K., K. Takahashi, A. Karjalainen, et. al: Recent mortality from pleural mesothelioma: A global assessment.

10. Härmä, M. et al. Work-Related Diseases. University of Technology.

11. Morreim, E.H. et al. The magnitude of occupational exposures. *Am J Ind Hyg Assoc* 55:63-71 (1994).

12. Leigh, J.P. et al. Occupational asbestos exposure in the United States.



23. Australian Safety and Compensation Council: "The Cost of Work-related Injury and Illness for Australian Employers, Workers and the Community." . Available at <http://www.safeworkaustralia.gov.au/sites/swa/about/publications/pages/sr200903injuryandillness2005to2006>

(access-ed January 20, 2014) .

[Google Scholar](#)

24. Australian Safety and Compensation Council: "The Costs of Work-related Injury and Illness for Australian Employers, Workers and the Community." . Available at <http://www.safeworkaustralia.gov.au/sites/swa/statistics/cost-injury-illness/pages/cost-injury-illness>

(accessed January 20, 2014).

[Google Scholar](#)

25. European Agency for Safety and Health at Work: "." . Available at <https://osha.europa.eu/en/publications/reports/302> (accessed May 16, 2013).

[Google Scholar](#)

26. Rogns... r. J. Op. Res.
75(3):

27. Takala... ment. Int. J.
Occup

28. L. ... Disease
and In... le at
<http://...> accessed

May 1

[Goog](#)

29. Intern... d Health at



http://www.perosh.eu/wp-content/uploads/2013/06/PEROSH_OSH-and-Competitiveness_G_Ahonen_FIOH.pdf

(accessed January 20, 2014).

[Google Scholar](#)

30. Schwab, K.: "The Global Competitiveness Report 2012-2013." Geneva: World Economic Forum, 2012. . Available at http://www.weforum.org/docs/WEF_GlobalCompetitivenessReport_2012-13.pdf (accessed June 17, 2013).

[Google Scholar](#)

31. Eurostat: "Statistics in Focus 63/2009: 8.6% of Workers in the EU Experienced Work-related Health Problems." Population and Social Conditions. . Available at http://epp.eurostat.ec.europa.eu/cache/ITY_OFFPUB/KS-SF-09-063/EN/KS-SF-09-063-EN.PDF

(accessed May 16, 2013).

[Google Scholar](#)

32. Takala, J.: "Future Perspectives in Occupational Health and Safety," 5th International FOHNEU Congress, Tarragona, Spain, . Sept. 21, 2012.

[Google Scholar](#)

33. Ahonen, J.: "Occupational Health and Safety in the Future." PEROSH Seminar. . Available at [http://www.perosh.eu](#) (accessed January 20, 2014).
[Google Scholar](#)

34. Chen, Y.: "Research agenda: Occupational Health and Safety." Available at [http://www.perosh.eu](#) (accessed January 20, 2014).
[Google Scholar](#)

35. Observations on the state of occupational health and safety in the EU. . Available at [http://www.perosh.eu](#) (accessed January 20, 2014).
[Google Scholar](#)

36. "Lead researchers of the PEROSH project." Available at [http://www.perosh.eu](#) (accessed January 20, 2014).



(accessed May 16, 2013).

[Google Scholar](#)

37. "European Campaign on Leadership and Worker Participation," European Union (EU)-Occupational Safety and Health Administration (OSHA). . Available at <http://www.healthy-workplaces.eu/en/hw2012> (accessed May 16, 2013).

[Google Scholar](#)

38. Takal, J.: Global estimates of traditional occupational risks. (1):62-67 (2005).

[Google Scholar](#)

39. Michaels, D.: "OSHA Saves Lives and Jobs." United States Department of Labor. . Available at <http://social.dol.gov/blog/osha-saves-lives-and-jobs/> (accessed June 17, 2013).

[Google Scholar](#)

40. Levine, D, I., M.W. Toffel, and M.S. Johnson: Randomized government safety inspections reduce worker injuries with no detectable job loss. *Science*: 336 (6083), 907-911. . Available at <http://www.sciencemag.org/content/336/6083/907> (accessed June 17, 2013).

[Web c](#)



41. "Vision" [ero](#)

(acce

[Goog](#)

42. Intern [ational](#)

Sa

<http://p=NO>

(acce

[Goog](#)

Downloa



Related research

People also read

Recommended articles

Cited by
271

[Updated assessment of occupational safety and health hazards of climate change >](#)

P. A. Schulte et al.
Journal of Occupational and Environmental Hygiene
Published online: 2 Jun 2023



[Occupational safety and health management in the construction industry: a review >](#)

Mohd Hafidz Jaafar et al.
International Journal of Occupational Safety and Ergonomics
Published online: 11 Sep 2017

[Using thematic analysis in psychology >](#)

Virginia Braun et al.
Qualitative Research in Psychology
Published online: 21 Jul 2008



Information for

- Authors
- R&D professionals
- Editors
- Librarians
- Societies

Opportunities

- Reprints and e-prints
- Advertising solutions
- Accelerated publication
- Corporate access solutions

Keep up to date

Register to receive personalised research and resources by email

 Sign me up



Open access

- Overview
- Open journals
- Open Select
- Dove Medical Press
- F1000Research

Help and information

- Help and contact
- Newsroom
- All journals
- Books



or & Francis Group
orma business

